



Overview Topics & Product Groups

6

Only one click away. Integrated click function of the product groups to the respective page.

R

Freund

A roof over everyone's head

Product Overview	
Slate & fibre cement	9
Demolition tools	31
Roofer´s hammer	38
Woodworking	41
Tileworking	43
Flat roof	48
Hammer tacker & staples	72
Knifes & blades	78
Saws	89
Trowels	96
Foam & chaulking guns	100
Measuring & marking	106
Seaming machine	
Seaming Pro [®] New Generation	122
Bender	130
Seaming pliers	138
Sheet metal pliers	156
Bending & seaming tools	164
Snips	176
Sheet metal forming	192
Tinman's hammer	206
Gutters & pipes	214
Soldering & riveting tools	227
Hand riveters & rivets	239
Leather products	242
Tool boxes	247
What you need else	250
General	

Index	258



A Roof Over Everyone's Head.

That is our why. And our goal! We work on it every day. With top performance in the team. With you. For you. And together for your customers. To satisfy a basic need. And to secure it!

With this goal you trust and insist on our system of premium products. And on our quality. A quality that has made no compromises for more than 175 years. A guality with the highest comfort and unique advantages. A guality that accompanies you every day. Wherever your passion lies. On the roof or on the facade.

Because Freund produces and sells hand tools for roofers, sheet metal specialists, carpenters and flat roof installers. Nationally and internationally. Leading in the market. With products that are unmistakable and indispensable for you.

With products that we are constantly developing. Or include completely new products in our range. To get the best for you. And we can only do that with a clear strategy. With a clear definition of goals, standards and structures. We always go one step further. We are creative and innovative. Consistent and courageous. For new paths. For the highest quality. For the existence of our brand. For ensuring our common goal

Unmistakable and indispensable

Our Icons

Choice

37/6 mm

Roundwire



General

Award








PVC-Jaws opening

Diameter 6D Pipe Expander

Variants












Ball bearings

Bearings



Ball Bearings

Cut radii

11/10 mm

Flatwire

Staples





11/14 mm

Flatwire



37/8 mm

Roundwire

Radii Right



Radii Left



P Patent

Patent




Radii





FREUND



Slater's Hammer Universo®

Application

Perfect performer: It punches, trims and processes slate. And it pulls nails!

Benefits & Comfort

- Universal: Double bevel grinding on the working side - no need to change tools, in additon you can work on both sides of the slater's anvil
- Flexible: One-sided circular grinding of the head for creating large radii
- Non-slip and breathable: Handcrafted leather handle absorbs the strike
- Sound-optimized and durable: Thanks to Freund hardening process by hand
- Stable and safe: You guide the hammer precisely through the leather handle
- Balanced: Tool weight is idealy allocated



Item no. 00020651

Item no.	Version	Dimensions	Weight	PU
00020651	Slater´s hammer Universo®, right	340 x 220 mm	650 g	1
00021651	Slater´s hammer Universo®, left	340 x 220 mm	650 g	1



Because craftmanship is everything

With the Universo® you do not only work safely and effortlessly - but also quickly and precisely. Because it is handmade for your hand. So it saves energy, is easy on your joints and your hearing - for a long time.

Slater's Hammer Rhenish Pattern

Application & Benefits

Precise all-round genius: It punches, trims, processes and fixes slate!

- Non-slip and breathable: Handcrafted leather handle absorbs the strike
- Balanced: Tool weight is idealy allocated
- Sound optimized and durable: With a lot of experience our slate hammers are hardened by hand

Slater's Hammer Saxon Pattern

Application & Benefits

Helping Saxon: It punches, trims and processes slate!

- Non-slip and breathable: Handcrafted leather handle absorbs the strike
 Sound optimized and durable: With a lot of experience our slate hammers are hardened by hand
 Robust and long lasting:
- Increased durability of the tip and cutting edge

Slater's Hammer American Pattern

Application & Benefits

Precise Allrounder: It punches, shapes, and trims slate. And it pulls nails!

- Special: Double sided nail puller
 Non-slip and breathable:
- Handcrafted leather handle absorbs the strike • Sound optimized and durable:
- With a lot of experience our slate hammers are hardened by hand

Slater's Hammer French Pattern

Application & Benefits

Precise Frenchman: It punches, shapes and trims slate. And it pulls nails!

- _ ...
- Special: Double sided nail puller
 Non-slip and breathable: Handcrafted leather handle absorbs the strike
- Sound optimized and durable: With a lot of experience our slate hammers are hardened by hand

Slater´s Hammer Traditional French Pattern

Application & Benefits

Precise Frenchman: It punches, shapes and trims slate. And it pulls nails!

- e sided nail puller Special: Double sided nail puller
 - Non-slip and breathable: Handcrafted leather handle absorbs the strike
 - Powerful: High head weight increases the striking power

Slater's Hammer Universo® French Pattern

Application & Benefits

Precise Frenchman: It punches, shapes and trims slate. And it pulls nails!

- Special: Double sided nail puller
- Universal: Double bevel grinding on the working side - no need to change tools in addition, you can work on both sides of the Slater's anvil
- Flexible: One-sided circular grinding of the head for creating further radii



ltem no.	Version	Dimensions	Weight	PU
00050000	Slater´s hammer french pattern, right	330 mm	660 g	1
00051000	Slater´s hammer french pattern, left	330 mm	660 g	1
00054000	Slater's hammer traditional french pattern, right	330 mm	680 g	1
00058000	Slater´s hammer Universo® french pattern, right	340 mm	650 g	1



Item no. 00052000

Dimensions Weight PU item no. 00020600 340 mm 1 600 g 00020650 Slater's hammer rhenish pattern, right 340 mm 650 g 1 00021650 Slater's hammer rhenish pattern, left 340 mm 650 g 1 00040000 Slater's hammer saxon pattern, right 335 mm 650 q 1 00052000 Slater's hammer american pattern, right 320 mm 680 g 1 00053000 Slater's hammer american pattern, left 320 mm 680 g 1



Slater's Hammer Universo® Ornament

Application

Fine decorator: Especially for creating and processing of slate ornaments!

Benefits & Comfort

- Fine: With hand-ground and rounded modeling surface to create curves and shapes
- Universal: Double bevel grinding on the working side - no need to change tools in addition, you can work on both sides of the slater's anvil
- Particularly light and fine: Hand made leather handle absorbs the impact
- Sound optimized and durable: With a lot of experience our slate hammers are hardened by hand
- Balanced: Tool weight is idealy distributed
- Stable and safe: The leather handle allows you to guide the the hammer precisely



Item no. 00074000

Item no.	Version	Dimensions	Weight	PU
00074000	Slater´s hammer Universo® ornament, right	280 x 180 mm	420 g	1
00074001	Slater's hammer Universo® ornament, left	280 x 180 mm	420 g	1



Because detail work matters

Fast and fine - the particularly light and durable Universo® Ornament makes it possible. Because we have made it by hand. So that you can safely and effortlessly work down to the last detail. Without great effort. And gentle on your joints.

Slater's Hammer Universo® Modeling

Application & Benefits

Artists decorator: Specially designed for creating slate ornaments!

- Fine: With hand-ground and rounded modeling surface to
- create curves and shapes
 Universal: Double bevel grinding on the working side - no need
- to change tools

 Handcrafted leather handle
- absorbs the strike

Slater's Hammer Piccolo with Three Holes

Application & Benefits

Small allrounder: It punches, shapes and trims slate!

- Lightweight: Compact construction of the tool
 Non-slip and breathable:
 - Handcrafted leather handle absorbs the strike • Sound optimized and durable: With a lot of experience our slo
 - With a lot of experience our slate hammers are hardened by hand

Slater's Hammer Piccolo with Nail Puller

Application & Benefits

Small allrounder: It punches, shapes and trims slate! And it pulls nails!

- Lightweight: Compact construction of the tool
- Non-slip and breathable: Handcrafted leather handle absorbs the strike
- Sound optimized and durable: With a lot of experience our slate hammers are hardened by hand

475 g



00072000 Slater's hammer Piccolo with nail puller, right 300 mm

Pointing Hammer with Wooden Handle

Application & Benefits

Precise Allrounder: He punches, shapes, and trims slate. And it pulls nails!

- Pleasant: Premium natural wood handle
- Safe: Highest working safety through reinforced and extremely stable head safety device
- Durable: Thanks to Freund hardening process by hand

Pointing Hammer with Fiberglass Handle

Application & Benefits

Precise Allrounder: He punches, shapes, and trims slate. And it pulls nails!

- Durable: handle made of high-quality glass fiber
 Safe: Firm anchoring of head
- and handle
 Universal: Flexible application thanks to hole and nail function



Item no. 00130000

Item no. 00132000

Item no.	Version	Dimensions	Weight	PU
00130000	Pointing hammer with wooden handle	330 mm	375 g	1
00132000	Pointing hammer with fiberglass handle	330 mm	375 g	1

Hold It The Right Way Round

Slate- & Fibre Cement Cutter MasterCut®

Application

Robust Expert: Cuts and punches slate and fiber cement tiles up to 7 millimeters thick!

Benefits & Comfort

- Flexible: Cuts fiber cement slate with one side and natural slate with the other. Simply turn over
- Convenient: Integrated hole punch with a stable and unbreakable spring
- High quality: Die-cast aluminum body, easy to maintain
- Robust: Despite its multiple usability, MasterCut[®] consists of only a few components
- Safe: Protects the hand from pinshing
 when cutting
- Ergonomic: Pleasant soft grips for smooth work



Item no. 00950000

Item no.	Version	Dimensions	Weight	PU
00950000	Slate- & fibre cement cutter MasterCut®	335 x 80 mm	780 g	1



Hold it the right way round

Our award-winning masterpiece: You cut fiber cement tiles with the centimeter scale pointing upwards. And for slate, simply turn the MasterCut[®] upside down! For easier cutting than ever before and maximum work safety.

Slate- & Fibre Cement Cutter ErgoCut with Punch

Application & Benefits

Handy Expert: Cuts and punches natural slate and fiber cement!

- Convenient: The compact and handy design offers
- you a perfect handling
 Universal: Cutting and punching with only one
- device
 Lasting: The blade lasts for a long time and does not need to be changed

Slate- & Fibre Cement Cutter with Punch

Application & Benefits

Comfortable expert: Cuts and punches natural slate and fiber cement!

- Comfortable: Dust and breakout free cutting process
- Fast: Cutting length of 35 mm and cutting width of 2.8 mm
- Universal: Cutting and punching with only one device

Slate- & Fibre Cement Cutter without Punch

Application & Benefits

Simple worker: Cuts and punches natural slate and fiber cement!

- Comfortable: Dust and breakout free cutting process
- Fast: Cutting length of 35 mm and cutting width of 2.8 mm
- Practical: Blades replaceable



Item no.	Version	Dimensions	Weight	PU
00920000	Slate- & fibre cement cutter Ergocut with punch	300 mm	630 g	1
00920009	Slate- & fibre cement cutter with punch	310 mm	825 g	1
00930009	Slate- & fibre cement cutter without punch	300 mm	645 g	1

Slater's Anvil HAU.MAXX, Curved

Application

18

A gifted bow artist: For a quick and exact trimming of slates!

Benefits & Comfort

- Ergonomic and safe: Thanks to the recessed grips, the anvil lies securely in your hand when hammering it in
- Durable: Made from one piece and powder-coated
- Sound optimized: Specific recess in the material
- Light and fast: Hammering into the wood is very comfortable thanks to the curved hammering tip



Item no. 00316000

Item no.	Version	Dimensions	Weight	PU
00316000	Slater's anvil HAU.MAXX, curved	300 x 185 mm	440 g	1



Because you have the hang of it

The curved HAU.MAXX makes the trimming of slate a piece of cake. The recessed grips fit perfectly in your hand. Thanks to its shining color, you can always find it quickly. And it's easy on your ears while you work. The perfect addition to the straight HAU.MAXX.

Slater's Anvil HAU.MAXX, Straight

Application

Consequent divider: For fast and exact processing of fiber cement and slate tiles!

Benefits & Comfort

- Ergonomic and safe: Thanks to the recessed grips the bridge lies securely in your hand when hammering it in
- · Durable: Made from one piece and powder coated
- Sound optimized: Targeted recess in the material
- Light and fast: Hammering into the wood is very comfortable thanks to the curved hammering tip
- Flexible: Also suitable for slates



Item no. 00315000

Item no.	Version	Dimensions	Weight	PU
00315000	Slater´s anvil HAU.MAXX, straight	310 x 200 mm	450 g	1

Because we always switch to green for you

Grab it and go - that's HAU.MAXX. It makes working with fiber cement tiles and slate tiles super easy. The recessed grips fit perfectly in your hand. Thanks to its shining color, you can always find it quickly. And it's easy on your ears while you work. The perfect addition to the curved HAU.MAXX.

freund

freund

Slater's Anvil Curved

Application & Benefits

Forming divider: Processes slate tiles!

- Light or heavy: Slater's anvil in 2 thicknesses, each made from one piece: 5 mm and 8 mm
- Safe: Ground edges
- Practical: Hammering into the wood is very comfortable thanks to the curved hammering tip
- Durable: Made from one piece

Slater´s Anvil Straight

Application & Benefits

Forming divider: Processes fibre cement and slate tiles!

- Your choice: Light 5 mm, heavy 8 mm or extra long slater's anvil
- Safe: Ground edges
 Practical: Hammering into the wood is very comfortable thanks to the curved hammering tip
 Durable: Made from one piece



Item no. 00311000

Item no. 00310000

ltem no.	Version	Dimensions	Weight	PU
00311000	Slater's anvil curved, light version, 5 mm thick	310 x 185 mm	560 g	1
00313000	Slater's anvil curved, heavy version, 8 mm thick	310 x 185 mm	800 g	1
00310000	Slater´s anvil straight, light version, 5 mm thick	310 x 185 mm	560 g	1
00312000	Slater's anvil straight, heavy version, 8 mm thick	310 x 185 mm	800 g	1
00314400	Slater's anvil straight, long version, 5 mm thick	400 x 200 mm	725 g	1

Slater's Anvil French Pattern Long

Application & Benefits

French divider: Processes Slate and fiber cement tiles!

- Long: 400 mm support
- Cutting: Ground on one side bevel for right- or left-handed use
- Durable: Made from one piece

Slater's Anvil French Pattern Short

Application & Benefits

French divider: Processes Slate and fiber cement tiles!

- Short: 310 mm support
- Cutting: Ground on one side bevel for right- or left-handed use
- Durable: Made from one piece



Item no. 00324400

Item no.	Version	Dimensions	Weight	PU
00324400	Slater´s anvil french pattern, long, straight, right	400 x 200 mm	725 g	1
00325400	Slater's anvil french pattern, long, straight, left	400 x 200 mm	725 g	1
00320000	Slater's anvil french pattern, short, straight, right	310 x 185 mm	560 g	1
00321000	Slater´s anvil french pattern, short, straight, left	310 x 185 mm	560 g	1

Slate Cutter Schiefermax

Application

Flexible allrounder: Processes slate tiles up to 10 millimeters thick!



- Strong: The ergonomic cutting edge can process tiles up to 10 mm
- Large format: The blade runs through the tile without interfering stop for formats up to 50 cm
- Safe: The slate cutter is hooked into the battening and can be easily transported thanks to the safety pin
 Durable: The hardened knife is made
- Durable: The hardened knife is made of high-quality tool steel
 Ergonomic: The handle is wavy and fits
- well in your hand
- Comfortable: Low maintenance due to easily accessible components





Item no. 00350000

Item no.	Version	Dimensions	Weight	PU
00350000	Slate cutter Schiefermax	600 x 200 mm	5.2 kg	1
Accessories:				
00351000	Guide	430 mm	1 kg	1
00352000	Punching device replacement punch consists of steel nail 3.4 x 40 mm	440 mm	900 g	1



Only the hard ones survive

Schiefermax cuts even extremely hard slate. A piece of cake - even if you have to make the same cuts over and over again. The optional guide makes it possible and gives you the comfort you need. Speaking of convenience: The cutting length is extra long. And the maintenance effort is extra low.

Fibre Cement Guillotine 96

Application

Exact expert: Cuts and punches facade panels from fiber cement up to 6 millimeters thick!

Benefits & Comfort

- Energy-saving: The lightweight aluminum body and the precisely balanced carrying handle simplify transport
- Razor-sharp: Clean cut and punched holes
- Convenient: Perfect geometry and precise cutting ensure fast and easy work, even with large panels (cutting length 800 mm)
- Flexible: Built-in additional blade for short cuts saves tool changes
- Comprehensive: With two built-in hole punching devices the material can be processed completely
- Practical: Low maintenance due to easily accessible components
- Unsuitable: Not for natural slate



Item no. 00960000

Item no.	Version	Knife length	Dimensions	Weight	PU
00960000	Fibre cement guillotine 96	800 mm	9600 x 4.200 mm	15.2 kg	1
Spare part:					
17723	1 Spare blade (2 spare blades necessary)	800 mm		300 g	1



Because solid can also be light

The fibre cement guillotine always shows greatness. No wonder, each one is made with attention to detail and tested by hand. The best tool steel for blades and punches ensures top performance. For example thanks to the Solingen steel blade, adjusted by hand.

Guide For Fibre Cement Guillotine

Application & Benefits

Precise shaper: It gives fiber cement consistent cuts!

- Time-saving: One-time adjustment of the the guide rail for many identical boards without marking
- Double: Adjustable in angle from 0-90° as well as 45 to 310 mm
- Light: Use of aluminum

Fibre-Cement Scribe with Carbide Exchange Blade

Application & Benefits

Precise scribe: It tears a wide variety of materials!

- A wide variety of materials!
 Durable: cutting edge is made of carbide
- Light and robust: Die-cast aluminum housing
 Powerful: Optimum power
- transfer through integrated thumb rest



Item no. 00960001

ltem no. 05610000

Item no.	Version	Knife length	Dimensions	Weight	PU
00960001	Guide for fibre cement guillotine for 00960000 and 00970000		450 mm	2 kg	1
05610000	Fibre cement scribe with carbide exchange blade		150 mm	135 g	1
Spare part:					
05611000	Carbide exchange blade		70 mm	20 g	1

Slate Ripper Handforged

Application

Indispensable one of a kind: Removes slate nails from overlaps!

Benefits & Comfort

- Traditional: Free hand forged for 175 years and inspected
- Durable: Made from one piece of forged steel
- Robust: Seamless manufacturing with no welds, which can crack
- Flexible: Asymmetrical positioning of the nail pullers right and left for flexible working depth
- Practical: Integrated nail claw on the handle



Item no. 00240400

Item no.	Version	Dimensions	Weight	PU
00240315	Slate ripper, 2 nail puller	315 mm	575 g	1
00240400	Slate ripper, 4 nail puller	400 mm	625 g	1
00240470 🌼	Slate ripper, 4 nail puller	470 mm	725 g	1
00240525	Slate ripper, 4 nail puller	525 mm	750 g	1
00240600	Slate ripper, 4 nail puller	600 mm	830 g	1
00240650	Slate ripper, 4 nail puller	650 mm	875 g	1



Because tradition never gets old

With our hand-forged slate rippers you effortlessly remove slate nails from overlaps. And flexible, thanks to the asymmetrical positioning of the lateral nail pullers. This is where tradition meets true craftsmanship. Both in the manufacturing of the tool and in its application roofers love it! And it is available in 6 variants with different working depths. These range from 315 mm to 650 mm. So that you are always well prepared.

24

freund

Quality With A Long Tradition

Slate Ripper Stainless Steel

Application

Practical customizer: Removes slate nails from overlaps!

Benefits & Comfort

- Highly flexible: The blade is made of 1.5 mm stainless steel
- Sustainable: The stainless steel blade is replaceable
- Practical: Hand-forged claw handle with integrated nail puller
- Durable and safe: Use of self-locking nuts
- Equal: Extended nail claw without disadvantage for left-handed users



Item no. 00251400

Item no.	Version	Dimensions	Weight	PU
00251315	Slate ripper stainless steel, 2 nail puller	315 mm	900 g	1
00251400	Slate ripper stainless steel, 4 nail puller	400 mm	1 kg	1
00251470 🏩	Slate ripper stainless steel, 4 nail puller	470 mm	1.1 kg	1
00251525	Slate ripper stainless steel, 4 nail puller	525 mm	1.2 kg	1
00251600	Slate ripper stainless steel, 4 nail puller	600 mm	1.3 kg	1

Because extra thin can be extra strong

Because every millimeter counts when working on an overlap. That is why we have designed the stainless steel blade to be extra thin. So you can work precisely and flexibly. You can change the blade easily and mount it securely with the special screws.

Slate Ri Exchang Stainles	geable Blade	Handle for Slate Ripper with Nail Claw		e ate Ripper ht Form	
Application	& Benefits	Application & Benefits	Applicatio	on & Benefits	
 Highly fle special st Durable: I Complete 	n: 1.5 mm thick xible: Made from tainless steel Non-rusting e: With fastening nd wrench	 Robust: Nail claw forged Complete: With fastening screws and wrench Equal: Extended nail claw without disadvantage for left-handed users 	 Ergono withou Compl 	Heavy cast iron omic: Classic handl t nail claw ete: With mounting s and wrenches	
3				c.	,
	ltem no. 00253400	ltem no.	. 17010	ltem n	o. 17012
ltem no.	Version		Dimensions	Weight	PU
00253315	Slate ripper exchange b	lade stainless steel, 2 nail puller	315 mm	150 g	1

item no.	Version	Dimensions	weight	FU
00253315	Slate ripper exchange blade stainless steel, 2 nail puller	315 mm	150 g	1
00253400	Slate ripper exchange blade stainless steel, 4 nail puller	400 mm	250 g	1
00253470	Slate ripper exchange blade stainless steel, 4 nail puller	470 mm	250 g	1
00253525	Slate ripper exchange blade stainless steel, 4 nail puller	525 mm	250 g	1
00253600	Slate ripper exchange blade stainless steel, 4 nail puller	600 mm	300 g	1
17010	Handle for slate ripper with nail claw	220 mm	850 g	1
17012	Handle for slate ripper straight form	250 mm	930 g	1

28

freund

Slate Ripper Straight Handle

Application & Benefits

Practical coordinator: Removes slate nails from overlaps!

- Highly flexible: The blade is made of 1.5 mm stainless steel
- Sustainable: The stainless steel blade is replaceable
 Handy: Ergonomic steel handle
- in straight shape

Slate Ripper Spring Steel

Application & Benefits

Rigorous mover: Removes slate nails from overlaps!

- Highly flexible: The blade is made of 1.5 mm stainless steel
 Sustainable: The stainless
- steel blade is replaceable
 Handy: Ergonomic steel handle in straight shape



Item no. 00254525

Item no. 00241400

Item no.	Version	Dimensions	Weight	PU
00254525	Slate ripper straight handle, 2 nail puller	525 mm	1 kg	1
00254600	Slate ripper straight handle, 2 nail puller	600 mm	1.1 kg	1
00241315	Slate ripper spring steel, 2 nail puller	315 mm	645 g	1
00241400	Slate ripper spring steel, 4 nail puller	400 mm	700 g	1
00241470	Slate ripper spring steel, 4 nail puller	470 mm	755 g	1
00241525	Slate ripper spring steel, 4 nail puller	525 mm	800 g	1
00241600	Slate ripper spring steel, 4 nail puller	600 mm	840 g	1
00241650	Slate ripper spring steel, 4 nail puller	650 mm	885 g	1

Demolition Tool BOZZ

Application

Big boss: Tears off waterproofing and vapor barrier membranes, shingles and insulation boards!

Benefits & Comfort

- Comfortable: 2K power handle for efficient
 power transfer from your hand to the tool
- Efficient: Strong toothed blade pulls the nails out very quickly
- Ergonomic and robust: Enormous leverage for little effort. Sliding and lever tube as well as a robust tubular steel handle provide a perfect unit
- Robust: No moving parts, fully welded
- Powerful: Sliding tube ensures optimum feeding
- Fast: 200 mm working width



Item no. 00271000

Item no.	Version	Dimensions	Weight	PU
00271000	Demolition tool BOZZ	1.350 x 200 mm	4.6 kg	1



Because every master needs a good BOZZ

The BOZZ cuts your demolition time in half. Significantly. Gone are the days when you had to tear off roofs with standard shovels and broke yourself in the process. Now there is a new BOZZ on the roofs of this world. Because it is not only durable, but also extremely resilient.

Demolition Tool Little BOZZ

Application

Little boss: Tears off waterproofing and vapor barrier membranes, bitumen shingles, insulation boards up to 100 mm!

Benefits & Comfort

- Comfortable: Plastic handle for easy use
- Efficient: Strong toothed blade pulls the nails very quickly
- Ergonomic: Lever action for little effort
- Robust: No moving parts, fully welded
- Maneuverable: 100 mm working width



Item no. 00270000

Item no.	Version	Dimensions	Weight	PU
00270000	Demolition tool little BOZZ	580 x 100 m	2 kg	1



Because we like to safe your time

Because we have designed the small BOZZ so innovatively, that demolition is twice as fast as before. In hard-to-reach corners, the little one comes out big. Thanks to the sturdily drawn tube. For more power and leverage. It is very durable. And extremely resilient.

Demolition Tool BOZZ Set

Application

Perfect team: Tears off waterproofing and vapor barrier membranes, shingles and insulation boards!

Benefits & Comfort

- Powerful BOZZ: 2-component power handle, enormous leverage and 200 mm working width
- Comfortable little BOZZ: 2K handle, leverage
 and 100 mm working width
- Efficient: Strong toothed blades pull out the nails very guickly
- Robust: no moving parts, fully welded



Item no. 00272000

Item no.	Version	Dimensions	Weight	PU
00272000	Demolition tool BOZZ Set	580 x 100 mm / 1.350 x 200 mm	2 kg / 4.6 kg	1

Set includes:

1 x 00271000 BOZZ, 1 x 00270000 little BOZZ



Because behind every master stands a good team

With the BOZZ Set, you not only reduce your working time in half during demolition, but you are also flexible with the possible applications. While the BOZZ is extremely resilient and offers you an ingenious leverage for even more power, the little BOZZ gets into hard-to-reach corners and effortlessly clears away a lot of stuff.



Lath Lifter

Application

34

Sturdy strongman: Lifts and tears battens from rafters with a leverage height of 100 millimeters and has a maximum lifting capacity of 120 kilograms!

Benefits & Comfort

- Power-saving: 650 mm long reinforced lever steel tube ensures perfect handling
- Reinforced: In the connection between lever head and lever tube
- Gentle: The rounded lever support makes it easier for you to roll when levering and protects the surface
- Fast: High time savings thanks to the combination of various advantages on the tool
- Robust and durable: No moving parts are used, the tool is fully welded
- Ergonomic: Ribbed PVC handle fits perfectly in your hand



Item no. 00250000

Item no.	Version	Dimensions	Weight	PU
00250000	Lath lifter, claw width 150 mm	760 x 180 mm	2.2 kg	1



Because demolition work must be done quickly

So don't lose any time during demolition! The lath lifter sets the lever perfectly - thanks to the 650 millimeter long steel tube and the PVC handle, which fits perfectly in your hand. Simply remove old battens. Save energy. And time.

Wrecking Bar Heavy Duty

Application

Powerful crusher: Levers, breaks and pulls nails during demolition!

Benefits & Comfort

- Perfect: Oval shape transfers your power better than its round colleagues
- Durable: Thanks to the special hardening process and corrosion-protected surface
- Robust: Forged from one piece
- Gentle on force: With the optimized nail extractor it is easy to pull out flat nails
- Compact: Weight and size in perfect balance



Item no. 00230610

Item no.	Version	Dimensions	Weight	PU
00230610 🜿	🗶 Wrecking bar, oval shape	600 x 30 mm	1.8 kg	1
00230910	Wrecking bar, oval shape	900 x 30 mm	3 kg	1

Because you have to get things done quickly

And with this nail breaker you won't let anything go to waste. With it you tear off everything - and always very safely. Especially since you have to use less force and work very ergonomically.

freund

Double utility bar, 380 mm, Particularly Flat	Flooring crow bar, Handy Version, 250 mm only
Application & Benefits	Application & Benefits
Flat helper: Universal tool Optimized for the roofer!	Small crusher: pulls nails and levers, only 250 mm long!
 Flat: Ideal for boards and deep nails Stable: Forged from high quality tool steel 	 Small: Only 250 mm long Handy: Fits in every corner and fits in every pocket Sturdy: Forged and hardened

tool steel • Wide: 35 mm wide lever surface

Wrecking Bar Flooring crow bar. Angular

Application & Benefits

- Easy to grip: 6-edged shape
- Stable: Forged from high quality tool steel
 - Rust-proof: Treated with high quality powder coating



Item no.	Version	Dimensions	Weight	PU
00302000	Double utility bar, particularly flat	380 x 35 mm	700 g	1
00301000	Flooring crow bar, handy version	250 mm	250 g	1
00290600	Wrecking bar, angular	600 mm	1.5 kg	1
00290800	Wrecking bar, angular	800 mm	1.9 kg	1

Slate Lifting Bar Application & Benefits Flat oval • 20 x 12 mm • With nail claw and hook

Application & Benefits

Nail Claw

HOOK

Handy remover: Pulls nails out comfortably!

common screws and nails • Robust and unique: Hand forged

· Power-saving: Ideal leverage,

ideal for loosening and removing

- Comfortable: Ergonomic beech wood handle for good power transmission
- · Short and sweet: Fits everywhere



ltem no.	Version	Dimensions	Weight	PU
00300000	Slate lifting bar	410 mm	650 g	1
00303000	Nail claw HOOK	260 mm	380 g	1

Roofer's Hammer with Head Protection

Application & Benefits

Robust assistant: Strikes and pulls nails!

- · Robust and safe: Highest safety with head and shaft protection
- Balanced: Tool weight is optimally balanced · Dynamic: Highest striking
- force thanks to perfect head weight
- · Your choice: With and without magnet

Roofer's Hammer with Reinforced **Head Protection**

Application & Benefits

Comfortable partner: Strikes and pulls nails!

• Robust and safe: Highest safety with head and shaft protection and additional reinforcement by a steel ring Holding: With nail magnet in the head · Look: Highly polished head and elegant design

Roofer's Hammer One Piece Forged Steel

Application & Benefits

Balanced friend:

- Durable: One piece forged
- steel • Fatigue-free: Ergonomic 2K soft grip absorbs impact
- Tool weight is perfectly balanced



Roofer's hammer with reinforced head protection,

Roofer's hammer one piece forged steel

Strikes and pulls nails. And is easy in the hand!

1

1

600 g

500 g

· Balanced and ultra-light-weight:

Roofer's Hammer with Leather Handle

Application & Benefits

Strong partner: Strikes and pulls nails. And lies perfectly in the hand!

- · Comfortable: High quality, twist-proof leather handle
- regulates humidity · Stable and safe: Full steel
- design ensures highest safety · Durable: Adjustable steel end cap for retensioning of the leather discs

Roofer's Hammer Freund by Picard Black

Application & Benefits

Strong partner: Strikes and pulls nails. And lies perfectly in the hand!

- · Look: With black painted head • Stable and particularly safe:
 - Steel ring to reinforce the highquality connection between handle and head and reinforced safety pin
 - Fatigue-free: Ergonomic 2K handle absorbs the impact Dynamic: Highest striking power thanks to perfect head weight

Roofer's Hammer Freund by Picard Polished

Application & Benefits

Strong partner: Strikes and pulls nails. And lies perfectly in the hand!

- Look: With ground head
- Sturdy and particularly safe: Steel ring to reinforce the highquality connection between handle and head and reinforced safety pin
- Fatigue-free: Ergonomic 2K handle absorbs the impact
- Dynamic: Highest striking power thanks to perfect head weight



Item no. 00114000

Item no. 00115000

Item no. 00116000

Item no.	Version	Dimensions	Weight	PU
00114000	Roofer´s hammer with leather handle	320 mm	700 g	1
00115000	Roofer's hammer Freund by Picard black, roughened track	320 mm	600 g	1
00116000	Roofer´s hammer Freund by Picard polished, with magnet, roughened track	320 mm	600 g	1
00116001	Roofer´s hammer Freund by Picard blank, with magnet, plain track	320 mm	600 g	1

00110698

00114002

with magnet

320 mm

320 mm

Claw Hammer with Leather Handle

Application & Benefits

old ones!

Pleasant power converter: Drives in nails and removes

· Comfortable: High quality,

• Stable and safe: Full steel

. regulates humidity

leather discs

twist-proof leather handle

design ensures highest safety

• Durable: Adjustable steel end

cap for retensioning of the

0

Copp

i i

211

0

FREUND

Mortise Axe

Application & Benefits

Unique wood artist: To

customize of pin and mortise!

• High quality: Forged 3-sided

• Hard: Made from hardened

chrome vanadium steel

ground cutting edge

Chisel

Application & Benefits

Powerful friend: For splitting and shaping wood!

- Durable: High quality forged blade made of hardened chrome-molybdenumsteel
- Impact resistant: The handle is made of tough and impact resistant hornbeam wood and equipped with an impact ring
- Durable: Blade and handle are clear lacquered





Item no. 00170450

Item no. 01430020

ArtNr.	Ausführung	Abmessungen	Gewicht	VE
00119001	Claw hammer with leather handle	320 mm	900 g	1
00170450	Mortise axe	450 mm	450 g	1
01430020	Chisel	20 mm	157 g	1
01430022	Chisel	22 mm	185 g	1
01430024	Chisel	24 mm	195 g	1
01430030	Chisel	30 mm	225 g	1
	011361	30 1111	223 g	

freund

Lath Axe with Soft Handle

Application & Benefits

Universal assistant: Shapes and processes wood and plaster!

- Comfortable: Ergonomic soft grip
- Sharp: Cutting edge precisely
 ground and hardened
- Safe: Head and handle safetythrough reinforced safety pin and additional steel ring
- Universal: For the roofer and the drywall

Hatched With Handle from Ash Wood

Application & Benefits

Handy splitter: Shapes wood where it is needed!

- Compliant: Manufactured according to DIN 5131
 Durable: With ash wood crow
- bar handle
 Durable cutting: The cutting edge is hardened and precision ground
- Rust-proof: The head is lacquered in gold

Wooden Axe with Handle from Ash Wood

Application & Benefits

Powerful splitter: Shapes the wood, when striking power is needed!

- Compliant: Manufactured according to DIN 5131
- Durable: With ash wood crow bar handle
 Durable cutting: The cutting
- edge is hardened and precision ground
 Rust-proof: The head is
- lacquered in gold

	Item no. 00123000	Item no. 00180600	Item no. 0	0181250
Item no.	Version	Dimensions	Weight	PU
00123000	Lath axe with soft handle	325 mm	700 g	1
00180600	Hatched with handle from ash wood	360 mm	600 g	1
00181250	Wooden axe with handle from ash wood	800 mm	1.2 kg	1

Roof Tile Cutter Bibermax

Application

Sharp crusher: Scribes and breaks beaver taile tiles highly precise up to 400 mm length!

Benefits & Comfort

- Dust-free: Thanks to precise scribing and breaking
 of the beaver-tail tiles
- Wireless and low-noise: Processing of the beaver-tail tiles without the need for an engine
- Convenient: Use on flat as well as inclined surfaces, thanks to angle adjustment in four locking positions
- Firm and safe: Two adjustable hook-in devices (up to 45 mm roof batten thickness) and safety rope made of plastic-coated steel
- Flexible: Can be used for different tile thicknesses thanks to variable tensioning mechanism



Item no. 00260000

ltem no.	Version	Dimensions	Weight	PU
00260000	Roof tile cutter Bibermax with roof support and guide, cutting length 400 mm	730 x 300 mm	15.2 kg	1
Spare part:				
17802	Special carbide wheel	Ø 14 mm	4 g	1
17803	Handle with special carbide wheel	200 mm	50 g	1



Because power also works without electricity

Off the roof to cut beaver taile tiles? No way. You simply hang the Bibermax in the roof. It works powerfully, precisely and dust-free. And it does not need a power connection. The guide gives you the additional flexibility you need to make a wide variety of cuts.

Tile Nibbler Forged

Application

Black lightning: Shapes roof tiles and shortens wire up to 2.5 millimeters in diameter!

Benefits & Comfort

- Simple: The handy format can be used very quickly
- Robust and durable: The cutting edges are inductively hardened
- Practical: Polished head with 55 mm jaws



Item no. 00211000

Item no.	Version	Jaw opening	Dimensions	Weight	PU
00211000	Tile nibbler, forged	55 mm	220 x 50 mm	455 g	1



Because some things are simple irreplaceable

Because the tile nibbler belongs to any equipment. They are specially designed for roof tiles and inductively hardened. Power meets function: You can open the pliers mouth up to 55 millimeters wide.

Roof Tile File

Application & Benefits

• Durable: Carbide coated

- Useful: For clean edge
- breaking on all types of bricks
- Universal: One rough, one smooth face



Item no.	Version	Dimensions	Weight	PU
01381000	Roof tile file	200 mm	230 g	1

Tile Drill	Universal Drill Goldcraft
Application & Benefits	Application & Benefits
 The high performance drill enable dry drilling of the hardest bricks Asymmetric spiral shape Chip removing Ungsten-titanium tip Burnished surface 	 Special cutting geometry Asymmetric spiral shape Chip removing Ground surface



Hammer Drill

- Made of chrome-nickel-
- molybdenum steelSandblasted and inter-
- mediate stage hardened
- Center point



Item no. 01561000 Item no. 01565000 Item no. 01571200 Version Dimensions Weight PU Item no. 01561000 5 x 85 mm 1 Tile drill, 5 pieces 50 g 01563000 Tile drill, 1 piece 5 x 85 mm 10 g 1 01564000 Tile drill, 1 piece 6 x 100 mm 10 g 1 01565000 Universal drill goldcraft, 1 piece 5 x 85 mm 10 g 1 01566000 Universal drill goldcraft, 1 piece 4 x 75 mm 10 g 1 01571200 Hammer drill sds-plus, 1 piece 6 x 110 mm 1 10 g 01571300 Hammer drill sds-plus, 1 piece 6 x 160 mm 10 g 1

Flexible, Comfortable And Safe

46

freund

Cutting Reimagined



Bitumencutter Bitumen Pro by biegetec

Application

Precise perfectionist: Cuts bitumen sheets precisely, the same way every time, and really fast!

Benefits & Comfort

- Accurate: Makes perfect straight cuts
- Time-saving: No more marking, but faster cutting than by hand
- Flexible: Quickly adjust and perform
- changing cuts
- Light and handy: Made of aluminum, weight less than 15 kg
- Space-saving: Many cuts can be made without unrolling the roll completely
- Safe: No more risk of slipping, as the robust blade is guided automatically
- Compatible: Standard hook blades are used
- Universal: Suitable for bitumen and PVC and FPO membranes up to 1250 mm wide

ltem no.	Version	Working width	Dimensions	Weight	PU
03380000	Bitumencutter Bitumen Pro	1.250 mm	1.430 x 460 x 135 mm	14.95 kg	1



Because you really get it tight with it

If you regularly cut the heavy bitumen sheets and change the cuts frequently, you want to save time and play it safe at the same time - for your team and for the roof itself. The Bitumen Pro is the perfect tool for this.

freund

51

Only one click away. Integrated click function from the item image to our webshop.



Silicon Pressure Roller Smooth-Running Ball Bearings

Application

Fine roll: For seam joining during overlap welding of high polymer roofing and sealing membranes!

Benefits & Comfort

- Keeps track: Two enclosed smoothrunning ball bearings ensure perfect rolling
- Transferring: Short distance between the silicone roller and the handle and the central position of the roller in front of the handle ensures perfect power transmission without detours and at the same time protects the wrist
- Comfortable: Finger recess in the handle ensures optimal handling
- Works very precisely: Axles and components are finely adjusted and screwed together



Item no. 04222045

ltem no.	Version	Dimensions	Weight	PU
04222028 划	§ Silicon pressure roller smooth-running ball bearings	28 mm	155 g	1
04222045	Silicon pressure roller smooth-running ball bearings	45 mm	190 g	1



Because gentle always pays off

Because it is easy on the wrist when working, especially. In the long term. The perfect handle design also ensures this. The silicone roller compensates for the slightest unevenness in the in the surface. It is highly elastic and temperature-resistant.

Comfort, Safety And Precision

ErgoWheel® Pressure Roller Smooth-Running Ball Bearings

Application

Rock'n'Roller: For seam joining during overlap welding of high polymer roofing and sealing membranes!

Benefits & Comfort

- · Easy on the joints: Thanks to innovative handle desian
- · Powerful: Handle centered above the roller applies the power and at the same time protects the wrist · Comfortable: Ergonomic handle fits perfectly in the hand
- · Stays on track: Two closed smooth running ball bearings for perfect rolling performance
- · Works very precisely: Axles and components are finely adjusted and screwed



Item no. 04210045

Item no.	Version	Dimensions	Weight	PU
04210045	Ergowheel® pressure roller, smooth-running ball bearings, right	45 mm	230 g	1
04211045	Ergowheel® pressure roller, smooth-running ball bearings, left	45 mm	230 g	1

Because ergonomics simply comes first

And the ErgoWheel® offers it. With it you make meter after meter without using more force. That's how gentle works. It compensates for the smallest unevenness in the ground. Its silicone roller is highly elastic and temperature-resistant. For high-precision work and the best results.



- Precise: Axles and components are finely adjusted and screwed together Comfortable: Finger recess in
- the handle ensures ideal handling Powerful: Handle in front of the roller transfers the power idealy and at the same time protects the wrist

Silikon-Pressure Roller **Bush Bearings**

Application & Benefits

Proven roller: For seam joining for overlap welding!

- · Precise: Axles and components are finely adjusted and screwed together
- Comfortable: Finger recess in the handle ensures ideal handling
 - · Powerful: Handle in front of the roller transfers the power idealy and at the same time protects the wrist

Silikon-Pressure **Roller Analed**

Application & Benefits

Precise corner roller: Ideal for wall connections!

- Variable: Comes through the 30° angled head into every corner
- Comfortable: Finger recess in the handle ensures optimum handling Smooth running: Use of 2 smoothrunning ball bearings
- Precise: Axles and components are finely adjusted and screwed together



Item no. 04220090

Item no. 04221045

Item no.	Details	Dimensions	Weight	PU
04220090	Silicon pressure roller wide, bush bearings	90 mm	350 g	1
04221028	Silicon pressure roller bush bearings	28 mm	165 g	1
04221045	Silicon pressure roller bush bearings	45 mm	250 g	1
04224045	Silicon pressure roller smooth-running ball bearings, 30° angled	45 mm	240 g	1

Pressure Roller Metall Smooth-Running Ball Bearings

Application

Precise track holder: Perfect for joining seams during the overlap welding of roofing and waterproofing membranes!

Benefits & Comfort

- · Keeps on track: Two closed ball bearings ensure perfect rolling
- Transfers power well: The handle with recessed grip sits centrally in front of the roller
- · It is temperature-independent: Special construction and galvanized roller - for work in hot and cold conditions
- Works very precisely: Axles and components are finely adjusted



Item no. 03170040

Item no.	Version	Dimensions	Weight	PU
03170040 🎎	Pressure roller metall smooth-running ball bearings	40 mm	450 g	1
03170060	Pressure roller metall smooth-running ball bearings	60 mm	625 g	1



Because a little pressure never hurts

So that it is not on the hand, the handle is perfectly designed. And the smooth-running ball bearing ensures that everything is allright and rolls perfectly. And it has to, because the pressure roller is indispensable for seam joining for overlap welding of roofing and waterproofing membranes - also with solvent welding materials.

Pressure Roller Metall Roll **Ball Bearings**

Application & Benefits

Narrow problem solver: Ideal for particularly narrow filled weld situations!

- · Applying pressure: High contact pressure due to narrow metal wheel
- Durable: Solid mounting bracket made from one piece
- Smooth running: Through use of smooth-running ball bearings

Pressure Roller Brass Roll Ball Bearings

Application & Benefits

Angled problem solver: filled weld situations!

- · Applying pressure: High contact pressure due to
- made from one piece
- smooth-running ball bearings



Item no.	Version	Dimensions	Weight	PU
04225000	Pressure roller metall roll smooth-running ball bearings	35 x 6 mm	195 g	1
04226000	Pressure roller brass roll smooth-running ball bearings	28 x 6 mm	145 g	1

Ideal for particularly narrow

- narrow metal wheel
- Durable: Solid mounting bracket
- Smooth running: Through use of

Pressure Roller PTFE Non-Stick Smooth-Running Ball Bearings

Application

Sturdy power pack: Perfect for seam joining during the overlap welding of roofing and waterproofing membranes!

Freund Choice Ball Bea

Benefits & Comfort

- Powerful: Handle with finger recess in front of the roller transfers the force idealy
- Stable and durable: Metal retaining ring, integrated into the wooden handle, ensures high contact pressure
 Smooth running: Due to double smooth-running ball
- bearings
- Easy to grip: Due to textured surface



Item no. 04229045

Item no.	Version	Dimensions	Weight	PU
04229028	Pressure roller PTFE non-stick smooth-running ball bearings	28 mm	165 g	1
04229045 虦	Pressure roller PTFE non-stick smooth-running ball bearings	45 mm	200 g	1

Because power is transferred perfectly

Because this roller generates an extremely high contact pressure. At the same time, it is very easy to guide, thanks to the textured rolling surface and the material used. The PTFE also makes the roller easy to clean and heat-resistant.

Fillet Weld Slide PTFE Non-Stick

Application

Ingenious addition: For seam joining in fillet welding situations - when the pressure roller is not sufficient!

Benefits & Comfort

- Universal: Special head design with radius at the pressure edge and rounding on one side - for detailed work in corners and corners with a high level of detail
- Ergonomic and safe: 2K handle with finger recess fits perfectly in the hand
- Heat-resistant: Durable head made of PTFE, which does not stick to the material



Item no. 04232040

Item no.	Version	Dimensions	Weight	PU
04232040	Fillet weld slide PTFE non-stick	45 mm	110 g	1



Because the tension must be held

And this slider minimizes stress cracks due to the small radius and the rounded corners. If liquid plastics are used, you can use it to place the fleece optimally in fillet situations. Also convenient: It can be cleaned very well due to its non-stick characteristics.

Seam Tester 90° Angled

Application

Pointed inspector: Checks the welded seam of the roofing and sealing membrane for defects!

Benefits & Comfort

- Gentle and safe: Simply check seams with rounded cone tip
- Ergonomic: Wooden handle ensures perfect handling
- Quick and easy: Angled tool tip for easy testing



Item no. 04231000

Item no.	Version	Dimensions	Weight	PU
04231000	Seam tester 90° angled	240 x 50 mm	110 g	1

Because quality control is part of the job

And with the seam tester, you can find possible flaws without damaging the material. The tool works gently without creating new holes. At the same time, you work very ergonomically.

Gentle, Safe and Ergonomic

Flat Roof Starter Kit

Application & Benefits

The starter set contains the 11 most common tools for the professional installation of roofing and sealing membranes!



Item no. 04229999

Item no.	Version	Dimensions	Weight	PU
04229999	Flat roof starter kit, 12-piece	330 x 150 x 150 mm	3.1 kg	1
Included in th	ne set:			
45174000	Tool box, small	450 x 260 x 224 mm	1.2 kg	1
02030000	Shark knife with retractable blade	160 x 45 mm	190 g	1
02300100	Trapezoidblades "Made in Solingen", 10 blades	70 mm	40 g	1
02310100	Hookedblades "Made in Solingen", 10 blades	70 mm	40 g	1
04222028	Silikon-pressure roller, smooth-running ball bearings	33 x 28 mm	155 g	1
04222045	Silikon-pressure roller, smooth-running ball bearings	33 x 45 mm	240 g	1
03170040	Pressure roller metall	40 x 40 mm	450 g	1
04226000	Pressure roller brass roll	28 x 6 mm	145 g	1

It's all in there









Item no. 02310100

Item no. 04222028







Item no. 04222045

Item no. 03170040

Item no. 04226000

Item no. 04231000







Item no. 02710250

Item no. 03403500

Item no.	Version	Dimensions	Weight	PU
04231000	Seam tester	250 mm	200 g	1
02710250	Foil scissors with soft handle	250 mm	360 g	1
03403500	Plastic bottle	500 ml	70 g	1
03402501	Brush attachment for plastic bottle, cranked	1 1/2"	35 g	1

Flat Roof Starter Kit with Ergowheel®

Application & Benefits

64

The starter set contains the 12 most common tools for the professional installation of roofing and sealing membranes!



Item no. 04229990

Item no.	Version	Dimensions	Weight	PU
04229999	Flat roof-starter kit with Ergowheel®, 13 pieces	330 x 150 x 150 mm	3.5 kg	1
Included in t	he set:			
45174000	Tool box, small	450 x 260 x 224 mm	1.2 kg	1
02030000	Shark knife with retractable blade	160 x 45 mm	190 g	1
02300100	Trapezoidblades "Made in Solingen", 10 blades	70 mm	40 g	1
02310100	Hookedblades "Made in Solingen", 10 blades	70 mm	40 g	1
04210045	Pressure roller Ergowheel®, right	33 x 45 mm	230 g	1
04222028	Silikon-pressure roller, smooth-running ball bearings	33 x 28 mm	155 g	1
04222045	Silikon-pressure roller, smooth-running ball bearings	33 x 45 mm	240 g	1
03170040	Pressure roller metall	40 x 40 mm	450 g	1

It's all in there







00100 **Item no.** 02310100

Item no. 04210045





Item no. 03170040

Item no. 04226000



80



Item no. 03403500



Item no.

Item no. 02710250

Item no.	Version	Dimensions	Weight	PU
04226000	Pressure roller brass roll	28 x 6 mm	145 g	1
04231000	Seam tester	250 mm	200 g	1
02710250	Foil scissors with soft handle	250 mm	360 g	1
03403500	Plastic bottle	500 ml	70 g	1
03402501	Brush attachment for plastic bottle, cranked	1 1/2"	35 g	1

Roofing Membrane Roller Winding Core

Application

Rock'n Roller: Helps to unroll roofing membranes, especially bitumen!



- Great protection: Due to the opening along the entire length of the roller, the overlay can be placed centrally ensuring an overlap at both ends
- Practical: Easy positioning through the funnel shaped opening and a controlled, easy and quick unrolling
- Sturdy and heat resistant: Because of the aluminum core, the contact pressure is distributed evenly over the entire length

Version

Winding Core

Handy: Lightweight tool

Item no. 04240000



Foil Scissors Sturdy Metal Design

Application

Sharp long-duration cutter: For durable cutting of foils and high-polymer roofing membranes!

Benefits & Comfort

- Powerful: Precision grinding for best cuts
- Stable: Due to torsion-resistant blades
- Long-lasting: The crown screw can be readjusted, the hardened blades with handle are forged from one piece
- Ergonomic: Special handle for fatigue-free work



Item no. 02720250

ltem no.	Version	Dimensions	Weight	PU
02720250 🎎	Foil scissors, sturdy metal design	260 x 90 mm	400 g	1



Because a power pack can be light

60 x 950 mm

And because the winding core makes it easy for you: Threading the roll is very easy. The contact pressure is ideal, making it very ergonomic to work with. The tool can also withstand heat well and also offers good protection.

1.5 kg

1

Because good cuts make the difference

Precise cutting, even over longer distances, and you like to do it fast? Nothing could be easier. Because the very long cutting length makes it possible. What's more, the scissors cut right to the tip of the blade. The ergonomic handle simplifies the whole thing even more.

66

freund

Application & Benefits

Separating assistant: Good workmanship makes these scissors a classic!

- · Cutting: Blade quality "Made in Solingen"
- Comfortable: 2-component soft handles, suitable for right- and left-handers
- · Precise: Finely shaped cutting edges for precise work

Foil Scissors with Soft Handle

Application & Benefits

Lightweight separator: These scissors impress by their handiness!

• Handy: Lightweight and precise cutting · Durable: Scissors made of stainless steel Comfortable: 2-component soft grips

Plastic Bottle with Drip Cap

Application & Benefits

Precise dispenser: For ideal application of liquids!

- LDPE bottle Transparent material
 - with drip cap

Bottle With Brush for Solvent **Welding Material**

Application & Benefits

Precise dispenser: Bottle with brush for precise dispensing of solvent welding material!

- Consistent: Precisely
- manufactured brass nozzle • Durable: High quality connection of brush and cap, bonded
- and molded • Dosable: Flexible LDPE plastic bottle and high quality China bristles

Bitumen Roller Heat Resistant up to 160° C

Application & Benefits

Heat resistant distributor: Universal roller, suitable for hot bitumen!

- Heat resistant up to 160° C: Due to metal holder and cover made of perlon
- Durable: Riveted continuous brass sleevee

Universal **Double Bracket** Heat Resistant

Application & Benefits

Universal bracket: Fits all common roll sizes!

- · Handy: Infinitely adjustable double handle and suitable for all common roll sizes
- Equal: Guide on both sides ensures for even contact pressure
- · Heat resistant: Made entirely of metal



Item no. 03402250/03401250

Item no. 03371000

Item no. 03370000

Item no.	Version	Dimensions	Weight	PU
03401250	Plastic bottle with brush attachment, straight	250 ml	60 g	1
03401500	Plastic bottle with brush attachment, straight	500 ml	80 g	1
03402250	Plastic bottle with brush attachment, cranked	250 ml	60 g	1
03402500	Plastic bottle with brush attachment, cranked	500 ml	80 g	1
03401501	Brush attachment for plastic bottle, straight	1 1/2"	35 g	1
03402501	Brush attachment for plastic bottle, cranked	1 1/2"	35 g	1
03371000	Bitumen roller, heat resistant up to 160°C	250 mm	135 g	1
03370000	Universal double bracket, heat resistant	250 mm	350 g	1



Item no. 03400250

PU Item no. Dimensions Weight 02730200 1 200 mm 90 g 02730250 250 mm Foil scissors with soft handle, original finny, red 110 g 1 02710250 Foil scissors with soft handle 250 mm 110 g 1 03400250 Plastic bottle with drip cap 250 ml 30 q 1 03400500 Plastic bottle with drip cap 500 ml 45 g 1



Combi-Roller	
Solvent	
Resistant	

Application & Benefits

- Universal: For liquid plastics, coatings and primers
- Robust: Solvent resistant
 Soft and absorbent: Polyamide thermofused with a pile height of 13 mm

Spindel Roller for Combination Roller

Application & Benefits

• Universal: System 6 mm,

roller

suitable for combination

• Handy: Ergonomic handle

Rust-proof: Made from

galvanized steel

Paintbrush Bent Long Wooden Handle

Application & Benefits

- Apply evenly: Bristles are conical in shape and become thinner towards the tip. The bristle tip is split into several fibers
 - Qualitative: Pure China bristles
 - Angled: Due to the angled bristle trim and the handle, the brush is idealy suitable for corners and joints





Item no. 03372000

Item no. 03373100 Item no. 03360001/03360003

Item no.	Version	Dimensions	Weight	PU
03372000	Combi-roller, solvent resistant, small	100 mm x Ø 30 mm	35 g	1
03373000	Combi-roller, solvent resistant, big	250 mm x Ø 48 mm	130 g	1
03373100	Spindel roller for combination roller	100 mm	120 g	1
03373001	Spindel roller for combination roller	250 mm	150 g	1
03360001	Paintbrush 1,5", bent, long woodenhandle	65 x 90 x 435 mm	45 g	12
03360003	Paintbrush 3", bent, long woodenhandle	80 x 95 x 550 mm	90 g	12

Paintbrush Straight Short Wooden Handle

Application & Benefits

- Apply evenly: Bristles are conical in shape and become thinner towards the tip. The bristle tip is split into several fibers
- Qualitative: Pure China bristles
- Handy: Short handle made
 of natural wood

Water Dozer Hard Rubber

Application & Benefits

Universal dozer: Removes water and spreads liquid materials!

- Abrasion resistant: Wiper consists of a 5 mm thick hard rubber lip, which cannot become soaked
 Overhanging: Rubber lip
 - protects upstanding components
 - Long-lasting: 25 mm high, stable and corrosionprotected guide rail

Water Dozer Foam Rubber

Application & Benefits

Universal dozer: Removes water and spreads liquid materials!

- Applying: Whatever needs to be spread - the foam ruber wiper is ideal
- Overhanging: Rubber lip protects upstanding components
- Comfortable: Double foam rubber lip with 20 mm thickness and 450 mm or 550 mm working width









Item no. 03350001/03350003

Item no. 01860600

Item no.	Version	Dimensions	Weight	PU
03350001	Paintbrush 1,5", straight, short wooden handle	60 x 75 x 210 mm	18 g	12
03350002	Paintbrush 2", straight, short wooden handle	80 x 75 x 210 mm	12 g	12
03350003	Paintbrush 3", straight, short wooden handle	80 x 120 x 235 mm	46 g	12
01860600	Water dozer, hard rubber	550 mm	700 g	1
01870450	Water dozer, foam rubber	450 mm	245 g	1
01870550	Water dozer, foam rubber	550 mm	305 g	1
01860001	Wooden handle for water dozer hard rubber und water dozer foam rubber	1200 mm	560 g	1

Hammer Tacker Freund Fast & Fix F11

Application

Handy assistant: For fixing of underlayments, membranes and foils!

Benefits & Comfort

- Solid: The clamp slider is permanently installed and cannot pop out
- Gentle: Impact plate prevents tearing of the material during fastening
- Ergonomic: With soft-touch handle and shock-free design
- Transparent: Everything is in view reload indicator is very clearly visible
- Time-saving: Staple magazine with quick opener for 2 staple strips
- Fixing: For staples (flat wire) 11/6 11/12 mm



Item no. 01741911

Item no.	Version	Dimensions	Weight	PU
01741911	Hammer tacker Freund Fast & Fix F11 for staples (flat wire) 11/6 - 11/12	300 x 70 mm	960 g	1
Accessories:				
01741011	Staples flat wire 11/10 (package contains 5.000 pieces)	100 mm	675 g	1

Because premium quality has many advantages for you

You have a lot to tack? Then we would like to introduce you to our premium model: Nonrebound, reload indicator and quick opener are just a few of its strengths. It is robustly and durably built and easy to use. Very practical: We deliver the hammer tacker to you with a sturdy belt pouch.

Hammer Tacker FREUND 19

Application

Powerful fastener: For fixing underlays, membranes and foils!

Benefits & Comfort

- Gentle and power-saving: Lightweight and stable design
- Fast and easy: Reloading with practical top loading mechanism
- Convenient: The flexible knife ejector ensures less staple jams
- Ergonomic: Simple and gentle handling due to soft-touch handle
- Durable: Thanks to robust, high-quality all-steel and flexible knife ejector
- Fixing: For staples (round wire) 37/4 37/6 mm



Item no. 01741119

ltem no.	Version	Dimensions	Weight	PU
01741119	Hammer tacker Freund 19 for staples (round wire) 37/4 - 37/6	280 x 45 mm	415 g	1
Accessories:				
01741019	Staples round wire 37/6 (package contains 5.000 pieces)	80 mm	225 g	1

Because a stapler doesn't have to be heavy

You have a lot to tack? The lightweight hammer tacker Freund 19 makes it easy for you to fix the different sheets. Thanks to the sturdy construction, it will last for a long time!

Hammer FREUND		Hammer Tacker RAPID 11	Hamme RAPID	er Tacker 19	
Application 8	& Benefits	Application & Benefits	Application	& Benefits	
Valued assis For the fixati and foils!	tant: on of underlays	Practical assistant: For the fixing of underlays and foils!	Handy assis For the fixir and foils!	stant: ng of underlays	
mechanics design and Convenien ejector hol ensures le	hanks to proven s in high-quality steel d flexible knife ejector it: The flexible knife lds permanently and sss staple jams staples (flat wire) 0 mm	 Fixing: For the fastening of foils and roofing felt Fixing: For staples (flat wire) 11/6 - 11/10 mm 	of foils a • Fixing: Fo	or the fastening nd roofing felt or staples (round 4 - 37/6 mm	
11/10 mm Flatwire		11/10 mm Flatwire	37/6 mm Roundwire		
	Item no. 01741111	Item no. 0174	40011	nt ltem no. 0	01740019
Item no.	Version		Dimensions	Weight	PU
01741111	Hammer tacker Freund ²	11 for staples 11/6 - 11/10	300 mm	950 g	1
01740011	Hammer tacker Rapid 11	for staples 11/6 - 11/10	300 mm	850 g	1

Hammer tacker Rapid 19 for staples 37/4 - 37/6

.... -**(er**

s

- ening g felt
 - (round m

1

350 g



Application & Benefits

Heavy duty fastener: For fastening particularly heavy building materials!

- Heavy: For fastening of heavy foils and roofing felt
- Fixing: For staples (flat wire) 11/8 - 11/14 mm

Hammer Tacker FREUND 53

Application & Benefits

Precise fastener: Indispensable for the exact fastening!

- Comfortable: Ergonomic 2-component handle made of plastic and metal
- Adjustable: Contact pressure is continuously adjustable
- Fixing: For staples (round wire) 37/6 - 37/16 mm



Application & Benefits

Classic fastener: Indispensable for accurate fastening!

- Durable: Made entirely of metal
- Fixing: For staples (round wire) 37/4 - 37/8 mm





Item no. 01740054






Item no. 01740053

Item no. 01740023

ltem no.	Version	Dimensions	Weight	PU
01740054	Hammer tacker Rapid 54 for staples 11/8 - 11/14	310 mm	1.1 kg	1
01740053	Handtacker Freund 53 for staples 37/6 - 37/16	170 mm	740 g	1
01740023	Handtacker Rapid 23 for staples 37/4 - 37/8	175 mm	525 g	1

01740019

260 mm



Application & Benefits

Important accessory: For fastening of underlays and foils!

- Time-saving: No downtime due to optimal adjustment of the staples to the knife ejector of the tacker
- Convenient: Easy removal thanks to ideal packaging
- · Long-lasting: Due to durable bonding of the round wire staples



76





Item no. 01741019

ltem no.	Version	Dimensions	Weight	PU
01741019	Staples round wire 37/6	80 mm	225 g	1
01760008	Staples round wire 37/8	80 mm	285 g	1

freund

PU

1

1

Weight

675 g

880 g

Shark Knife with Retractable Blade

Application

Universal cutting master: Cuts a wide variety of materials!

Benefits & Comfort

- Fast: Blade change in seconds with a simple push of a button
- Ergonomic: The 2K soft handle with recessed grip fits perfectly in the hand
- Robust: Tool made of solid zinc die casting
- Adjustable: 3-stage blade feed for flexible cutting depth
- Razor-sharp: High-performance blade for clean, easy cutting



Item no. 02030000

Item no.	Version	Dimensions	Weight	PU
02030000	Shark knife with retractable blade	160 x 45 mm	190 g	1

Professional Cutter Plus made of Die-Cast Metal

Application

Perfect professional: Cuts a wide variety of materials!

Benefits & Comfort

- Robust and durable: Tool made of solid die-cast metal
- Ergonomic: The 2K soft grip fits perfectly
 in the hand
- Comfortable: Operation with only one hand. The blade can be locked automatically
- Simple and fast: Change blade with sturdy break-off and change slide
- Smooth running: High-quality metal blade guide
- Sharp: High-performance blade for clean, easy cutting



Item no. 02060001

ltem no.	Version	Dimensions	Weight	PU
02060001	Professional cutter plus made of die-cast metal	160 x 40 mm	135 g	1



Because you need a shark in your team

Two in one: With this high-quality, super-sharp knife, you can cut without extending the blade. The blade can be changed at the touch of a button - fast and simple. And thanks to the storage compartment the blades are always on hand.

Because a certain sharpness does not hurt

And this high-quality cutter knife brings you exactly the quality you need for cutting. And you know it when you take the knife in your hand.

78

Universal Knife Fixed Blade

Application & Benefits

Robust cutter: Fixed blade perfectly locked!

- Simple and robust: Knife in durable zinc die-cast design with fixed blade
- Easy to grip: Due to ribbing in the handle
- Ergonomic: Due to adapted hand shape and thumb rest
 Practical: Blade reservoir in
- Practical: Blade reservoir the handle

Universal Knife with Retractable Blade

Application & Benefits

Classic cutter: Robust, durable and with blade feed!

 Simple and safe: Knife in durable zinc die-cast construction with multi-stage retractable blade
 Ergonomic: Due to adapted hand shape and thumb rest
 Practical: Blade storage in the handle

Universal Knife Curved, Fixed Blade, 5 Blades

Application & Benefits

Curved cutter: Due to the curved shape you can transmit more force!

- Powerful: Best power transfer
- due to curved handle
 Simple and robust: Knife in durable zinc die-cast construction with fixed blade
- Ergonomic: Due to adapted hand shape and thumb rest
- Practical: Blade storage in the handle with 5 trapezoidal blades

150 g

135 g

1

1

Silver-Knife with Retractable Blade and Quiver

Application & Benefits

Practical cutter: Blade change through snap-open mechanism!

- Simple: Knife is completely opened for blade change
- Safe: With retractable blade and quiver
- Unique: Holder for screwdriver bits
- Comfortable: Pleasant soft grip

BIKO-Knife with Fixed Blade

Application & Benefits

Convenient cutter: With magnetic blade holder!

• Simple: Knife is completely

- opened for blade change
 Powerful: Good power transfer due to special shape of the soft handle
- Practical: Magnetic support of the blade holder

Professional Cutter with Break-Off Blades

Application & Benefits

Lightweight cutter: Lightweight cutter for break off blades with metal guide!

- Light: Weighs only 48 g
- Safe: Metal guide for break
 off-blades
- Firm: Blade lock on the blade slider



Item no.	Version	Dimensions	Weight	PU	
02110000	Silver-Knife with retractable blade and quiver	185 mm	340 g	1	
02056000	BIKO-Knife with fixed blade	170 mm	210 g	1	
02060000	Professional cutter with break-off blades	160 mm	48 g	1	



160 mm

165 mm

02080000

02550000

Universal knife with retractable blade

Universal knife curved, fixed blade, 5 blades

Professional Cutter Premium with Automatic Feeding System

Application & Benefits

Special cutter: Automatic feeding system of the blades in the storage compartment!

- Infinite: Since the knife holds 3 blades in the automatic feeding system, there is no need to change blades during work
- Safe: Metal blade guide and automatic blade lock
- Comfortable: High-quality mechanics and comfortable 2K soft grip

Comfort Knife Foldable

Application & Benefits

Foldable friend: Robust professional knife in a handy shape!

- Doubly safe: Thanks to the self-locking folding mechanism the blade is covered
 Convenient: Blade change without tool and integrated belt clip
- Practical: Includes 3 hook blades and 3 trapezoidoid blades



Item no. 02060002

Item no. 02020000

Item no.	Version	Dimensions	Weight	PU
02060002	Professional cutter premium with automatic feeding system	160 mm	120 g	1
02020000	Comfort knife, foldable	120 mm	135 g	1

Aluminium Safety Handle, Fixed Blade, without Blades

Application & Benefits

Robust cutter: Fixed blade perfectly locked!

- Lightweight and robust: Easy-grip aluminum handle
- Simple: Fixed blade
- Convenient: Blade storage compartment in the handle

Freund-Knife Handy Handle and Quiver

Application & Benefits

Powerful cutter: Very good power transfer due to the special shape of the handle!

- Light and stable: Robust snap
 open aluminum housing
 - Enduring: Quiver for 20 blades integrated in the knife body
 Fixed: Blade additionally fixed
 - Fixed: Blade additionally fixed by a metal pin in the knife body. Only suitable for our Solingen blades

Multitool Made of Stainless Steel with Black Coating

Application & Benefits

Practical assistant: 10 applications and screwdriver bits!

- Versatile: One pair of pliers with 9 other applications, 11 bits and bit holder
- Functional: Pliers with pointed pliers mouth and wire cutter, large knife, small knife, wood saw, slotted screwdriver, bit holder, file with 2 bevels (single cut and cross cut), bottle opener, can opener
- Protected and comfortable: Wellpacked and quickly at hand



Item no. 02052000

Item no. 02100000

ltem no.	Version	Dimensions	Weight	PU
02052000	Alu-Safetyhandle, fixed blade, without blades	130 mm	65 g	1
02100000	Freund-Knife, handy handle with quiver	70 mm	195 g	1
02401000	Multitool made of stainless steel with black coating	135 x 70 x 20 mm	333 g	1

Trapezoid Blades "Made in Solingen" 100 Blades

Application & Benefits

Application & Benefits

20 Blades

Trapezoid Blades

- 0,65 mm thick
- "Made in Solingen"
- Ice hardened
- Extra strong quality
- Dispenser à 10 pieces in outer carton of 100 blades
- Two dispensers with each 10 trapezoidal blades on SB card
- Available in 2 qualities





Item no. 02300100

Item no. 02300130

Item no.	Version	Dimensions	Weight	PU
02300100	Trapezoid blades "Made in Solingen", 100 blades	70 mm	420 g	100
02300130	Trapezoid blades "Made in Solingen", 20 blades	70 mm	80 g	20



- 0,65 mm thick
- "Made in Solingen"
- Ice hardened
- Extra strong quality
- Dispenser à 10 pieces in outer carton of 100 blades



SB card • Available in 2 qualities

Item no. 02310100



ltem no.	Version	Dimensions	Weight	PU
02310100	Hooked blades "Made in Solingen", 100 blades	70 mm	420 g	100
02310130	Hooked blades "Made in Solingen", 20 blades	70 mm	80 g	20

KNIFES & BLADES

Break-Off Blades 10 Pieces	Hooked Break-Off Blades 5 Pieces					rd Tracing th Fixed Hooked	Cardboard ⁻ Knife with F Blade			oard Tracing vith Foldable	
Application & Benefits	Application & Benefits				Application 8	Benefits	Application & Ben	efits	Application	n & Benefits	
					Strong perfe For cutting o of materials!	f a wide variety	Strong ally: For cu of a wide variety o			lly: For cutting ety of materials!	
 10 blade strips à 8 segments Extra sharp Packed in a quiver 	 5 blade strips à 4 segments Extra sharp Packed in a quiver 				 Stable: Ex blade tip in 	olingen ground edge tremely resilient 1 hooked shape ing: Low effort	 Stable: Extreme blade tip, tapere Durable: Rivete wooden handle Ergonomic: Ide: the natural woo 	ed d blade and al shaping of	blade tip • Safe: Bla wooden • Ergonor	Extremely resilient o, tapered ade protected in handle nic: Ideal shaping f the wooden hand	
Item no. 02340100	Item no. 0234	10200				10000000000000000000000000000000000000		Item no. 02011000		Item no. 02	510000
Item no. Version		Dimensions	Weight	PU	Item no.	Version		Di	mensions	Weight	PU

Item no.	Version	Dimensions	Weight	PU
02340100	Break-off blades, 10 pieces	115 mm	75 g	10
02340200	Hooked break-off blades, 5 pieces	115 mm	70 g	5

02000000

02011000

02510000

freund

Cardboard tracing knife with fixed hooked blade

Cardboard tracing knife with fixed blade

Cardboard tracing knife with foldable blade

87

1

1

1

75 g

80 g

85 g

90 mm

80 mm

75 mm

Insulation Knife with Wooden Handle

Application & Benefits

Insulating Cutter: Universal Insulating knife with 2 teeth!

- Hard: HRC 53 ground on both sides
- · Durable: Blade made of stainless steel
- Optimal: For precise cutting of mineral wool insulation materials in sheets or rolls
- Special: Sharp special grinding

Insulation Knife with Long Blade

Application & Benefits

Long Cutter: Extra long insulation knife with special grinding!

- Long: 360 mm blade length • Hard: HRC 53 ground on both sides
- · Durable: Blade made of stainless steel Optimal: For precise cutting
- of mineral wool insulation materials in sheets or rolls
- · Special: Sharp special grinding



Item no. 02055000

Item no. 02059000

Item no.	Version	Dimensions	Weight	PU
02055000	Insulation knife with wooden handle	280 mm	145 g	1
02059000	Insulation knife with long blade	360 mm	173 g	1

Hacksaw with Wood Saw Blade

Application & Benefits

Robust wood divider: Practical saw for wood!

- Effective: Precision-set and hardpoint-hardened teeth
- Tensioning: Optimal blade tension adjustable with tension lever · Durable: Robust oval tube
- with impact-resistant powder coating
- Safe: Knuckle protection

Hacksaw with Metal Saw Blade

Application & Benefits

Sharp metal cutter: Robust saw for metal!

- Fast: High quality metal saw blade with a length of 60 cm
 - Tensioning: Ideal blade tension adjustable with clamping lever
 - Durable: Robust oval tube with impact-resistant powder coating

Hacksaw for Pipes and Gutters

Application & Benefits

Handy separator: Small hacksaw for wood and metal that is only 30 cm long!

- Handy: Only 30 cm long
- Dual: Saw has a wood saw blade and a metal saw blade
- Tensioning: Ideal blade tension adjustable with clamping lever
- Durable: Robust oval tube with impact-resistant powder coating
- Safe: Knuckle protection







Item no. 00760530

Item no. 00740600

Item no. 00760300

Item no.	Version	Dimensions	Weight	PU
00760530	Hacksaw with wood saw blade, hard point, 4 tpi	530 mm	650 g	1
00761530	Wood saw blade, 4 tpi	530 mm	50 g	12
00740600	Hacksaw with metal saw blade, 24 tpi	600 mm	600 g	1
00741600	Metal saw blade, 24 tpi	600 mm	50 g	1
00760300	Hacksaw for pipes and gutters, feinzahn, 4 tpi	300 mm	450 g	1
00790000	Metal saw blade double sided, 24 tpi	300 mm	200 g	10
00791000	Metal saw blade one-sided, 24 tpi	300 mm	200 g	10

freund

tpi = teeth per inch

Metal Saw Bow with Pistol Grip

Metal Saw Bow with 2K-Grip

Application & Benefits

Application & Benefits

- · Robust: Heavy bow made of square tube with the dimensions 18 x 10 x 1.35 mm
- · Corrosion protected: Green powder coating
- Lightweight: 2K aluminum soft grip
- Traditional: Cross-slot socket
- Robust: Heavy bow made of flat steel with the dimensions 18 x 8 mm Corrosion protected: Green
- powder coating Comfortable: 2K soft grip
- Traditional: Cross-slotted head
- Patented: Precisen blade tension adjustment



Item no. 00832000

Item no. 00782000

ltem no.	Version	Dimensions	Weight	PU
00832000	Metal saw bow with pistol grip, 24 tpi	300 mm	465 g	1
00790000	Metal saw blade double-sided, 24 tpi	300 mm	200 g	10
00791000	Metal saw blade one-sided, 24 tpi	300 mm	200 g	10
00782000	Metal saw bow with 2K-grip, 24 tpi	300 mm	815 g	1
00790000	Metal saw blade double-sided, 24 tpi	300 mm	200 g	10
00791000	Metal saw blade one-sided, 24 tpi	300 mm	200 g	10

tpi = teeth per inch

Premium Multi Purpose Saw with Cork Grip

Application & Benefits


Premium divider: With non-stick you can get easier through the wood!

- Sharp: Wood saw with 3D serration for particularly easy sawing
- Gliding: Non-stick coating for less resistance and easy gliding
- Strong: 1.03 mm extra strong blade for straight cuts and more stability
- Non-stick: Very abrasion resistant coating very abrasion resistant
- · Long-lasting: Hardpoint-hardened teeth for long lasting sharpness

Multi Purpose Saw **3D-Teeth**

Stable separator: The stability and precision!

- - Safe: Supplied with tooth guard



Application & Benefits

reinforced blade ensures

- Sharp: Wood saw with 3D serration for extra easy sawing • Strong: 1.03 mm extra strong
- blade for straight cuts and more stability, protective varnish
 - Long-lasting: Hardpoint-hardened
 - teeth for long-lasting sharpness
 - Ergonomic: 2K soft grip with index finger guide
- Ergonomic: 2K soft grip with index finger guide

Multi Purpose

Application & Benefits

Lightweight and short saw

with comfortable handle!

• Sharp: Wood saw with

cross-ground teeth

• Light: 0.83 mm extra strong

• Durable: Hardpoint hardened

teeth for longer sharpness

Safe: Supplied with tooth

Saw with

Classic divider:

blade

guard

Soft Handle

2					
ltem no.	Item no. 00861000 Version	Item no. 008	Dimensions	Item no. 00 Weight	PU
00861000	Premium-multi purpose saw with	cork grip, 7 tpi	500 mm	450 g	1
00863000	Multi purpose saw, 3D-teeth, 7 tp	i	500 mm	450 g	1
00864000	Multi purpose saw with soft hand	lle, 7 tpi	400 mm	330 g	1

tpi = teeth per inch

Jig Saw with **2K Soft Handle**

Application & Benefits

Precise separator: With 300 mm long jig saw blade!

- Sharp: Jig saw with cross-ground teeth
- · Corrosion protected: Transparent paint finish
- Durable: Hardpointhardened teeth for longlasting sharpness
- · Safe: Supplied with tooth guard Ergonomic: 2K soft grip
- with index finger quide

Jig Saw with **Triangle Tip** and Belt Pouch

Application & Benefits

Universal separator: With double-sided saw blade in 2 lengths!

- Universal: For wood, plaster and aerated concrete Sharp: 3-dimensional serration
- Practical: 3-point serration for holes in plasterboard • Unique: Two-sided saw blade
- for sawing in 2 directions and for a double lifetime · Safe and portable: Thanks to practical belt pouch
- Ergonomic: 2K soft grip

Jig Saw with Wooden Handle

Application & Benefits

Classic divider: For plasterboard!

- Sharp: Hardened teeth Handy: Untreated beech
 - wood handle · Safe: Supplied with cutting protection rail

Item no. 00865000 Item no. 00730150 Item no. 95150000 Item no. Version Dimensions Weiaht PU

			5	
00865000	Jig saw with 2K-softhandle, 7 tpi	300 mm	150 g	1
00730150	Jig saw with triangle tip and belt pouch, 9 tpi	150 mm	100 g	1
00730250	Jig saw with triangle tip and belt pouch, 9 tpi	250 mm	150 g	1
95150000	Jig saw with wooden handle, 7 tpi	160 mm	50 g	1

tpi = teeth per inch

Insulation Material Saw

Application & Benefits

Insulating separator: Recesses for less sawing resistance!

- Sharp: Special toothing for foam and insulating materials
- Thin: 0.71 mm thick • Perforated: Special blade for
- less resistance during sawing and for removal of the sawing material
- Corrosion protected: Transparent lacquer finish
- Safe: Supplied with Tooth guard • Ergonomic: 2K soft grip with index finger guide

Plaster-Board Saw with Interval Toothing

Application & Benefits

Plaster cutter: Strong blade and special teeth for plaster!

- Sharp: Special tooth geometry for plasterboard
 - Strong: Reinforced saw blade with 1.03 mm blade thickness
 - Corrosion protected: Transparent lacquering
 - Durable: Hardpoint hardened teeth
 - · Safe: Supplied with tooth guard
- Ergonomic: 2K soft grip with index finger guide

Roofing Saw 2K Grip

Application & Benefits

Japanese divider: Thin pull saw blade and safety handle!

- Japanese: The saw blade is "Made in Japan"
- Thin and fast: The pulling allows for a very thin blade and a consequently narrow kerf. The amount of force required is therefore reduced
- · Clean: The cutting edge is smooth
- Flush: Flexible blade allows flush cuts



ltem no. 00841000	Item no. 00837000
ersion	Dir

Item no. 00811000

ltem no.	Version	Dimensions	Weight	PU
00841000	Insulation material saw, perforated saw blade, Perforated saw blade	500 mm	400 g	1
00837000	Plasterboard saw with interval toothing, 7 tpi	400 mm	390 g	1
00811000	Roofing saw, 2K grip, 0,65 mm, 9 tpi	270 mm	350 g	1

tpi = teeth per inch

Frame Saw **Japanese Pull** Saw Blade

Application & Benefits

Classic divider: The saw for the carpenter - 60 cm long!

- Thin and fast: The pulling method allows for a very thin blade and consequently a narrow kerf. The force required is therefore reduced
- · Clean: The cutting edge is smooth
- Durable: Clamping element made of solid round steel • Clean: Bar support made of
- horn-beam for run-free, clean cuts length-wise and crosswise to the course of the wood



Item no. 00838000

Item no. 00826000

ltem no.	Version	Dimensions	Weight	PU
00838000	Frame saw with japanese pull saw blade, 14 tpi	600 mm	1.1 kg	1
Spare part:				
00838001	Spare blade for japanese frame saw 00838000, 14 tpi	600 mm	400 g	1
00826000	Folding saw with japanese pull saw blade, 9 tpi	195 mm	300 g	1
Spare part:				
00826001	Replacement blade for japanese folding saw 00826000, 9 tpi	195 mm	120 g	1


tpi = teeth per inch

Folding Saw Japanese Pull Saw Blade

Application & Benefits

Foldable divider: Easy an safely stow away!

- Japanese: The saw blade is "Made in Japan" • Thin and fast: The pulling method of operation allows a very thin blade and consequently a narrow kerf. The amount of force required is therefore reduced
- Clean: The cutting edge is smooth Flush: Flexible blade allows
- flush cuts



Application & Benefits

Universal divider: Efficient saw with pistol handle!

- Japanese: The saw blade is "Made in Japan"
- Thin and fast: The pulling method of operation allows a very thin blade and a consequently narrow kerf. The amount of force required is therefore reduced
- Clean: The cutting edge is smooth
- Flush: Flexible blade allows flush cuts
- Universal: For cuts in softwood, PVC, ABS and plywood

Japanese Pull Saw with Rattan Handle

Application & Benefits

Fine cutter: Japanese saw with especially fine toothing!

- Japanese: The saw blade is "Made in Japan"
- Thin and fast: The pulling method of operation allows a very thin blade and a consequently narrow kerf. The amount of force required is therefore reduced
- Clean: The cutting edge is smooth
- Flush: Flexible blade allows flush cuts
- Universal: For cuts in softwood, PVC, ABS and plywood



Item no. 00821000

Item no. 00823000

Item no.	Version	Dimensions	Weight	PU
00821000	Japanese pull saw with plastic handle, 14 tpi	300 mm	300 g	1
Spare part:				
00821001	Spare blade for japanese pull saw 00821000, 14 tpi	300 mm	120 g	1
00823000	Japanese pull saw with rattan handle, 16 tpi	265 mm	200 g	1
Spare part:				
00823001	Spare blade for japanese pull saw 00823000, 16 tpi	265 mm	100 g	1

tpi = teeth per inch

Tongue Shaped Ridge Trowel Tongue Shaped Danish Roof Hannover Roof **Trowel with Round with Trowel with Trowel with Trowel with Wooden Handle** Wooden Handle **Wooden Handle Wooden Handle Wooden Handle Application & Benefits** Application & Benefits Application & Benefits **Application & Benefits** Application & Benefits · Comfortable: Classic lacque- Round: Round cut shoulders Comfortable: Classic lacquered • Comfortable: Ergonomic natural Comfortable: Classic lacquered red wooden handle with metal · Comfortable: Classic lacquewood handle with finger guard natural wood handle natural wood handle ferrule red wooden handle with metal • Durable: Blade made of carbon • Durable: Blade made of carbon Durable: Blade made of carbon • Durable: Blade made of carbon ferrule steel, hardened and heat-treated steel, hardened and heat-treated steel, hardened and heat-treated steel, hardened and heat-treated • Durable: Blade made of carbon • Flexible: Conical grinding Flexible: Conical grind Flexible: Conical grind Flexible: Conical grind steel, hardened and heat-treated Flexible: Conical cut Item no. 00411160 Item no. 00460191 Item no. 00470161 Item no. 00480200 Item no. 00430000 Item no. Version Dimensions Weight PU Item no. Version Dimensions Weight PU 00411140 Tongue shaped trowel with wooden handle 140 mm 00470161 Tongue shaped trowel with wooden handle 160 mm 160 g 135 g 1 1 00411160 Tongue shaped trowel with wooden handle 160 mm 160 g 1 00480200 Danish roof trowel with wooden handle 200 mm 150 g 1 200 g 00460191 Ridge trowel with wooden handle, round 190 mm 00430000 Hannover roof trowel with wooden handle 230 x 30 mm 150 g 1

Berlin Roof Trowel with Wooden Handle

Masonry Trowel with Wooden Handle and Finger Protection

Application & Benefits

Application & Benefits

- Comfortable: Classic lacquered natural wood handle
- Durable: Blade made of carbon steel, hardened and heat-treated
- Flexible: Conical grind
- Pointed: Tapered shape
 at the front



- Bent: Gooseneck angel
 Comfortable: Ergonomic natural wood handle
- Durable: Blade made of carbon steel, hardened and heat-treated
- Flexible: Conical ground



Item no. 00470001


Item no. 00550160

Item no.	Version	Dimensions	Weight	PU
00470001	Berlin roof trowel with wooden handle	165 x 75 mm	250 g	1
00550160	Masonry trowel with wooden handle	160 mm	250 g	1



98

Simple -Does it Twice



Metal Foam Gun Foam Master XXL

Application

Extra long foam spreader: Applies foam sheets effortlessly. Even two foam sheets at the same time, thanks to the Fix2Foam doubling attachment supplied!

Benefits & Comfort

- Dual: Doubling attachment enables simultaneous application of two foam lines in one work step
- Ergonomic: Extra long gun tube (80 cm) to be able to work upright
- Angled: Optimal emptying due to curved PTFE adapter so that the cartridge is in a vertical position when working upright
- Comfortable: Rubberised handle for an optimal handling
- Practical: Large brass screw. Easy to grip effortlessly even with gloves

Only one click away. Integrated click function from the item image to our webshop.



Item no. 01791000

Item no.	Version	Dimensions	Weight	PU
01791000	Metal foam gun Foam Master XXL incl. two doubling attachment Fix2Foam	940 mm	680 g	1
Spare part:				
01791001	Doubling attachment Fix2Foam, 5er Set	270 x 65 mm	5 x 16 g	1



Because it can also go upright

With the XXL metal foam gun you are perfectly equipped for your next project. No more annoying stooping and unnecessary back strain. The 80 cm long gun tube makes foaming ultraeasy while standing. And even better, by using the enclosed doubling attachment, you can apply two foam sheets in one work step. Metall Foam Gun Plus

Application & Benefits

Short foam dispenser: High quality foam gun with non-stick coating!

- Quality: Cleaner foam flow
 Non-stick: Non-tick
- coating inside and outside
 Ergonomic: Comfortable
- shaped soft grip

Metall Foam Gun Plus XL

Application & Benefits

Long foam dispenser: Upright work without bending down!

- Ergonomic: Comfortable shaped soft grip and long foam tube, to be able to work upright
 Quality: Clean foam flow
 Non adhesive: Non-stick
- Non adhesive: Non-stick coating inside and outside



Item no. 01780000

ltem no. 01790000

ltem no.	Version	Dimensions	Weight	PU
01780000	Metall foam gun plus	340 mm	300 g	1
01790000	Metall foam gun plus XL	600 mm	445 g	1

Chaulking Gun Skeleton Shape

Application & Benefits

Handy Squeezer: The Original from England!

- Open: Skeleton shape
- Original: Made by COX in England
- Durable: High quality workmanship
- Precise: Well adjustable material feed
- ladder hook

 Comfortable: Rotating tray

Push block

Chaulking Gun

Application & Benefits

and materials!

Strong squeezer: Made for

• Powerful: Gear ratio 17:1

• Comfortable: Smooth and

steady due to two bearings

• Durable: Specially hardened

• Suspendable: Push rodwith

particularly tough adhesives

Extremely Robust

Chaulking Gun Closed Model

Application & Benefits

Universal squeezer: Fits for cartridges and bags!

- Durable: Locking rings are made of metal
- Closed: For cartridges and bags
- Lightweight: Made of aluminum
- Variable: Available in 310 ml and 600 ml version



Item no. 01772000

ltem no. 01770000

Item no.	Version	Dimensions	Weight	PU
01772000	Chaulking gun, skeleton shape, 320 ml	330 mm	500 g	1
01770000	Chaulking gun, extremely robust, 320 ml	350 mm	670 g	1
01773000	Chaulking gun, closed model, 310 ml	350 mm	710 g	1
01776000	Chaulking gun, closed model, 600 ml	460 mm	910 g	1
Spare part:				
01773001	Replacement tip for 01773000 + 01776000	55 x 125 mm	8 g	1

Batten Gauge Aluminium Version

Application & Benefits

Lightweight batten distributor: Completely made of aluminum!

- · Lightweight: Made of aluminum
- Durable: Measuring scale as metal engraving up to 40 cm
- · Comfortable: Adjustable with a star screw

Batten Gauge U-Profile Rod

Application & Benefits

Stable batten allocator: Made from tool steel!

- High quality: Made of sturdy U-profile bar made of tool steel
- Protected: Internal measuring scale up to 40 cm
- Safe: Drop protection

Batten Gauge U-Profile Rod

Application & Benefits

Extra long batten allocator: Measuring length up to 55 cm!

- High quality: Made of sturdy U-profile bar made of tool steel
- Protected: Internal measuring scale up to 55 cm

400 g

1

Safe: Drop protection



Carpenter's Square Scribing Tool Alpha **Application & Benefits Application & Benefits** Perfect angle: For the Precise Scribing Tool: For the production and preparation joinery in the carpentry shop! of wooden joints! · Ideal: Angle of measurement · Universal: Can be used for all optimized for the carpenter types of joinery both for the • Practical: Measuring scale scribing of ribs, rafters and straight stairs, as well as for • Marking: Also suitable for marking single and double scribing and dimensioning offsets Selectable: Available in · Corrosion protected: Optional

bright yellow powder coating or stainless steel · Ideal: For easy marking

provided with marking holes

Protractor **Powder Coated**

Application & Benefits

Variable angle: For accurate measurement of angles!

- Long: Leg length 200 mm and diameter 150 mm
- Practical: Lockable double scale
- High quality: Yellow powder coating
- Additional: Can also be used as centering angle and a grindinggauge for spiral drills



in mm

coated

stainless steel or powder





Item no. 01883800

Item no. 01882810

Item no. 01880200

ltem no.	Version	Dimensions	Weight	PU
01883800	Carpenter's square, powder coated	800 x 320 mm	420 g	1
01883801	Carpenter's square, stainless steel	800 x 320 mm	420 g	1
01882810	Scribing tool alpha, powder coated	810 mm	1.2 kg	1
01882811	Scribing tool alpha, stainless steel	810 mm	1.3 kg	1
01880200	Protractor, powder coated	200 mm	365 g	1

00383000

Batten gauge, u-profile rod

550 mm

Wooden Bevel with Brass Fitting

Application & Benefits

Useful duplicator: To take off, scribing and transferring angles!

- Practical: Long hole in the stainless steel tongue enables internal measurements
- High quality: Made of walnut wood with brass fittings and stainless steel tongue
- Ergonomic: Milled grooves on the upper and lower side of the handle for comfortable handling

Locksmith Square

Application & Benefits

Durable angle: Made of high quality tool steel!

- Perfect: Usable for angle tests
- Practical: With stop
 High quality: Made of galvanized special steel

Spirit Level Aluminium

Application & Benefits

Precise friend: Permanently accurate measurement results!

- High quality: Patented installation of the vial with 30 years warranty
- Accurate: Electronic adjustment and final check - Measuring accuracy of 0.5 mm/m
- Clean: Anodized aluminum with
- clean effect for easy cleaning
- Quality: Strong aluminum profile spirit level "Made in Germany"

Scribing Plate Straight Shape, mm Scale

Application

Variable preparer: For scribing sheets for the marking from 5-100 mm!

Benefits & Comfort

- Accurate to size: For marking sheets from 5 mm to 100 mm incl. standing seam marking
- Fast: Easy marking of specified dimensions
- Durable: Tool made of corrosionresistant stainless steel
- Sharp: Tips were manufactured in a special process



Item no. 01132000

Item no.	Version	Dimensions	Weight	PU
01132000	Scribing plate, straight shape, mm scale	130 mm	75 g	1



Because simply is super helpful

Working quickly and accurately - that's what it's all about. And with this template, precise dimensions are a child's play, and that in the long run. It fits perfectly in the hand and is suitable for marking sheets from 5 to 100 mm. In addition dimension 28/38 mm for the marking of standing seams.

9

Item no. 01841300

Item no. 01883000

ltem no. 01890400

Item no.	Version	Dimensions	Weight	PU
01841300	Wooden bevel with brass fitting	300 mm	80 g	1
01883000	Locksmith square	250 mm	490 g	1
01890400	Spirit level, aluminium	400 mm	250 g	1
01890500	Spirit level, aluminium	500 mm	275 g	1
01890600	Spirit level, aluminium	600 mm	360 g	1
01890800	Spirit level, aluminium	800 mm	460 g	1
01891000	Spirit level, aluminium	1.000 mm	550 g	1
01892000	Spirit level, aluminium	2.000 mm	1 kg	1

Scribing Plate Curved Shape mm Scale

Application & Benefits

Curved assistant: For scribing of sheets for marking!

- Accurate: For marking sheets from 5 mm to 100 mm
- Practical: Curved shape for creating corners for beaded sheets
- Fast: Simple marking of given dimensions

Scribing Plate Straight Shape inch Scale

Application & Benefits

Curved assistant: For scribing of sheets for marking!

 Accurate: For marking sheets from 1/8 - 4 3/4 inch
 Fast: Simple marking of given dimensions
 Durable: Tool made of corrosion-resistant stainless steel



And A state

Item no. 01134000

Item no. 01133000

ltem no.	Version	Dimensions	Weight	PU
01134000	Scribing plate, curved shape, mm scale	130 mm	75 g	1
01133000	Scribing plate, straight shape, inch scale	140 mm	65 g	1

Scriber with Carbide Tip

Application & Benefits

Sharp marker: For scribing of metals and other materials!

- Durable: With carbide tip
- Easy to grip: Hexagonal ballpoint pen shape
- Fastening: With practical fastening clip

Bow Compass

Application & Benefits

Precise rounder: For round markings on metal!

- Standard-compliant: Manufactured according to DIN 6486
- Qualitative: Forged from steel with hardened tips
- Mechanical: Three-piece trade with strong knurled screw



ltem no. 01551000

Item no.	Version	Dimensions	Weight	PU
01551000	Scriber with carbide tip	250 mm	35 g	1
05660250	Bow compass	250 mm	270 g	1
05660300	Bow compass	300 mm	405 g	1

Cord Spirit Level

Application & Benefits

Horizontal measuring Pro: To hang into the cord!

- Durable: Made from ABS plastic
- Water and weather resistant: Good waterproofing and resistant to heat and cold
- Suitable for construction sites: Break resistant acrylic tubular bubble
- Practical: V-groove



Application & Benefits

- Beech wood Green lacquered
- Brass plated steel

- springs Reinforced links Duplex spacing



Item no. 01890001

Item no. 01800000

Item no.	Version	Dimensions	Weight	PU
01890001	Cord spirit level	90 mm	15 g	1
01800000	Freund wooden folding rule	2 m	115 g	1

Special Gutter Cord	Masonry Cord Polypropylene Red	Masonry Cord Polyethylen Red
Application & Benefits	Application & Benefits	Application & Benefits
 Shape retaining: With interwoven insert against sagging when wet Robust: Extremely 	 Stable: High tensile strength Soft: Smooth, flexible and knot resistant 	 Durable: Light stable, rot-resistant Clean: Resistant to dirt and moisture

• Fireproof: Flame retardant



tear-resistant and without

stretching





Item no. 02961000

Item no. 02972050

Item no. 02981050

Item no.	Version	Dimensions	Weight	PU
02961000	Special gutter cord, orange, 1.5 mm	75 m	110 g	1
02962000	Special gutter cord, green, 1.5 mm	75 m	110 g	1
02972050	Masonry cord, polypropylene, red, 2 mm	50 m	85 g	1
02972100	Masonry cord, polypropylene, red, 2 mm	100 m	165 g	1
02981050	Masonry cord, polyethylen, red, 1.7 mm	50 m	50 g	1
02982050	Masonry cord, polyethylen, red, 2 mm	50 m	75 g	1
02982100	Masonry cord, polyethylen, red, 2 mm	100 m	140 g	1

Chalk Line Freund

Application

Flexible paint marker: Marks dead straight, for all applications!

Benefits & Comfort

- Lightweight and robust: Sturdy die-cast magnesium housing
- Super portable: Practical belt clip. The integrated hook holder also prevents snagging
- Fast: Unwinding without rotating crank -Reel is unlocked with one hand
- Easy: Powder chamber with slider for fast filling
- Flexible: Easy to tighten and allows multiple strokes - thanks to high-quality cord with good chalk absorption
- · Practical: Perforated barb for one-man operation



Item no. 03020000

Item no.	Version	Dimensions	Weight	PU
03020000	Chalk line Freund	30 m	160 g	1
Spare part:				
03073000	Replacement cord on reel	30 m	30 g	1



Because color has to come into play

But not just anyhow: Precise marking, all with one hand. Simply execute several strokes without having to rewind each time - it could hardly be easier. And if you need to unwind, you can do it quickly and easily. Thanks to the belt clip, the tool is always directly ready.

Chalk Line Double Version

Application

Precise double pack: Marks dead straight, for all applications!

Benefits & Comfort

- · Very light: Sturdy plastic housing saves weight
- Comfortable: Two ergonomic handles with recessed grips
- Time-saving: Two separate chalk chambers, so less refilling is required
- Practical: End of the chalk line each with handle and chalk chamber - therefore no more annoying rolling in
- Easy: Two separate caps for quick filling
- Flexible: Can be super tightened thanks to robust cord with good chalk absorption makes multiple strokes possible



Item no. 03032000

Item no.	Version	Dimensions	Weight	PU
03032000	Chalk line double version	30 m	250 g	1
Spare part:				
03072000	Replacement cord on reel	30 m	55 g	1

Because twice holds better

And twice means in this case: You work in teams of two with your colleague. You roll in and he rolls out at the same time. The cord is always automatically coated with chalk thanks to two chalk chambers. The constant winding in because of chalk is no longer necessary.

114

Chalk Line Turbospeed Plus 5-Times

Application & Benefits

Fast time saver: 5-times transmission ratio saves an enormous amount of time!

- Extremely fast: 5-times fast feed saves a lot of time
- Convenient: The push system prevents the crank from
- turning during extraction

 Light and robust: The housing
- is made of magnesium
 Firm and always with you: Stainless steel belt clip

Chalk Line Turbospeed, 3-Times Metal

Application & Benefits

Fast marker: 3-times transmission ratio when winding saves time!

- st Robust: Sturdy zinc die-cast housing
 - Fast: 3-times speed when winding in
 Durable: High quality cord
 - with good chalk absorption

Chalk Line Turbospeed, 3-Times ABS Plastic

Application & Benefits

Fast and light line: With 3-times transmission ratio!

- Light and strong: ABS plastic housing
- Fast: 3 times speed when winding in
- Durable: High quality cord with good chalk absorption

Light, Robust and Extremely Fast







Item no. 03013000

Item no. 03012000

Item no. 03012001

Item no.	Version	Dimensions	Weight	PU
03013000	Chalk line turbospeed plus, 5-times	30 m	225 g	1
03073000	Replacement cord on reel	30 m	30 g	1
03012000	Chalk line turbospeed, 3-times, metal	30 m	275 g	1
03074000	Replacement cord on reel	30 m	35 g	1
03012001	Chalk line turbospeed, 3-times, ABS plastic	30 m	145 g	1
03074000	Replacement cord on reel	30 m	35 g	1

MEASURING & MARKING

ERGO









Item no. 03031000

Item no. 03011000

Item no. 03040000

Item no.	Version	Dimensions	Weight	PU
03031000	Chalk line ERGO	15 m	80 g	1
03011000	Chalk line straitline, 3,5-times	30 m	125 g	1
03011002	Replacement line	30 m	40 g	1
03040000	Chalk line maxi, stronger line	50 m	600 g	1
03040001	Replacement line	50 m	300 g	1

Universal **Replacement Line** on Card

Universal **Replacement Line** on Reel

Application & Benefits

Cotton line on a card

Without hook

Application & Benefits


Cotton line on reel

Without hook




Item no. 03071000

Item no.	Version	Dimensions	Weight	PU
03071000	Universal replacement line on card	30 m	30 g	1
03070000	Universal replacement line on reel	80 m	80 g	1



The World's Lightest 3 in 1 Seaming Machine



Convenient: The cordless screwdriver holder has no longer to be specially removed for transport and can be folded to the side without tools

Safe and stabilizing: The front roller controls the existing profiling

and holds the Seaming Pro[®] in place when closing the fold

The cordless screwdriver can be attached and fixed without tools H. H. C. P.F. Freund & Cie. GmbH freund Seaming Pro by Diegetec B A 6 6

Outdoor Box



Impact resistant, dust and waterproof (IP67): With the new outdoor case, your Seaming Pro® is especially protected against external effects

Steplessly adjustable in height: The track wheels are adjustable from 25 mm to 38 mm (1" - 1.5") seamlessly (for this you have to loosen the rubber track wheels with a 4 mm Allen key and adjust the height adjustment to the desired height with a 3 mm Allen key)

Protective: Due to high-quality rubber wheels, the sheet metal roof is particularly protected during processing

> Extra smooth running: Thanks to the ball bearings in the track wheels, the operation is extra smooth

Ready For The Next Generation?

Seaming Machine Seaming Pro[®] New Generation

Application

Universal supporter: Creates double standing seams or single standing seams and also cuts the old seam perfectly – all this with only one handy device!





Item no. 93000000

New

Only one click away.

Integrated click function from the item image to our webshop.

ltem no.	Version	Dimensions	Weight	PU
93000000	Seaming Machine Seaming Pro [®] New Generation	300 x 200 x 140 mm	6.5 kg	1

Scope of delivery:

- Seaming Pro[®] seaming machine equipped with stainless steel forming rolls
- · Holder for cordless screwdriver, already mounted and applicable without further tools
- Cutting wheels
- Ball-bearing, height-adjustable rubber roller for seaming heights of 25 mm, 32 mm and 38 mm (1.0" 1.5")
- Allen key in 3,4,5,6 mm
- Robust transport box is impact resistant and waterproof (IP67)
- User manual

Accessories:

93000010 Track rollers for 25 mm seams (4 pieces)

760 g 1

Your Benefits At A Glance

- Complete: 1 unit for 3 applications double standing seam, single standing seam and cutting off
 the old seam
- Fast: Creates double standing seams in just one step up to 8 to 12 meters (26 39ft) per minute
- Wireless: Simply attach your standard cordless screwdriver to one of two holders (roof or facade)
- Light and compact: The device weighs 6.5 kg (14 lbs) without cordless screwdriver
- Problem-solving: Can be unlatched and latched into the seam
- · Flexible: Quick modification to the different functions
- · Time-saving: No need to pre-seam seam with square seam folder or twin square seam folder
- Steplessly adjustable in height: The track wheels are adjustable from 25 mm to 38 mm (1" 1.5") seamlessly
- Flat: Fits between facade and scaffolding
- Universal: You can process copper, zinc and aluminum up to 0.7 mm (21 gauge), galvanized or colored steel up to 0.6 mm (22 gauge), as well as stainless steel up to 0.5 mm (24 gauge)
- Extra smooth running: Thanks to the ball bearings in the track wheels, the operation is extra smooth
 Protective: Due to high-quality rubber wheels, the sheet metal roof is particularly protected during
- Protective: Due to high-quality rubber wheels, the sheet metal root is particularly protected during processing
 The the sheet of the sh
- Simple: The cordless screwdriver can be attached and fixed without tools
- Impact resistant, dust and waterproof (IP67): With the new outdoor case, your Seaming Pro[®] is especially protected against external effects
- Safe and stabilizing: The front roller controls the existing profiling and holds the Seaming Pro[®] in place when closing the seam



User's Manual

Videos

Because One Device Has Three Functions

luuduke

More profit, very easy to use and results that are premium – just like you! This is what the Seaming Pro® New Generation – our seaming tool – stands for. With it you save an enormous amount of time. No matter whether you create double standing seams or single standing seams! Or cut off the old seam. It can do everything. Simply mount your regular cordless screwdriver on the Seaming Pro® New Generation and get started!

Get the Seaming Pro[®] New Generation for your next construction site!



"Awesome 3 in 1 tool. Super compact and super easy to use."

112324

0

P.F. Freund & Cie. GmbH

Jakob Stiegmayer, Master Tinsmith from Tirol, Austria

Brilliant On Sheet Netal



1

You adjust the bender in no time at all, precisely and smoothly, thanks to the aluminum body sliding bushings! At the same time allow our special hard chrome rods high sheet thicknesses. And the rod material convinces by engine quality: 16 mm thick, super sturdy and very smooth. On top you have an integrated inch scale.

EL CL LL OL 6 8 L 9 5 V E C L

Tangible quality:

Gentle on material:

There are no more scratches on the sheet metal. Because the beveled inner bending roller allows you bends of 100° and more.

Easy to grip:

The Freund bender has a handle that follows your working motion and is always where you need it. You don't have to grab the rods to bend your sheets.

Smooth gliding

Thanks to the sliding bushings you can adjust the bender precisely and smoothly. At the same time they prevent the locking screw from damaging the hard chrome rods.

Anti-slip:

You leave no unnecessary scratches. Because on the bottom side of the bender are 2 rubber feet, which prevent the tool from slipping on the roof.

Gentle on material:

To handle the sheet metal more gently, the high bending roller is not only made of one piece, but is also beveled at the top. The material is harder and thicker than individual ball bearings placed on top of each other.

Flexible:

You can turn the clamping lever

where it does not

bother you when working.

With this bender, you are optimally equipped for all sheet thicknesses from 0.3 to 1.2 mm. The distance between the bending rollers is adjustable. Simply loosen the grub screw of the rod with the arrow marking with a 2.5 mm Allen wrench and turn the rod until the desired bending roll spacing is reached. Then fix the screw in place.

You Have It In Your Hand

Premium-Bender with Handle

Application

Comfortable bender: Bender with 4 guide rollers for a comfortable use and upstands from 5 to 200 mm!

Benefits & Comfort

- Quality: Extended lower bending roller with bevel for a better bending result
- Easy to grip: Handle is available for every extension length
- Torsion resistant: 16 mm hard chrome rods for upstands up to 1.2 mm
- Smooth: Sliding bushings and smooth bar material
- Adjustable: Material thickness from 0.3 to 1.2 mm
- · Gentle: Rubber feet protect the sheet metal



Item no. 91721000

New

Only one click away.

Integrated click function from the item image to

our webshop.

Item no.	Version	Dimensions	Weight	PU
91720000	Premium-Bender	280 x 152 x 120 mm	2.0 kg	1
91721000	Premium-Bender with handle	280 x 152 x 120 mm	2.1 kg	1



Because bends can also be exact, straight and always look the same

And over the entire length. This is what the new hard chrome benders stand for. Thanks to the engine-quality components, they are super robust and particularly durable. The new hard chrome benders are also really easy to grip. Because the grip is in the right place. Not on the bars, but firmly on the body of the edger. And they don't just look brilliant, they are brilliant on the sheet metal! Thanks to foolproof depth adjustment and adjustable sheet thicknesses.

Standard-Bender with Handle

Application & Benefits

Handy bender: Small bender for edging upstands from 5 to 200 mm!

- Easy to grip: Handle is available for every extension length
- Torsion resistant: 16 mm hard chrome rods for upstands up to 1.2 mm
- Smooth: Sliding bushings and smooth rod material
- Adjustable: material thickness from 0.3 to 1.2 mm
- Gentle: Rubber feet protect
 the sheet metal

Max-Bender 350 with Handle

Application & Benefits

Long bender: Bends sheets from 5 to 350 mm!

- Sturdy: 350 mm long hard chrome rods 16 mm Ø for upstands up to 1.2 mm
- Quality: Extended lower bending roller with bevel for a better bending result
- Easy to grip: Handle is available at every extension length
- Smooth: Sliding bushings and smooth rod material
- Adjustable: Material thickness from 0.3 to 1.2 mm
- Gentle: Rubber feet protect the sheet metal





Item no. 91711000

ltem no.	Version	Dimensions	Weight	PU
91710000	Standard-Bender	280 x 113 x 120 mm	1.7 kg	1
91711000	Standard-Bender with handle	280 x 113 x 120 mm	1.8 kg	1
91750000	Max-Bender 350 with handle	440 x 152 x 120 mm	2.7 kg	1

Disc-Bender

Application & Benefits

Folding bender: Bends a sheet from 90° to 180°!

- High: Bends sheets from 5 to 25 mm
- Simple: No adjustments necessary
- Smooth: Three guide
 rollers support the bend

Double Disc-Bender

Application & Benefits

Double folding bender: Double width for an even edge!

 Uniform: 6 guide rollers ensure a consistent bend from 90° to 180°
 High: Edging height from 5 to 25 mm
 Simple: No adjustments necessary

Application & Benefits

Radii-Edger

Extremely narrow bender: Perfect for radii!

- Flexible: For edging from
- 5 to 25 mm • Powerful: Long handle for
- good power transmission
- Gentle: Angled upper bending roller for 100° bends and to avoid scratches

(Pauli Franti P





ltem no. 91730000

Item no. 91731000

Item no. 91740000

ltem no.	Version	Dimensions	Weight	PU
91730000	Disc-Bender	150 x 105 x 115 mm	1.0 kg	1
91731000	Double Disc-Bender	150 x 215 x 115 mm	2.1 kg	1
91740000	Radii-Edger	210 x 65 x 105 mm	0.8 kg	1

Double Premium-Bender

Application & Benefits

Broad bender: Bender with double width and 6 guide rollers and an edging height of 200 mm!

- Consistent: Clean uniform edging even with long sheets
- Torsion-resistant: 16 mm hard chrome rods for upstands up to 1.2 mm
- Smooth: Sliding bushings and smooth bar material
- Quality: Extended lower bending roller with bevel for a better bending result
- Adjustable: Material thickness from 0.3 to 1.2 mm
- Gentle: Rubber feet protect the sheet metal





Application & Benefits

Broad max bender: Bender with double width and 6 guide rollers and a bending height of 350 mm!

- Consistent: Clean uniform bending even with long sheets
- High: Huge upstand height of 350 mm with high precision
- Torsion-resistant: 16 mm hard chrome rods for upstands up to 1.2 mm
- Smooth: Sliding bushes and smooth bar material
- Quality: Extended lower bending roller with bevel for better bending result
- Adjustable: Material thickness from 0.3 to 1.2 mm
- Gentle: Rubber feet protect the sheet metal



Item no. 91760000

Item no.	Version	Dimensions	Weight	PU
91760000	Double Premium-Bender	355 x 300 x 120 mm	4.0 kg	1
91761000	Double Max-Bender 350	500 x 300 x 120 mm	4.9 kg	1

Full View On Sheet Netal



UltraVision Seaming Pliers 45°, Stack Joint, Window & Scale

Application

Transparent seamer: For a clearer view when bending and edging sheet metal!

Benefits & Comfort

- Revolutionary: Full view of the sheet metal, thanks to the large bending window in the jaw
- Fast: Millimeter scale allows more precise
 work without marking
- Strong: No play, no wobbling with a stack joint
- Ergonomic: New handle shape fits the hand perfectly so you can get a good grip
- Lightweight: Weight saving thanks to window cut-out and U-channel in the handle
- Gentle on materials: Rounded edges prevent
 the sheet metal to be damaged during bending



Item no. 01091160

Item no.	Version	Insertion depth	Jaw width	Weight	PU
01091140	UltraVision seaming pliers 45°, window & scale, stack j.	48 mm	40 mm	580 g	1
01091160 🐝	UltraVision seaming pliers 45°, window & scale, stack j.	48 mm	60 mm	630 g	1
01091180	UltraVision seaming pliers 45°, window & scale, stack j.	48 mm	80 mm	700 g	1



Because you have a clear view with it

We have revolutionized the folding pliers. In doing so it does what a folding plier has to do, only better. With the newly designed folding pliers with bending window in the jaw, you can watch the sheet metal bending. And even better - thanks to the laser-engraved millimeter scale, you save time when measuring and marking. The folding plier opens and closes permanently without play. This is ensured by the super strong stack joint of the handles. A feeling of lightness at all levels: Reduced weight thanks to the bending window cut-out in the jaws and U-channel in the ergonomic handle. Everything that makes your job easier.

UltraVision Seaming Pliers, Straight, Stack Joint, Window & Scale

Application & Benefits

Transparent assistant: For a clearer view when bending and edging sheet metal!

- Revolutionary: Full view on the sheet metal, thanks to the large bending window in the jaw
- Fast: Millimeter scale allows more
 precise work without marking
- Ergonomic: New handle shape fits the hand perfectly - so you can get a good grip



Application & Benefits

Transparent bender: For a clearer view when bending and edging sheet metal!

- Revolutionary: Full view on the sheet metal, thanks to the large bending window in the jaw
- Fast: Millimeter scale allows more precise work without marking
- Ergonomic: New handle shape fits the hand perfectly - so you can get a good grip





ltem no. 01081160

ltem no.	Version	Insertion depth	Jaw width	Weight	PU
01081140	UltraVision seaming pliers, straight, window & scale, stack joint	48 mm	40 mm	530 g	1
01081160	UltraVision seaming pliers, straight, window & scale, stack joint	48 mm	60 mm	680 g	1
01081180	UltraVision seaming pliers, straight, window & scale, stack joint	64 mm	80 mm	880 g	1
01092240	UltraVision seaming pliers 90°, window & scale, stack j.	54 mm	40 mm	580 g	1
01092260	UltraVision seaming pliers 90°, window & scale, stack j.	58 mm	60 mm	730 g	1
01092280	UltraVision seaming pliers 90°, window & scale, stack j.	68 mm	80 mm	780 g	1



Seaming Pliers, Curved 45°, Lap Joint

Application

Quick seamer: For bending and edging sheet metal!

Benefits & Comfort

- Practical: 45° bent
- Gentle on the material: Sheet metal is not damaged by the jaws of the pliers during bending
- Ergonomic: The green, dip-insulated handles lie well in your hand
- Comfortable: The lap joint is very smooth-running
- Durable: High-quality forged tool steel



Item no. 01090040

Item no.	Version	Insertion depth	Jaw width	Weight	PU
01090040	Seaming pliers, curved 45°, lap joint	48 mm	40 mm	600 g	1
01090060 🎎	^e Seaming pliers, curved 45°, lap joint	48 mm	60 mm	650 g	1
01090080	Seaming pliers, curved 45°, lap joint	48 mm	80 mm	720 g	1



Because everyone has to show an edge

These 45° bent seaming pliers with lap joint are predestined for exact creations of edges. Because of their curved shape you bend and edge sheet metal effortlessly. Particularly convenient: The pliers' jaws close perfectly parallel, and the edges of the pliers head are very straight - but they are not sharp.

Seaming Pliers, Straight, Lap Joint

Application & Benefits

Convenient assistant: For bending and edging of sheet metal!

- Precise: Accurate bending thanks to cleanly finished jaws
- Precise: The pliers jaws close perfectly parallel
 Ergonomic: The green, insulated handles fit well in your hand

Seaming Pliers, Curved 90°, Lap Joint

Application & Benefits

Handy seamer: For bending and edging of sheet metal!

- Convenient: 90° bent pliers
- Comfortable: The lap joint is very smooth
 Durable: High quality forged
- tool steel

Roll Bag with Seaming Pliers

Application & Benefits

Perfect set: For bending and edging of sheet metal!

- Complete: All three 60s seaming pliers together: Straight - 45° bent - 90° bent
- Packed: High quality roll bag with fastener



ltem no.	Version	Insertion depth	Jaw width	Weight	PU
01080040	Seaming pliers, straight, lap joint	48 mm	40 mm	550 g	1
01080060	Seaming pliers, straight, lap joint	48 mm	60 mm	700 g	1
01080080	Seaming pliers, straight, lap joint	64 mm	80 mm	900 g	1
01092040	Seaming pliers, curved 90°, lap joint	54 mm	40 mm	600 g	1
01092060	Seaming pliers, curved 90°, lap joint	58 mm	60 mm	750 g	1
01092080	Seaming pliers, curved 90°, lap joint	68 mm	80 mm	1.0 kg	1
04670058	Roll bag with seaming pliers			2.3 kg	1
Set includes:					

1 X 01080060 Seaming pliers, straight, 1 x 01090060 Seaming pliers, curved 45°, 1 x 01092060 Seaming pliers, curved 90°

Broad Seaming Pliers, Straight, Lap Joint

Application & Benefits

Broad seamer: For bending and edging of sheet metal!

- Perfect: 100 mm wide jaws
- Gentle on material: Sheet metal is not damaged through the jaws of the pliers
- Comfortable: The lap joint is very smooth-running and has a long lifetime

Broad Seaming Pliers, Straight, Lap Joint

Application & Benefits

Convenient assistant: For bending and edging of sheet metal!

 Precise: Accurate bending thanks to cleanly finished jaws
 Precise: The pliers jaws close perfectly parallel
 Ergonomic: The green, dipinsulated handles lie well in

your hand

Broad Seaming Pliers, Curved 45°, Lap Joint

Application & Benefits

Precise assistant: For bending and edging of sheet metal!

- Perfect: 100 mm wide jaws
- and 45° bentComfortable: The lap joint is
- very smooth-running and has a long life time
- Durable: High quality forged tool steel



Mini-Seaming Pliers Curved 45°, Lap Joint

Application

Precise assistant: Bends and seams sheet metal!

Benefits & Comfort

- · Convenient: 45° bent pliers
- Filigree: Bends and seams sheet metal where others cannot reach
- Small and handy: Fits perfectly in your pockets of your work clothes
- Precise: Accurate bending thanks to cleanly finished mouth of the pliers
- Ergonomic: The green, dip-insulated handles fit comfortably in your hand
- Precise: The pliers jaws close perfectly parallel



Item no. 01090022

-	Item no.	Version	Insertion depth	Jaw width	Weight	PU
	01090022	Mini-Seaming pliers, curved 45°, lap joint	28 mm	22 mm	220 g	1



Beacaus mini can be big

Do you need detailed sheet metal work for your project? Then the mini seaming pliers 45° bend, lap joint are your ideal assistant. It is not for the rough, but the small handy addition, in order to complete the overall work filigree. Due to its curved shape, it effortlessly bends and seams sheet metal where other never reach.

Mini-Seaming Pliers, Straight, Lap Joint

Application & Benefits

Handy assistant: Bends and seams sheet metal!

- Filigree: Bending and edging sheet metal where others cannot reach
- · Small and handy: Fits perfectly in in the pockets of your work clothes
- Precise: Accurate bending thanks to the precisely finished jaws of the pliers

Seaming Pliers, Straight, Stack Joint

Application & Benefits

Straight seamer: For bending and edging of sheet metal!

- · Convenient: The stack joint is very smooth-running and has a long service life
- tool steel · Gentle on material: Sheet metal
- Durable: High quality forged
- is not damaged by the jaws of the pliers

Seaming Pliers, Curved 45°, Stack Joint

Application & Benefits

Ingenious seamer: For bending and edging of sheet metal!

- Practical: 45° bent pliers
- Convenient: The stack joint is very smooth-running and has a long service life • Durable: High quality forged tool steel



Item no.	Version	Insertion depth	Jaw width	Weight	PU
01080022	Mini-seaming pliers, straight, lap joint	32 mm	22 mm	200 g	1
01081040	Seaming pliers, straight, stack joint	48 mm	40 mm	550 g	1
01081060 Seaming pliers, straight, stack joint		48 mm	60 mm	700 g	1
01081080	Seaming pliers, straight, stack joint	64 mm	80 mm	900 g	1
01091040	Seaming pliers, curved 45°, stack joint	48 mm	40 mm	600 g	1
01091060	Seaming pliers, curved 45°, stack joint	48 mm	60 mm	750 g	1
01091080	Seaming pliers, curved 45°, stack joint	48 mm	80 mm	925 g	1

Seaming Pliers, Curved 90°, **Stack Joint**

Application & Benefits

Convenient seamer: For bending and edging of sheet metal!

- Useful: 90° bent pliers
- Convenient: The stack joint is very smooth-running and has a long life time
- Durable: High quality forged tool steel

Stainless Steel Seaming Pliers,

Straight former: For bending

Straight, Lap Joint

Application & Benefits

and edging of stainless steel sheets!

- Stainless: For the construction of stainless steel roofs
 - Precise: Accurate bending thanks to precisely finished pliers jaws
 - Precise: The pliers jaws close perfectly parallel
 - Ergonomic: The green, dip-insulated handles fit well in your hand

Stainless Steel Seaming Pliers 45°, Lap Joint

Application & Benefits

Curved former: For bending and edging of stainless steel sheets!

- Stainless: For the construction of stainless steel roofs
- Practical: 45° bent
- Gentle on material: Sheet metal is not damaged by the jaws of the pliers when bending



	01090061	Stainless steel seaming pliers, curved 45°, lap joint	48 mm

1

605 g

60 mm

Squeezing Folding Pliers, Straight, Stack Joint

Application

Benefits & Comfort

handles

of 80 mm

perfectly in the hand

finished iaws

Flat former: For bending high seams and squeezed seams!

· Power-saving: Thanks to the long pliers

smooth-running and has a long service life

damaged when bent by the jaws of the pliers

Practical: Particularly high insertion depth

Handy: The green, dip-insulated handles fit

· Gentle on material: Sheet metal is not

Accurate: Fine bends thanks to cleanly

Durable: High-quality forged tool steel

Convenient: The stack joint is very



Item no. 01100080

Item no.	Version	Insertion depth	Jaw width	Weight	PU
01100080	Squeezing folding pliers, straight, stack joint	80 mm	80 mm	820 g	1

Because squeezed seams need a specialist

With these seaming pliers, you not only perform precise sheet metal work, but are also extremely flexible thanks to the high insertion depth. Higher seams and squeezed seams are no longer an obstacle for you with these pliers. The pliers jaws close perfectly parallel and bend the sheet easily and precisely. For high and safe working comfort.

Squeezing Folding Pliers, **Straight**, **Lap Joint**

Application

Flat former: For bending high seams and squeezed seams!



Benefits & Comfort

- Handy: Particularly high insertion depth of 80 mm
- Gentle on the material: Sheet metal is not damaged by the jaws of the pliers during bending
- Easy to handle: The green, dip-insulated handles fit perfectly in the hand
- Comfortable: The joint is very smooth-running and has a long life time
- Accurate: Fine bends thanks to precisely finished mouth of the pliers
- Durable: High-quality forged tool steel

Item no. 01100081

ltem no.	Version	Insertion depth	Jaw width	Weight	PU
01100081 🎎	Squeezing folding pliers, straight, lap joint	80 mm	80 mm	820 g	1

148

freund

Corner Seaming Pliers, Lap Joint

Application & Benefits

Perfect corner seamer: For seams into the smallest corner!

- Square: For seams right into the corner
- Precise: Accurate bends thanks to precisely finished pliers jaws
 Flat: The pliers jaws run parallel
- Prat. The pilers jaws full parallel over the entire surface
 Precise: Bends with the surface
- and not with the edge
 Ergonomic: The green insulated handles fit well in your hand

Round Seaming Pliers, Curved 45°, Lap Joint

Application & Benefits

Smallest seamer: For bending and edging of round seams!

- Handy: 18 mm wide and 45° bent
 Filigree: Bends and folds sheet metal
- where others cannot reach
 Small and handy: Fits perfectly in the pockets of your work clothes

Seam Opening Pliers, Lap Joint

Application & Benefits

Smart colleague: For opening of standing seams!

- Clean: Gentle opening of the seams
- Comfortable: The lap joint is very smooth-running
 Handling: The dip-insulated
- handles fit perfectly in your hand

30 mm

450 g

1



Flat Nose Pliers, Lap Joint

Application & Benefits

Flat assistant: Indispensable for sheet metal jobs!

- Easy to grip: Pliers jaws with serrations
- Comfortable: Dip-insulated handles
- Precise: The pliers jaws close parallel

Round Nose Pliers, Lap Joint

Application & Benefits

Round assistant: Indispensable for the fabrication of corners!

- Easy to grip: Pliers jaws with serrations
- Comfortable: Dip-insulated handles
- Precise: The pliers jaws close parallel



ltem no.	Version	Insertion depth	Dimensions	Weight	PU
01370240	Flat nose pliers, lap joint	50 mm	240 mm	440 g	1
01360240	Round nose pliers, lap joint	65 mm	240 mm	420 g	1

01070250

Seam opening pliers, lap joint

Seaming Pliers, Straight, Compound Leverage

Application & Benefits

Extremely wide bender: Thanks to compound leverage up to 150 mm width!

- Perfect: Particularly large working width
- Smooth running: Integrated compound leverage with self-opening
- Accurate: Precisely finished tong jaws for perfect bending
- Choice: 2 different working widths available: 80 mm and 150 mm

Seaming Pliers, Bent, Compound Leverage

Application & Benefits

Wide bender: Thanks to compound leverage up to 80 mm width!

- Ergonomic: Bent shape and 2K soft grips
- Adhesive: Jaws with V-notches
 Smooth running: Compound leverage and self-opening
- Wide: Working width of 80 mm



Application & Benefits

Convenient edger: Bending and seaming of sheets without marking!

- Settable: Adjustable Depth stop from 7 mm to 25 mm
- Angular: Adjustable seaming angle through adjustable stop in the handle
- Reversing: Complete reversal of the folding by impact
- function of the pliers head





	3		12			
	ltem no. 01080150 It	em no. 01093080	-	ltem no. 9	o. 91110000	
Item no.	Version	Insertion depth	Jaw width	Weight	PU	
01083080	Seaming pliers, straight, compound leverage	32 mm	80 mm	600 g	1	
01080150	Seaming pliers, straight, compound leverage	32 mm	150 mm	800 g	1	
01093080	Seaming pliers, bent, compound leverage	32 mm	80 mm	650 g	1	
91110000	Single handed edger, 108 hk		650 mm	800 g	1	

Seaming Pliers, Straight, Lap Joint

Application

Versatile finisher: For bending and edging of already installed sheet metal panels!

Benefits & Comfort

- Durable: High quality forged tool steel
- Ergonomic: Long pliers handles simplify work in standing position
- Flexible: Large working width (120 mm - 200 mm) and insertion depth
- (120 mm 170 mm)
 Gentle on material: Sheet metal is not damaged by the jaws of the pliers when bending
- Easy: The handle ends are rounded on both sides for easy bending



Item no. 01141160

Item no.	Version	Insertion depth	Jaw width	Weight	PU
01141120	Seaming pliers, straight, lap joint	120 mm	120 mm	1.9 kg	1
01141140	Seaming pliers, straight, lap joint	120 mm	140 mm	2.0 kg	1
01141160	Seaming pliers, straight, lap joint	170 mm	160 mm	2.5 kg	1
01141180 🔅	Seaming pliers, straight, lap joint	170 mm	180 mm	2.6 kg	1
01141200	Seaming pliers, straight, lap joint	170 mm	200 mm	2.7 kg	1

Because everything has to fit in the end

And these lap joint pliers are just right for that. Particularly convenient: The pliers jaws close perfectly parallel, and the edges of the pliers head run very straight - but they are not sharp.

152

Seaming Pliers, Curved 45°, Lap Joint

Application & Benefits

Curved former: Edging of already installed sheet metal panels!

- Comfortable: 45° bent and therefore particularly ergonomic
- Durable: High-quality forged tool steel
- · Selection: Large selection of different models: Working width (120 mm - 200 mm) and insertion depth (80 - 130 mm)







Item no. 01161120

Item no. 01140181

Item no.	Version	Insertion depth	Jaw width	Weight	PU
01161120	Seaming pliers, curved 45°, lap joint	80 mm	120 mm	2.9 kg	1
01161140	Seaming pliers, curved 45°, lap joint	80 mm	140 mm	3.0 kg	1
01161160	60 Seaming pliers, curved 45°, lap joint		160 mm	3.1 kg	1
01161180	Seaming pliers, curved 45°, lap joint	130 mm	180 mm	3.2 kg	1
01161200	Seaming pliers, curved 45°, lap joint	130 mm	200 mm	3.3 kg	1
01141181	Seaming pliers, skewed, lap joint	175 mm	180 mm	3.1 kg	1
01140181	40181 Seaming pliers, skewed, stack joint		180 mm	3.4 kg	1


Application & Benefits

Skewed

Seaming Pliers,

Practical corner former: For corners for sheet metal panels that have already been installed!

- Additional: 45° skewed jaws for the processing of corners Great: Large working width (180 mm) and insertion depth (175 mm)
- Gentle on material: Sheet metal is not damaged by the jaws when bending



Seaming Pliers, Curved 45°. **Stack Joint**

Application & Benefits

Straight former: For edging of already installed panels!

Straight, Stack Joint

Seaming Pliers,

· Convenient: The stack joint is very smooth-running and has a long life time

Application & Benefits

Curved finisher: For edging of already installed panels!

- Versatile: 45° bent pliers
- Durable: High quality forged tool steel and stack joint
- · Gentle on material: Sheet metal is not damaged by the jaws of the pliers when bending



Item no. Version		Insertion depth	Jaw width	Weight	PU
01140120	Seaming pliers, straight, stack joint	130 mm	120 mm	2.9 kg	1
01140140	1140140 Seaming pliers, straight, stack joint 1:		140 mm	3.0 kg	1
01140160	Seaming pliers, straight, stack joint	160 mm	160 mm	3.0 kg	1
01140180	Seaming pliers, straight, stack joint	160 mm	180 mm	3.2 kg	1
01140200	Seaming pliers, straight, stack joint	160 mm	200 mm	3.3 kg	1
01160140	Seaming pliers, curved 45°, stack joint	90 mm	140 mm	2.0 kg	1
01160160	Seaming pliers, curved 45°, stack joint	120 mm	160 mm	2.9 kg	1
01160180	Seaming pliers, curved 45°, stack joint	120 mm	180 mm	3.0 kg	1
01160200	Seaming pliers, curved 45°, stack joint	120 mm	200 mm	3.2 kg	1

Hand Notcher 35

Application

Smart simplifier: Cuts rounded profile incisions in sheets with a width of 3 millimeters!

Benefits & Comfort

- Time-saving: Rounded cutting end eliminates the need for additional perforation and prevents tearing of the sheet metal
- Flexible: The particularly long notching of 35 mm length can be continued endlessly
- Durable: Locking lever protects the cutting edge
- Convenient: Tool change is not necessary
- Ergonomic: Dip-insulated handles fit perfectly in the hand
- Effort-saving: The long lever handles reduce the effort required, the robust return spring makes your work easier



Item no. 00371000

Item no.	Version	Dimensions	Weight	PU
00371000	Hand Notcher 35 for 35 x 3 mm hand notching cut	300 x 650 mm	530 g	1



Because one step is faster than three

The hand notcher makes the profile cuts and the hole punching in one. So you only need this one tool. For example, for pan corners for the wall connection of the single or double seam. By the way, you can continue the cut endlessly.

Notching And Punching Pliers Compound Leverage

Application & Benefits

Long punch: Creates long holes in different sheets!

- Long: Creates long holes of 3 mm x 15 mm
- Limiting: Adjustable stop from 9 mm to 21 mm
- Strong: Punches aluminum and zinc up to 0.8 mm and cleating up to 1.8 mm
- plastic up to 1 mm
 Smooth running: Thanks to integrated compound leverage

Punching Pliers Compound Leverage

Application & Benefits

Powerful puncher: Creates round holes in various sheets!

- Exchangeable: With different punches: 3.3 mm, 4.1 mm,
- 4.9 mm and 6.2 mmLimitable: Adjustable depth
- stop up to 43 mm
- Measurable: Accurate scaling
- Leverage: Compound leverage generates a force of 740 kg

Hand Notcher with 2K soft handle

Application & Benefits

Triangular punch: Creates accurate V-notches!

- Universal: For sheet thicknesses from 0.48 to 0.71 mm
- Deep: Insertion depth of 254 mmTriangular: Cuts clean
- 30° V-notches
 - Comfortable: 2K soft grip for comfortable handling









Item no. 00360020

Itom n

Item no. 00360010

Item no. Version			Dimensions		Weight	PU	
00360020	Notching and punching p	Notching and punching pliers, compound leverage				825 g	1
00360010	Punching pliers, compou	Punching pliers, compound leverage				965 g	1
Punch:	Ø 3.3 mm	Ø 4.1 mm	Ø 4.1 mm Ø 4.9 mm		ø 6.2	2 mm	
Steel Sheets	1.5 mm	1.5 mm	1.2 m	m	0.8 r	nm	
Stainless Steel	1.2 mm	1 mm	0.8 m	0.8 mm		nm	
Aluminium	3 mm	2 mm	2 mm		1.5 r	nm	
00370025	Hand notcher with 2K so	ft handle		215 mm		450 g	1

Seam Locking Pliers with PVC Protection

Application

Flexible clamp: Clamps and fixes profiled sheet metal and smooth sheet metal!

Benefits & Comfort

- · Gentle: Protects sheet metal surfaces with flexible and removable PVC coatings
- First-class: Tangible guality, thanks to the high-guality despite many moving parts
- Precise: Fixes panels exactly at the upper edge of the seam - thanks to the defined clamping range of the jaw tips
- Flexible: The knurled grip screw with hexagon socket can be conveniently adjusted - for permanent fixation of the sheets
- Simple: Open and close in a blink of an eye thanks to the grip guick-release fastener
- Universal: The clamping range goes up to 30 mm



Item no. 01332000

Item no.	Version	Dimensions	Weight	PU
01332000	Seam locking pliers with PVC protection, clamping rag 30 mm	225 x 70 mm	650 g	1
Spare part:				
01332001	PVC replacement protection, 2-piece		10 g	1



Because firm can also be gentle

The plastic coating of the grip jaws protects the surface. You can fix the sheets effortlessly to the upper edge of the seam - this preserves the stretch area. With its anti-slip coating made of soft PVC, the tool is suitable for any seam. And durable. Thanks to the burned-in powder coating.

Wide Jaw Locking Pliers with PVC Protection

Application & Benefits

Ingenious Gripmaster: Locks and fixes building materials effortlessly!

- · Ideal: Ensures a perfect hold on fine and rough surfaces
- tool steel with inductively
- Flexible: The knurled-grip screw with hexagon socket can be smoothly and comfortably adjusted - for permanent fixing

of the sheet

Long Nose Locking Pliers

and fixes building materials effortlessly!

- Wear-resistant: High-quality
- hardened grip surfaces

Application & Benefits

Narrow Gripmaster: Locks

· Narrow: Especially suitable for narrow tapered areas • Wear resistant: High quality tool steel with inductively hardened grip surfaces • Flexible: The knurled-grip screw with hexagon socket

can be smoothly and

comfortably adjusted

· Comfortable: With wire cutter

Universal Sheet Metal Pliers

Application & Benefits

- Comfortable: With dipped insulated handles
- Durable: High-quality forged parts
- Accurate: Precisely ground pliers mouth







Item no. 01331000

Item no. 01334000

ltem no.	Version	Dimensions	Weight	PU
01331000	Wide jaw locking pliers with PVC protection, jaw width 80 mm	200 mm	460 g	1
Spare part:				
01331001	PVC replacement protection, 2-piece		8 g	1
01334000	Long nose locking pliers	165 mm	100 g	1

Locking Pliers, Curved Jaws

Application

Ingenious grip master: Locks and fixes various building materials effortlessly!

Benefits & Comfort

- Perfect: Ensures a perfect grip on fine and rough surfaces
- Wear-resistant: High-quality tool steel with inductively hardened grip surfaces
- Flexible: The knurled grip screw with hexagon socket can be adjusted smoothly and convenienly for permanent fixing of the sheets
- Simple: Open and close in no time at all thanks to the grip quick-release fastener
- Durable: Thanks to the burned-in powder coating
- Quality: Durably smooth-running mechanics makes the workmanship tangible



Item no. 01330175

Item no.	Version	Dimensions	Weight	PU
01330100	Locking pliers, curved jaws, clamping range 0 - 50 mm	145 x 40 mm	150 g	1
01330175 🎎	Locking pliers, curved jaws, clamping range 0 - 55 mm	175 x 55 mm	360 g	1
01330250	Locking pliers, curved jaws, clamping range 0 - 60 mm	225 x 65 mm	550 g	1

Because you don't stop before the job is done

Really tight and really fast at the same time? Exactly like this. You simply open and close the locking pliers. And fix all materials with a clamping width of up to 60 millimeters. Securely and permanently. By the way: Thanks to the powder coating, your pliers will last a long time.

Mini Water Pump Pliers

Application

Convenient assistant: Loosens or fixes workpieces comfortably and universally!

Benefits & Comfort

- Precise: The grooves in the pliers head grip optimally into each other
- Variable: The jaw size can be locked quickly, easily and securely
- Precise: The adjustment mechanism is milled with high precision
- Ergonomic: The handle in wave form



Item no. 01653000

Item no.	Version	Dimensions	Weight	PU
01653000	Mini water pump pliers, clamping range 44 - 68 mm	170 x 44 mm	170 g	1



Because small can also grip properly

This compact, stable, durable companion for all occasions has it, the grip. It takes up hardly any space and never gets in the way - neither in the toolbox nor in the work trousers. At the same time the pliers fit perfectly in your hand. And thanks to the mini version, you can get into tight places particularly well.

160

freund

Water Pump Pliers

Application & Benefits

Practical allround talent: Holds and grips reliably!

- Precise: The grooves in the pliers head interlock optimally
- Variable: The jaw size can be locked quickly, easily and safely
- Precise: The adjustment mechanism is milled with high precision
- Ergonomic: The handle in wave form

Application & Benefits

Comfortable allround talent: Holds and grips reliably!

Water Pump Pliers

- Ergonomic: The choice is yours: 2K soft grip or dipinsulated handle
 Precise: The grooves in the
- head of the pliers interlock optimally
 Variable: The jaw size can be locked quickly, easily and safely
- Precise: The adjustment mechanism is milled with high precision

Application & Benefits

Rabitz Pliers

Universal allrounder: For twisting and cutting tie wire!

- High quality: Forged tool steel
 Hard: Cutting edges induction hardened
- Shiny: Polished head
- Selection: 2 sizes are available

Item no. 01660220





ltem no. 01650000

ltem no. 01652000

ltem no.	Version	Dimensions	Weight	PU
01650000	Water pump pliers	240 mm	290 g	1
01651000	Water pump pliers, dip-insulated	240 mm	300 g	1
01652000	Water pump pliers, 2K handle	240 mm	335 g	1
01660220	Rabitz pliers	225 mm	325 g	1
01660250	Rabitz pliers	250 mm	390 g	1

With The
Flexible
Grip-Master
Everything
Under Control

162

Double Standing Seam Closer with PVC Jaws

 \bigcirc

Application

Convenient multipurpose creator: Closes the squareseam, creates the double standing seam!

Benefits & Comfort

- Flexible: Precisely manufactured PVC jaws make both seaming operations possible with only one tool
- Gentle: PVC jaws protect the surface
- Durable: PVC jaws are long-lasting and replaceable
- Convenient and fast: No tool change necessary for the double standing seam
- Effort-saving: Lever mechanism makes work easier



Item no. 92170000

Item no.	Version	Dimensions	Weight	PU
92170000	Double standing seam closer with PVC jaws, working width 220 mm	490 x 220 mm	2.4 kg	1
Spare part:				
92170001	Replacement jaws	220 mm	200 g	1



Because two is better than one

The complete seaming process is done with just one tool. First close the squareseam, then create the double standing seam. Protecting the surface is really simple. And especially with coated materials. Thanks to the integrated PVC jaws with a working width of 220 mm.





Eave Closer with PVC Jaws

Application

Consistent sealant: Closes prepared eaves edges!

Benefits & Comfort

- · Gentle: PVC jaws protect the surface
- · Comfortable: Closes the eave edging easily and quickly
- Ergonomic: Lever handles fit perfectly in your hand
- Durable: PVC jaws are long-lasting and replaceable
- Effort-saving: Lever mechanism makes work easier



Item no. 92080000

Item no.	Version	Dimensions	Weight	PU
92080000	Eave closer with PVC jaws, working width 220 mm	400 x 220 mm	2.2 kg	1
Spare part:				
92080001	Replacement jaws	215 mm	125 g	1

 \bigcirc



Because a good finish counts


You get that with our eaves closer with PVC jaws! Thanks to the PVC coating, the eave closer protects the surface of the processed material. Especially if they are coated and sensitive. The integrated PVC jaws are also very stable and durable. Quick wear and tear is out of the question here.

Square- Folder First Sta		Square-Seam Folder First Stage Upright	seam	e Square- Folder d Stage	
Application 8	Benefits	Application & Benefits	Applicatio	on & Benefits	
 seam (flag Practical: for angled Measurab width 220 Selectable 	le: Working mm e: Available in 2 Stainless steel and	 Upright: Due to the 3-way heigh adjustment, the tool can be adjusted individually to any bod size Closing: Closes the square- seam (flag fold) SPM 30/80 Measurable: Working width 220 mm 	the clos a doubl Measur width 2 Selectiv version	-closing: Creates f sed single square- le standing seam rable: Working 20 mm on: Available in 2 s: Stainless steel a coated	seam
			(B)	Ø	
K	Item no. 91100000	Item no. 911010	000	Item no. 9	1170000
ltem no.	Version		Dimensions	Weight	PU
91100000	Square-seam folder, 1	11 WFSCH, powder coated	220 mm	2 kg	1
91100001	Square-seam folder, st	ainless steel, 1119 WFSCH VA	220 mm	2 kg	1
91101000	Square-seam folder, u powder coated	pright, 128 WFSCH ST,	720 mm	3.5 kg	1
91170000	Double square-seam f	older, 117 WDF, powder coated	220 mm	2.5 kg	1

____ 911 911 ____ 911 91170000 Double square-seam folder, 117 WDF, powder coated 220 mm 2.5 kg 91170001 Double square-seam folder, stainless steel, 1179 WDF VA 220 mm 2.5 kg 1

	Square-Seam Second Stage	Eaves Edger	Laves	Closer		Closer	ormer	Round Profil Closer	300 n	t Bending Ja nm	
Application 8	& Benefits	Application & Benefits	Applicati	on & Benefits		Application &	Benefits	Application & Benefits	Applicat	tion & Benefits	
 height adju individuall body size Double-clo the closed a double s 	ue to the 3-way ustment, the tool is ly adjustable to any osing: Creates from d single square-seam standing seam le: Working width	 Edging: For folding the sheet metal at the eaves or dormers possible over 90° if necessar Measurable: Working width 250 mm Durable: By applying a hig-hquality powder coating 	s, seam a y • Workir • Measu 220 m • Select version	g: To close the pre- at the the eaves or o ng width: 220 mm urable: Working wid m ion: Available in 2 ns: Stainless steel a rr coated	dormer th	SPM shee closed ea • Measurab 65 mm • Durable: B high-quali • Selection:	refabricated round t metal profiles can be ily even with small radii le: Working width y applying a ty powder coating There is a 320 mm 210 mm long version	 All-round: The round profile closer is used to close spe round profiles Measurable: Working widtl 220 mm Durable: By applying a high-quality powder coatin 	cial bendi in unli h cleanl site • Unive ng gutter conne	ing: You use the she ing jaws to bend she imited length quickl ly directly on the co ersal: For box and va rs, high wall flashing ections urable: Working widt	et metal y and nstructio ley ıs, wall
D n	Δ		A B	A		da di		****		\searrow	
Ge de		रहरू			?						
	Item no. 91171000	کی کی الدوس میں الدوس میں	0000	Item no. 9	11080000		Item no. 91180000	Item no. 91	1220000	Item no. 9	1050000
tem no.	Item no. 91171000 Version	کیکی Item no. 9107	0000 Dimensions	Item no. 9 Weight	о 1080000 РU	ltem no.	Item no. 91180000 Version	ter no. 91	1220000 Dimensions	Item no. 9 Weight	1050000 PL
tem no.	Version	Ider, upright, 131 WDF ST, powder				<u>Item no.</u> 91180000		ong version,			
1171000	Version Double square-seam fo	lder, upright, 131 WDF ST, powder	Dimensions	Weight	PU		Version Round dormer closer, lo 119 RGS, powder coate Round dormer closer, s	ong version, d hort version,	Dimensions	Weight	Pl
	Version Double square-seam fo coated	lder, upright, 131 WDF ST, powder wder coated	Dimensions 220 mm	Weight 3.6 kg	PU 1	91180000	Version Round dormer closer, lo 119 RGS, powder coate	ong version, d hort version, d	Dimensions 320 mm	Weight 1 kg	Pl

freund



PU

1

1

Fliz-Folder	Flanging Tool	Seaming Iron Short Blade
Application & Benefits	Application & Benefits	Application & Benefits
 Practical: For the production of pinched folds High quality: Made of high-quality stainless steel VA Useful: For upstands up to approx. 90° use wide side, for light upstands, use narrow side 	 Useful: For folding and stiffening of a sheet metal edge. Thereby the sheet metal edge is defused High quality: Forged tool Fine: Working surface highly polished Selection: 40 mm and 50 mm version available 	 Traditional: For processing sheets in the standing seam technique High quality: Made of tool steel, forged Narrow: Working width of 100 mm - short blade Straight: Prism of 20 x 20 mm Drilled: Diameter 5 mmm







	ltem no. 01131000	ltem no. 01030040	Item no. 0	1150100
Item no.	Version	Dimensions	Weight	PU
01131000	Fliz-folder	140 x 120 mm	300 g	1
01030040	Flanging tool	40 mm	870 g	1
01030050	Flanging tool	50 mm	1.2 kg	1
01150100	Seaming iron short blade, 20 x 20 mm	100 mm	1.65 kg	1

Seaming Iron Long Blade	Seaming Iron without Prisma	Angle Flat Scraper
Application & Benefits	Application & Benefits	Application & Benefits
 Traditional: For processing sheets in the standing seam technique High quality: Made of tool steel, forged Narrow: Working width of 140 mm - short blade Straight: Prism of 25 x 25 mm Drilled: Diameter 5 mmm 	 Traditional: For processing sheets in the standing seam technique High quality: Made of tool steel, forged Wide: Working width of 140 mm - long blade Comfortable: With soft PVC handle 	 Smooth: For smoothing and shaping of corners and edges in sheet metal working High quality: Made of tool steel, forged Clean: Working surfaces are brightly polished







Item no. 01150000

Item no. 01150001

ltem no.	Version	Dimensions	Weight	PU
01150000	Seaming iron long blade, 25 x 25 mm	140 mm	2.5 kg	1
01150001	Seaming iron without prisma with PVC handle	140 mm	1.9 kg	1
01120000	Angle flat scraper	290 mm	1.6 kg	1

Double Welt Iron for Square-Seam and Double Standing Seam

Application

Double folding ace: Creates angled and double standing seams in the field for non-pre-profiled panels!

Benefits & Comfort

- Practical: 12° beveled working surfaces of 25 mm and 35 mm
- Precise: Accurate seaming thanks to two
 parallel working surfaces
- Robust: Forged, high-quality, fully welded tool steel
- Simple: Quick and easy folding of the sheet metal
- Precise: Cleanly ground working surfaces for best results



Item no. 01110000

Item no.	Version	Dimensions	Weight	PU
01110000	Double welt iron for for square-seam and double standing seam	250 x 140 mm	3.2 kg	1



Because tradition never dies

With its two working surfaces, this robust, solid and stable folding iron ensures an outs-tanding performance.

Squeezing Folding Pliers

Application

Robust friend: For the creation of squeeze folds!

Benefits & Comfort

- Accurate: Precise folding of the corner due to cleanly machined inner edges
- Practical: Slot depth of 140 mm
- Durable: Made of high-quality tool steel and forged in one piece



Item no. 01130000

Item no.	Version	Dimensions	Weight	PU
01130000	Squeezing folding pliers, slot depth of 140 mm	200 x 170 mm	810 g	1



Because we like to go deep

And the squeezing folding pliers master this perfectly. It has a large insertion depth and can therefore be universally be used when creating squeeze folds.

Always Best Cuts





Pelican Snips

Combination Snips

Application & Benefits

Fast cutter: Cuts sheets straight!

- Continuous: Makes meters quickly without bending up the sheet, thanks to pelican head shape
- Universal: For copper, zinc and aluminum
- Fast and precise: Proven cutting geometry and precise grinding

Application & Benefits

Sharp cutter: Cuts sheet metal straight and in larger radii!

- Clean and precise: Cutting geometry that has been proven for decades cuts the sheet metal without bending it
- Handy and insulated: The dip insulated PVC soft handle is absolutely slip-proof - more comfortable than bare metal







Item no. 01230300

P

Item no.	Version	Dimensions	Weight	PU
01230300	Pelican snips, right, HRC 56	300 mm	750 g	1
01230350	Pelican snips, right, HRC 56	350 mm	830 g	1
01231300	Pelican snips, left, HRC 56	300 mm	750 g	1
S1231300	Pelican snips, left, HCR 56, red handle	300 mm	750 g	1
01250260	Combination snips, right, HCR 56	260 mm	500 g	1
01251260	Combination snips, left, HCR 56	260 mm	500 g	1
S1251260	Combination snips, left, HCR 56, red handle	260 mm	500 g	1





PU

1

1

1

Application & Benefits

Fast cutter: Cuts sheets straight!

- Continuous: Makes meters quickly without bending up the sheet, thanks to pelican head shape
- Wear resistant: Suitable also for stainless steel (hardened to HRC 59)
- Universal: For copper, zinc and aluminum, but also for stainless steel





precisely • Wear-resistant: also suitable for stainless steel (hardened to HRC 59) • Universal: For copper, zinc

· Accurate: Cuts cleanly and

Combination Snips

Sharp cutter: Cuts sheet metal

straight and in larger radii!

Application & Benefits

and aluminum, but also for stainless steel






Item no. 01232300

Item no. 01252260

		D: :		BU
Item no.	Version	Dimensions	Weight	PU
01232300	Pelican snips, right, HRC 59	300 mm	750 g	1
01232350	Pelican snips, right, HRC 59	350 mm	785 g	1
01233300	Pelican snips, left, HRC 59	300 mm	750 g	1
01252260	Combination snips, right, HRC 59	260 mm	495 g	1
01252280	Combination snips, right, HRC 59	280 mm	600 g	1
01253260	Combination snips, left, HRC 59	260 mm	495 g	1
01253280	Combination snips, left, HRC 59	280 mm	600 g	1



Genuine shape cutting snips, left, HRC 59

1

Punch Snips with **Curved Blades**

Application & Benefits

Precise curve artist: Cuts smallest radii in sheet metal!

- · Maneuverable: Thanks to their curved head shape and the rounded inner side
- Safe: Integrated pinch guard protects your hand
- Wear-resistant: Also suitable for stainless steel





Roll Bag with

Steel Snips

Application & Benefits

stainless steel snips set!

Powerful Cutter: The universal

· Ideal: Collection of the most

in stainless steel quality

Clean and precise: Cutting

· Ready to go: In practical

roll-up bag

important sheet metal snips

geometry proven for decades

Stainless



	Item no. 01224275	ltem no. 04670075		Item no. S1232300	
Item no.	Version		Dimensions	Weight	PU
01224275	Punch snips with curved blades, right, H	IRC 59	275 mm	550 g	1
01225275	Punch snips with curved blades, left, HF	RC 59	275 mm	550 g	1
04670075	Roll bag with stainless steel snips		400 mm	2 kg	1

Set includes:

1 X 01232300 Pelican snips stainless steel right, 1 x 01252260 Combination snips stainless steel right, 1 x 01253260 Combination snips stainless steel left

S1232300	Pelican snips, right, HRC 59	300 mm	730 g	1
S1232350	Pelican snips, right, HRC 59	350 mm	785 g	1

Pelican Snips

Application & Benefits

Fast cutter: Cuts sheets straight!

- Detectable: Right snips are
- green and left snips are red Continuous: Makes quick
- meters without bending up the sheet, thanks to pelican head shape
- Wear-resistant: Also suitable for stainless steel

Combination **Cutting Snips**

Application & Benefits

Sharp cutter: Cuts sheet metal straight and in larger radii!

- Detectable: Right snips are green and left snips are red
- Wear resistant: Suitable for stainless steel (hardened to HRC 59)
- Universal: For copper, zinc and aluminum, but also for stainless steel



Punch Snips with **Curved Blades**

Application & Benefits

Precise curve artist: Cuts smallest radii in sheet metal!

- Detectable: Right snips are green and left snips are red
- · Maneuverable: Thanks to their curved head shape and the rounded inner side
- · Wear-resistant: Also suitable for working on stainless steel





Item no. S1253260

Item no. S1224275

ltem no.	Version	Dimensions	Weight	PU
S1252260	Combination cutting snips, right, HRC 59, green	260 mm	495 g	1
S1252280	Combination cutting snips, right, HRC 59, green	280 mm	600 g	1
S1253260	Combination cutting snips, left, HRC 59, red	260 mm	495 g	1
S1253280	Combination cutting snips, left, HRC 59, red	280 mm	585 g	1
S1224275	Punch snips with curved blades, right, HRC 59, green	275 mm	500 g	1
S1225275	Punch snips with curved blades, left, HRC 59, red	275 mm	500 g	1

Pelican Snips

Application & Benefits

Durable sharp HSS divider: Cuts stainless steel sheets straight!

- Premium: Soldered HSS cutting edges (HRC 65)
- · Perfect: When processing steel and stainless steel sheets, the HSS cutting edge stays sharp for a long time
- · Continuous: Makes fast meters without bending up the sheet, thanks to pelican head shape







Combination

Application & Benefits

edges (HRC 65)

a long time

radii!!

Sharp HSS divider: Cuts

sheets straight and in larger

• Premium: Soldered HSS cutting

Perfect: When processing steel

· Continuous: Cuts the sheet

and stainless steel sheets, the

HSS cutting edge stays sharp for

metal straight and in larger radii,

without bending the sheet metal

Cutting Snips

Application & Benefits

Punch Snips


Durable sharp HSS divider: Cuts sheets in medium radii!

- Premium: Soldered HSS cutting edges (HRC 65)
- · Perfect: When processing steel and stainless steel sheets, the HSS cutting edge stays sharp for a long time
- · Maneuverable: Thanks to the short head shape





Item no. 01235300		Item no. 01256280	Item no. 0122847	
Item no.	Version	Dimensions	Weight	PU
01235300	Pelican snips, right, HRC 65	300 mm	690 g	1
01256280	Combination cutting snips, right, HRC 65	280 mm	600 g	1
01257280	Combination cutting snips, left, HRC 65	280 mm	600 g	1
01228475	Punch snips, right, HRC 65	275 mm	515 g	1
01229475	Punch snips, left, HRC 65	275 mm	515 g	1



225 mm

01342000

Offset snips, left, HRC 56-57

1

420 g

Combination Cutting Snips Compound Leverage

Application

Cool Cutter: Cuts sheets straight and in larger radii!

Benefits & Comfort

- Ergonomic: Compound leverage and spring save energy when working
- · Wear-resistant: Also suitable for processing stainless steel (hardened to HRC 60-62)
- Comfortable: Ergonomic 2K handle is absolutely slip-proof
- Fast and accurate: Proven cutting geometry and precise grinding
- · Practical: The release comes off all by itself: Simply cut loose



Item no. 01290240

Item no.	Version	Dimensions	Weight	PU
01290240 🔅	Combination cutting snips, compound leverage, right, HRC 60-62, green	240 x 80 mm	415 g	1
01291240	Combination cutting snips, compound leverage, left, HRC 60-62, green	240 x 80 mm	415 g	1
S1291240	Combination snips, compound leverage, left, HRC 60-62, red	240 x 80 mm	415 g	1



Because it is easier with a compound leverage

Therefore, depending on the radius, the combination snips can also make curves! And always fast, exact and so easy on the joints, that you can even cut through larger stainless steel surfaces. It cuts radii, but also straight ahead, without bending the sheet metal.

Shape and Straight **Cutting Snips Compound Leverage**

Application & Benefits

High-quality divider: Cuts especially straight!


- Ergonomic: Compound leverage and return spring saves energy when working
- Wear-resistant: Also suitable for stainless steel (hardened to
- HRC 61) Straight: Well suited for straight cuts

Offset Cutting Snips Compound Leverage

Application & Benefits

High quality divider: Cuts straight and round!

- - when working • Wear-resistant: Also suitable
 - Straight and round: Well suited



Ergonomic: Compound leverage and return spring saves energy

- for stainless steel (hardened to HRC 61)
- for straight and round cuts













Offset Cutting Snips

Compound Leverage

Application & Benefits

Durably sharp HSS divider:

Cuts with compound leverage!

Premium: Soldered-in HSS

cutting edges (HRC 65)

sharp for a long time

Ergonomic: Compound

· Perfect: When processing steel

and stainless steel sheets,

the HSS cutting edge stays

leverage and return spring

Item no. 01294260 Item		tem no. 01293260	Item no. 01	295260
ltem no.	Version	Dimensions	Weight	PU
01294260	Shape and straight cutting snips, compound l right, HRC 61	everage, 260 mm	510 g	1
01294261	Shape and straight cutting snips, compound l left, HRC 61	everage, 260 mm	510 g	1
01293260	Offset cutting snips, compound leverage, righ	t, HRC 61 260 mm	480 g	1
01293261	Offset cutting snips, compound leverage, left,	HRC 61 260 mm	480 g	1
01295260	Offset cutting snips, compound leverage, righ stainless steel, HRC 65	t, 260 mm	520 g	1
01295261	Combination snips, compound leverage, left, stainless steel, HRC 65	260 mm	520 g	1

Offset Cutting Snips Mini Compound Leverage

Application & Benefits

Short cutter: Handy offset cutting snips, ideal for radii!

- Handy: Short compound leverage offset cutting snips
- Ergonomic: Compound leverage and return spring
- saves power when workingComfortable: 2K soft grip
 - Wear-resistant: Also suitable stainless steel







Genuine Aviation

Application & Benefits

Exact cutter: Cuts small

· Fast and precise: Proven

cutting geometry and precise

· Ergonomic: Compound leverage

and return spring save energy

radii in sheet metal!

grinding

when working

Compound Leverage

Snips



Genuine Aviation

Application & Benefits

Compound Leverage

Exact cutter: Enables precise

• Fast and precise: Proven

cutting geometry and precise

Ergonomic: Compound leverage

and return spring save energy

• Wear-resistant: Also suitable

Snips

cuts!

grinding

when working

for stainless

	ltem no. 01290180	em no. 012802	260	Item no. 01282	2240
ltem no.	Version		Dimensions	Weight	PU
01290180	Offset cutting snips mini, compound leverage,	right, HRC 61	180 mm	185 g	1
01290181	Offset cutting snips mini, compound leverage,	left, HRC 61	180 mm	185 g	1
01280260	Genuine aviation snips, compound leverage, rig	ht, HRC 60-62	260 mm	475 g	1
01281260	Genuine aviation snips, compound leverage, le	ft, HRC 60-62	260 mm	475 g	1
01282240	Genuine aviation snips, compound leverage, st HRC 60-62	raight,	260 mm	285 g	1

Genuine Aviation Snips Compound Leverage

Application

Exact blade: Cuts sheets in smaller radii!

Benefits & Comfort

- Fast and precise: Proven cutting geometry and precise grinding
- Ergonomic: Compound leverage and return
 spring save energy when working
- Wear-resistant: Also suitable for processing stainless steel (hardened to HRC 60-62)
- Comfortable: Ergonomic 2K handle is absolutely slip-proof
- Safe: Locking latch ensures that the snips remain closed
- Practical: The release mechanism is self releasing: Simply start cutting

Item no. 01280240

Item no.	Version	Dimensions	Weight	PU
01280240 🐝	Genuine aviation snips, compound leverage, right, HRC 60-62, green	240 mm	385 g	1
01281240	Genuine aviation snips, compound leverage, left, HRC 60-62, green	240 mm	385 g	1
S1281240	Genuine aviation snips, compound leverage, left, HRC 60-62, red	240 mm	385 g	1



Because you also have to make a cut sometimes

And please do it quickly, precisely and without damaging your joints. All this is what the aviation snips offer. In addition, they are very durable and, thanks to high-quality stainless steel, very wear-resistant. Thanks to the short design of the snips they fit perfectly in your hand.

freund

Upright Snips Compound Leverage

Application & Benefits

Handy angle player: Positions your hand where it won't bother you!

- · Maneuverable: Special shape with 90° angled head
- Ergonomic: Compound leverage and return spring save force when working
- Wear-resistant: High-quality tool steel (hardened to 60-62 HRC)







Roll-up Bag with

Application & Benefits

Genuine Aviation Snips

Compound Leverage

Perfect divider: Practical set

for roofers and drywallers!

Ergonomic: Compound

leverage and return spring

• Wear-resistant: High-quality

stainless steel (hardened to

HRC 60-62), also suitable for

processing of stainless steel

Item no. 01296200

leverage, HRC 60-62

Item no. 04670060

Item no. 04670059

Item no.	Version	Dimensions	Weight	PU
01296200	Upright snips, compound leverage, right, HRC 60-62	200 mm	450 g	1
01297200	Upright snips, compound leverage, left, HRC 60-62	200 mm	450 g	1
04670060	Roll bag-up with genuine aviation snips, compound leverage, HRC 60-62	300 mm	1.3 kg	1
Set includes:				
	Genuine aviation snips right, 1 x 01281240 Genuine aviation Genuine aviation snips straight	snips left,		
04670059	Roll bag-up with offset cutting snips, compound	300 mm	900 g	1

300 mm 900 g

Set includes:

1 x 01290240 Offset cutting snips right, 1 x 01291240 Offset cutting snips left

Roll Bag-Up with Offset Cutting Snips Compound Leverage

Application & Benefits

Practical divider: Set of 2 compound Offset cutting snips!

- Ergonomic: Compound Leverage and return spring saves power when working
- Wear-resistant: High-quality tool steel (hardened to HRC 60-62) is also suitable for processing of stainless steel

Rolling Hand Shears HSG

Application & Benefits

straight!

- Mobile: Cutting carriage incl. rolling knife and slim guide rail (working width 1000 mm)
- coil. Fixes the rail on a pallet
- Convenient: Cutting carriage slides through the sheet metal

Turbo Cutter Cordless Screw-

Application & Benefits

Machine cutter: Cuts sheets up to 1.32 mm!

- highest demands

 - adjustable clamping rail

Nibbler Shears with Built-in **Waste Curl Cutter**

Application & Benefits

Nibbling cutter: Cuts deformation-free!

- · Deformation-free: Nibble cut with 2.7 mm cutting width
- Strong: Sheet thickness of 1.2 mm and 0.6 mm for stainless steel
- Replaceable: Knife is replaceable







	ltem no. 91240000 lt	em no. 01202000	Item no. 0	1051000
ltem no.	Version	Dimensions	Weight	PU
91240000	Rolling hand shears, include rolling shears, guid gloves	ling rail and 1110 mm	1.2 kg	1
Spare part:				
01202001	Turbo cutter replacement blades	90 mm	150 g	1
01202000	Turbo cutter cordless screwdriver attachment	160 mm	800 g	1
01051000	Nibbler shears with built-in waste curl cutter	275 mm	460 g	1

Exact divider: Cuts sheets

- Practical: Cuts the sheets on the construction site simply from the

driver Attachment

- · Durable: Low-wear knives for
- screwdrivers thanks to the
- · Fast: Very high cutting speed

- and stainless steel up to 0.8 mm

• Strong: Sheets up to 1.32 mm Flexible: Suitable for all cordless

So You Have The Hang Of It



Coil Clamp Loop Pro

Application

Cool Clip: The Loop Pro holds sheet metal coils up to 100 kilograms and makes unrolling and rewinding child's play, also ideal for storing multiple coils on a pallet!

Benefits & Comfort

- Lightweight and compact: Is very easy to carry and store thanks to its light weight. It is therefore ideal for use on construction sites
- Convenient: Opened coils can be stored super easily
- Strong and flexible: Holds coils up to max. 100 kg and adapts to the coil diameter (280-420 mm)
- Secure: Holds the coil in place, even without attaching the Loop Pro to the pallet



Item no. 04260000

New

Only one click away. Integrated click function


from the item image to our webshop.

ltem no.	Version	Dimensions	Weight	PU
04260000	Coil clamp Loop Pro	490 x 390 x 40 mm	685 g	1




Because you've got the hang of it

Once the Loop Pro is fixed, everything goes very quickly. You can unroll or rewind the coil to the desired cut-off length in no time at all and with absolute safety. You don't have to readjust - the Loop Pro has everything under control.



196

freund



Zinc Scriber Hardened Tip

Application & Benefits

Long scriber: Marks and scribes zinc sheets reliably!

- Scribing: For marking of metal surfaces
- Handy: Ergonomic beech wood handle
- Hard: Durable hardened marking tip

Zinc Scriber Carbide Tip

Application & Benefits

Convenient cutter: For scribing and cutting of zinc sheets!

 Permanently sharp: Soldered-in carbide tip
 Powerful: Good power transmission due to special shape
 Handy: Ergonomic

beech wood handle

Files for Soft Metals

Application & Benefits

Practical deburrer: Processes zinc and other soft metals reliably!

 Forming: Flat die
 Handy: Ergonomic beech wood handle
 Durable: Use of high quality file steel

Sheet Metal Contractor Box for Construction Site Use

Application & Benefits

Box equipped with 27 Freund quality tools. Light and sturdy aluminum box. With 5 mm hardboard insert, lockable!



Item no. 04601000

ltem no.	Version	Dimensions	Weight	PU
04601000	Sheet metal contractors box, 27 pieces	550 x 260 x 300 mm	30 kg	1
Set includes:				
NE460000	Sheet metal contractor box for construction site use	575 mm	3.25 kg	1
01080060	Seaming pliers, straight, lap joint	60 mm	700 g	1
01090060	Seaming pliers, 45°, lap joint	60 mm	700 g	1
01092060	Seaming pliers, 90°, lap joint	60 mm	750 g	1
01252280	Combination snips, right, HRC 59	280 mm	600 g	1
01253280	Combination snips, left, HRC 59	280 mm	585 g	1
01370240	Flat nose pliers, lap joint	240 mm	440 g	1
01360240	Round nose pliers, lap joint	240 mm	450 g	1
01430030	Chisel	30 mm	225 g	1
01883000	Locksmith square	250 mm	300 g	1

Item no. 01300000 Item no. 01300100 Item no. 01380000 ltem no. Version Dimensions Weight PU 01300000 280 mm Zinc scriber, hardened tip 170 g 1 01300100 160 mm 150 g 1 Zinc scriber, carbide tip 01380000 Files for soft metals 210 mm 120 g 1

It's all in there

ltem no.	Version	Dimensions	Weight	PU
01710300	Locksmith's hammer	290 mm	300 g	1
01710500	Locksmith's hammer	345 mm	500 g	1
01676000	Wooden hammer	60 x 140 mm	370 g	1
05660250	Bow compass	250 mm	250 g	1
01674000	Tinman's hammer, PVC	85 x 40 x 150 mm	550 g	1
00102001	Roofer´s hammer without magnet	320 mm	600 g	1
01551000	Scriber with carbide tip	250 mm	35 g	1
01320002	Pipe crimper	245 mm	495 g	1
00782000	Metal saw bow with 2K-Handle	300 mm	815 g	1
01890400	Spirit level aluminium	400 mm	250 g	1
01132000	Scribing plate, straight form, mm scale	140 mm	65 g	1
01130000	Squeezing folding pliers, depth 140 mm	200 x 170 mm	850 g	1
01331000	Vise-grip pliers-locking pliers with PVC-Protection	200 mm	790 g	1
01310000	Gesipa hand riveter NTX	260 mm	575 g	1
01070250	Seam opening pliers, lap joint	30 mm	450 g	1
00864000	Multi purpose saw, 7 tpi	400 mm	330 g	1
02982050	Masonry cord	50 m	75 g	1

Assembly Equipment Box for Construction Site Use

Application & Benefits

Box equipped with 47 Freund quality tools. Light and sturdy aluminum box. With 5 mm hardboard insert, lockable!



ArtNr.	Version	Dimensions	Weight	PU
04611000	Assembly equipment box, 47 pieces:	550 x 260 x 300 mm	66 kg	1
Set includes:				
NE461000	Sheet Metal Contractor box for den construction site use	895 mm	5.75 kg	1
00760300	Hacksaw for For pipes and gutters	300 mm	450 g	1
00782000	Metal saw bow with 2K-Handle	300 mm	815 g	1
00832000	Metal saw bow with pistol handle	300 mm	465 g	1
01000600	Gutter hanger bender	600 mm	3.2 kg	1
01030040	Flanging tool	40 mm	870 g	1
01070250	Seam opening pliers, lap joint	30 mm	450 g	1
01080060	Seaming pliers, straight, lap joint	60 mm	700 g	1
01090060	Seaming pliers, 45°, lap joint	60 mm	700 g	1
01092060	Seaming pliers, 90°, lap joint	60 mm	750 g	1

It's all in there

Item no.	Version	Dimensions	Weight	PU
01100081	Squeezing folding pliers, lap joint	80 mm	800 g	1
01110000	Double welt iron for squareseam and double standing seam	140 mm	3.4 kg	1
01120000	Angle flat scarper	290 mm	1.6 kg	1
01121000	Hammer	120 mm	300 g	1
01130000	Squeezing folding pliers, slot depth 140 mm	200 x 170 mm	850 g	1
01132000	Scribing plate, straight form, mm scale	140 mm	65 g	1
01150000	Seaming iron with prisma 25 x 25 mm	280 mm	2.5 kg	1
01160140	Seaming pliers, curved, staked joint	140 mm	2 kg	1
01170060	Corner clinching pliers, lap joint	60 mm	1.3 kg	1
01222275	Punch snips, right, HRC 59	275 mm	500 g	1
01223275	Punch snips, left, HRC 59	275 mm	500 g	1
01224275	Punch Snips with curved blades, right, HRC 59	275 mm	500 g	1
01225275	Punch Snips with curved blades, left, HRC 59	275 mm	500 g	1
01232300	Pelican Snips, right, HRC 59	300 mm	730 g	1
01252280	Combination Snips, right, HRC 59	280 mm	600 g	1
01253280	Combination Snips, left, HRC 59	280 mm	585 g	1
01310000	Gesipa-hand riveter NTX	260 mm	575 g	1
01320002	Pipe crimper	245 mm	495 g	1
01331000	Vise-grip pliers with PVC-Protection	200 mm	790 g	5
01360240	Round nose pliers, lap joint	240 mm	450 g	1
01370240	Flat nose pliers, lap joint	240 mm	440 g	1
01380000	Files for soft metals	250 mm	330 g	1

It's all in there

Item no.	Version	Dimensions	Weight	PU
01430030	Chisel	30 mm	225 g	1
01650000	Water pump pliers	240 mm	290 g	1
01670032	Deadblow hammer	350 mm	600 g	1
01674000	Tinman's hammer, PVC	85 x 40 x 150 mm	550 g	1
01676000	Wooden hammer	60 x 140 mm	370 g	1
01691400	Grooving hammer	340 mm	400 g	1
01710300	Locksmith's hammer	290 mm	300 g	1
01710500	Locksmith's hammer	345 mm	500 g	1
01883800	Carpenter's square, powder coated	800 x 320 mm	420 g	1
01890001	Spirit level	90 mm	15 g	1
01890800	Spirit level, aluminium	800 mm	460 g	1
02982050	Masonry cord	50 m	75 g	1
05660250	Bow compass	250 mm	250 g	1
91070000	Edge roller, 105 TK, powder coated	250 mm	1.7 kg	1
91080000	Eave closer , 106 TSCH, powder coated	400 mm	2.1 kg	1
91100000	Square-seam folder, 111 WFSCH, powder coated	220 mm	2 kg	1
91170000	Double standing seam closer , 117 WDF, powder coated	475 mm	2.3 kg	1

Tinman's hammer, PVC Angular with Pointed Head

Application

Solid performer: Gives sheet metal gently a shape!

Benefits & Comfort

- Flexible: One wide (40 x 85 mm) and one narrow (10 x 85 mm) working surface with a head length of 150 mm.
- Robust and wear-resistant: High-quality plastic head with rounded edges, which is milled as a whole from the block
- · Durable and stable: By using an ash handle, optionally this hammer is also available with a hickory handle
- · Safe: Ring wedge and handle safety with stainless steel screw in the head
- · Ergonomic: Good balance between head and handle for fatigue-free work




Item no.	Version	Dimensions	Weight	PU
01674000 🎎	^e Tinman's hammer, PVC, angular with pointed head	380 x 150 mm	510 g	1
01684000	Tinman's hammer, PVC, angular with pointed head, hickory	380 x 150 mm	540 g	1



Because it should get into the corners

That is why this plastic hammer has a pointed head! It is gently on the material, and at the same time light in the hand, is robust and reliable. Also because its weight is optimally balanced between head and handle





Gentle beater: Gives sheet metal gently a shape!


- Robust and wear-resistant: High-quality round plastic head with rounded edges, which is milled as a whole from the block
- plastic head protect the material



Item no. 01678145

thehead

Item no.	Version	Dimensions	Weight	PU
01678145	Tinman's hammer, PVC, angular, small version	145 x 35 mm	550 g	1
01678155	Tinman's hammer, PVC, angular, big version	155 x 35 mm	600 g	1
01688145	Tinman's hammer, PVC, angular, hickory handle	145 x 35 mm	550 g	1
01678060	Tinman's hammer, PVC, round	Ø 60 x 108 mm	450 g	1



Wooden Hammer with Metal Ring

Application & Benefits

Durable beater: Sturdy metal ring keeps the hammer head protected!

- Durable and stable: Through use of a handle made of ash
- wood
 Robust and wear-resistant: High-quality processed
- High-quality processed hardwood head

Wooden-Tinman's Hammer Angular with Pointed Head

Application & Benefits

Perfect shaper: Gives sheets gently a shape!

- Flexible: One wide angular and a narrow angular work surface
 - Durable and solid: Due to use of a handle made of ash wood
 Robust and wear-resistant:
 - High-quality crafted hardwood head

Wooden-Tinman's Hammer Round with Pointed Head

Application & Benefits

Ideal shaper: Gives sheet metal gently a shape!

- Flexible: One large round and a narrow work surface
- Durable and stable: Through use of a handle made of ash wood
- Robust and wear-resistant: High-quality crafted Hardwood head



ltem no. 01673000

Item no.	Version	Dimensions	Weight	PU
01676000	Wooden hammer with metal ring	Ø 60 mm	370 g	1
01677000	Wooden hammer with metal ring	Ø 70 mm	560 g	1
01673000	Wooden-tinman's hammer, angular with pointed head	90 x 50 x 165 mm	580 g	1
01672000	Wooden-tinman's hammer, rund with pointed head	Ø 80/160 mm	550 g	1

Shrinking Hammer

With differently curved round

· Robust: Thanks to sturdy

Gentle: Polished striking

do not leave any burrs

surface, high-quality forged

head and precise grinding

• Safe: Ring wedge in the head

hardwood handle


for best handling

Application & Benefits

Variable shaper:

striking surfaces!

with Different Faces



Because you don't have to twist with this hammer

Because the grooving hammer has two striking directions for you. The forged head is very high quality workmanship, precisely ground and the striking surfaces are cleanly polished almost a work of art.

1

Hammer for Angle Flat Scraper

Application & Benefits

Solid shaper: Thanks to sturdy hardwood handle!

- · Gentle: Polished striking surface, high quality forged head and precise grinding does not leave any burrs
- with the angle flat scraper • Safe: Ring wedge in the

Item no. 01121000

head for best handling

Shrinking Hammer with Flat Surfaces **Two-Headed**

Variable shaper: striking surface!

- · Robust: Thanks to sturdy hardwood handle Gentle: Polished striking
- does not leave any burrs

B

Application & Benefits

With round and square

- surface, high-quality forged head and precise grinding
- Safe: Ring wedge in the

head for best handling





Item no.	Version	Working width	Dimensions	Weight	PU
01121000	Hammer for angle flat scraper	A = 22 mm B = 4 mm	120 mm	300 g	1
70600300	Shrinking hammer two-headed, with flat surfaces	A = 27 mm B = 25 mm	105 mm	300 g	1
70620300	Shrinking hammer, with different faces	A = 23 mm B = 24 mm	135 mm	300 g	1

Grooving hammer

B = 30 mm

Grooving Hammer Two-Headed

Application & Benefits

Variable: With 2 different curved faces!

- · Robust: Thanks to sturdy hardwood handle
- Gentle: Polished striking surface, high-quality forged head and precise grinding does not leave any burrs Safe: Ring wedge in the head
- for best handling



Item no. 70650300

Grooving hammer, two-headed

Polishing hammer, two-headed

Planishing and grooving hammer,

Version

two-headed



Polishing Hammer Two-Headed

Application & Benefits

Variable: With one round flat and one one round high curved face!

· Robust: Thanks to sturdy hardwood handle Gentle: Polished striking surface, high-quality forged head and precise grinding does not leave any burrs · Safe: Ring wedge in the head for best handling

ICE B

Planishing and Grooving Hammer Two-Headed

Application & Benefits

Variable: With one round flat and one one round high curved face!

- · Robust: Thanks to sturdy hardwood handle
- Gentle: Polished striking surface, high-quality forged head and precise grinding
- Safe: Ring wedge in the head

Item no. 70750400

PU

1

1


1

Weight

300 g

750 g

400 g



for best handling



Safe: Manufactured according

Locksmith's Hammer

with Wooden Handle

- to DIN 1041 • Durable: Curved ash wood
- handle
- Fixed: Wooden handle is fixed with an oval wedge in the hammer head
- Selection: Different hammer head sizes to choose from

Assembly Hammer with Steel Tube

· High quality: Forged hammer

• Safe: Additional steel ring as

Comfortable: Soft grip made

head

handle safety

of soft PVC

Rubber Hammer with Wooden Handle

Application & Benefits

- Durable: Tapered hardwood handle, thereby securely attached to the head
- · Qualitative: Manufactured according to DIN 5128
- · Gentle: Hammer head made of impact-resistant hard rubber



Item no. 01710200

Item no. 01720301

Item no. 01670000

Item no.	Version	Dimensions	Weight	PU
01710200	Locksmith's hammer with wooden handle	280 mm	200 g	1
01710300	Locksmith's hammer with wooden handle	290 mm	300 g	1
01710400	Locksmith's hammer with wooden handle	305 mm	400 g	1
01710500	Locksmith's hammer with wooden handle	345 mm	500 g	1
01711500	Locksmith's hammer with wooden handle	375 mm	1.5 kg	1
01720301	Assembly hammer with steel tube handle	280 mm	300 g	1
01670000	Rubber hammer with wooden handle	65 mm	300 g	1

Item no. 70650300

70710750

70750400

Item no. 70710750

Dimensions

120 mm

130 mm

105 mm

Working width

A = 12 mm

B = 14 mm

A = 37 mm

B = 37 mm

A = 30 mm

B = 23 mm

Gutter Hanger Bender Transfor.Maxx

Application

Ergonomic single-handed tool: Bends gutter hangers with a clamping range up to 8 millimeters!

Benefits & Comfort

- Stable: Non-slip rubberized foot step
- Precise: Strong magnetic locking device for right-angled bending of the gutter hangers
- Flexible: Telescoping steel tubes (600, 700, 800 mm) for nine working positions and different body sizes as well as adjustable leverage
- Mobile: Small pack size for easy transport and storage
- Precise: Bending angle is continuously adjusted with fine-thread screw



Item no. 01000900

Item no.	Version	Dimensions	Weight	PU
01000900	Gutter hanger bender Transfor.Maxx	650 x 130 mm	4.6 kg	1



Because it also works one-handed

Because the Transfor.Maxx makes it possible to angle or bend with just one hand. For better leverage the gutter hanger bender is fixed with the foot for better leverage. Result: Very ergonomic, absolutely precise work.

Gutter Hanger Bender

Application

Iron Lady: Bends gutter hangers with a clamping range up to 8 millimeters!

Benefits & Comfort

- Flexible: Available in two versions, 600 and 800 mm
- Accurate: Precisely manufactured pliers head for exact bends
- Exact: Bending angle is infinitely variable with fine-thread screw
- Ergonomic: Ribbed PVC handle fits perfectly in your hand



Item no. 01000600

Item no.	Version	Dimensions	Weight	PU
01000600 🖏	🕵 Gutter hanger bender	600 x 120 mm	3.4 kg	1
01000800	Gutter hanger bender	800 x 120 mm	3.5 kg	1



Because sometimes you have to twist

With the gutter hanger benders you angle and bend gutter hangers up to a thickness of 8 mm without any problems. Thanks to the integrated threaded screw, the angle is infinitely adjustable. The newly designed head ensures precise bends - just as you need it.

Gutter Adjustment Pliers

Application

Tough fixer: Re-aligns bent gutter hangers!

Benefits & Comfort

- · Universal: Aligns six- to eight-section halfround and box gutters thanks to rotatable gutter hanger holder (also for spring and nose)
- · Protective: Force is only transmitted to the gutter hanger, the gutter is not damaged
- Comfortable: Super handling thanks to ergonomic plastic handle
- Power-saving: Thanks to excellent leverage effect
- Durable: High-quality welding and bright zinc plating



Item no. 01010000

Item no.	Version	Dimensions	Weight	PU
01010000	Gutter adjustment pliers	710 x 120 mm	1.7 kg	1

Because someone has to fix it

Especially after long winters with lots of snow. With the gutter adjustment pliers you quickly and easily straighten bent gutter hangers. And on top of that, you save a lot of time. Because for the alignment of the gutter hangers you do not even have to remove the gutter.

Pipe Crimper Compound Leverage

Straight

Application & Benefits

Practical tube reducer: Leverage and 52 mm insertion depth!

- Practical: Reduction of the pipe diameter by reduction of
- the upper downpipe • Deep: Insertion depth of 52 mm
- Smooth running: Through compound leverage
- Numerous: Works with 5 reducing blades

Pipe Crimper

Application & Benefits

Handy pipe reducer: Pliers with 5 and 30 mm insertion depth!

- Practical: Reduction of the pipe diameter by reduction of
 - the upper downpipe • Deep: Insertion depth of 52 mm
 - Numerous: Works with 5 reducing blades
- Deep: Insertion depth of 52 mm • Ergonomic: bent pliers head for easier work • Numerous: Works with 5

upper downpipe

Pipe Crimper

Application & Benefits

Bent pipe reducer: 45°

angled for more ergonomics!

• Practical: Reduction of the pipe

diameter by reduction of the

Curved

reducing blades








Item no. 01320001

Item no. 01320002

Item	n no.	Version	Insertion depth	Dimensions	Weight	PU
0132	20001	Pipe crimper, compound leverage	52 mm	265 mm	740 g	1
0132	20002	Pipe crimper, straight	30 mm	245 mm	495 g	1
0132	20003	Pipe crimper, curved	40 mm	265 mm	500 g	1



Gutter Cleaning Kit

Application

Unbeatable team: For fast and easy gutter cleaning with few ladder movements!

Benefits & Comfort

- Space-saving: Mountable extension bar (3-piece), especially suitable for transport
- Practical: You want to have your hands free? Simply hang the gutter rake on the gutter with the integrated hook
- Flexible: The narrow and adaptable tip of the scoop adapts to any gutter size
- Safe and voluminous: The gutter scoop can really hold a lot and thanks to the high side walls almost nothing gets lost



Item no. 00452000

Item no.	Version	Dimensions	Weight	PU
00452000	Gutter cleaning kit	490 mm	575 g	1
Set includes:				
00450000	Gutter scoop Flinker Freund	450 mm	100 g	1
00451000	Gutter Grabber + Gutter rake 120 cm steel extension bar	160 mm	350 g	1




Because gutter cleaning can be so easy

With this set you are more than prepared for the autumn. The powerful combination of the gutter scoop and the gutter rake with additional extension rod makes gutter cleaning child's play! Simply connect them and off you go. Forget the hassle of moving the ladder, with this work aid you have an extended action radius of 2.5 meters to the right and left.

Ome For All





6D Pipe Expander in a Set

Application

Powerful all-rounder: One for six. Expands all standard downpipes, no matter what size!

Benefits & Comfort

- All-in-one: Easy adaptation to all standard dimensions. One tool, 6 diameters
- Complete: Everything is included in the set - no unnecessary searching
- Gentle on materials: Easy to expand, almost without marks
- Runs: Pulls itself in automatic propulsion
 Effortless: Little force required when ex-
- panding and holding the pipe
- Cordless: Works with a standard cordless screwdriver



ltem no. 02320000

New

Only one click away.

Integrated click function from the item image to our webshop.

Item no.	Version	Dimensions	Weight	PU
02320000	6D pipe expander in a set Ø 60/76/ 80/ 87/ 100/ 120 mm	450 mm	3.05 kg	1



Because one can do everything

And this one really convinces. No more unnecessary compromises. With the new 6D all-in-one pipe expander, you'll be ready for any eventuality equipped for any eventuality. No matter which pipe diameter you face, with this set you can easily achieve top results. And that without stress and without much effort-pipe expanders for everyone.

freund



Gutter Adjustment Pliers Universal

Application & Benefits

Practical Fixer: Aligns bent gutter hangers!

- Option 1: 3-piece complete set for 6- to 8-pcs. half-round and box gutters (only for spring and nose)
- Option 2: Pliers for 6- to 7-pcs. half-round and box gutters (for spring and nose only)
- Maneuverable: Also suitable for narrow gutters, thanks to the open head design
- Protective: Force is only transferred to the the hanger, the gutter is not getting damaged

Pipe Expander

Application & Benefits

Shaping specialist: Widens all commercially welded downpipes!

- Lifetime: Hardened and burnished special steel
 Low maintenance: Simple operating principle without gears
- Proven: Hexagonal mount for chuck of the cordless screwdriver
- Selection: Several versions from 60 - 120 mm available





Item no. 01020000

Item no. 01320060

Version	Dimensions	Weight	PU
Gutter adjustment pliers, universal, set for 6-to 8-pcs.	750 mm	3.9 kg	1
Gutter adjustment pliers, universal, set for 6- to 7-pcs.	750 mm	2.3 kg	1
Pipe expander	Ø 60 mm	965 g	1
Pipe expander	Ø 76 mm	1.4 kg	1
Pipe expander	Ø 80 mm	1.5 kg	1
Pipe expander	Ø 87 mm	1.8 kg	1
Pipe expander	Ø 100 mm	2.2 kg	1
Pipe expander	Ø 120 mm	3 kg	1
	Gutter adjustment pliers, universal, set for 6-to 8-pcs. Gutter adjustment pliers, universal, set for 6- to 7-pcs. Pipe expander Pipe expander Pipe expander Pipe expander Pipe expander Pipe expander	Gutter adjustment pliers, universal, set for 6-to 8-pcs.750 mmGutter adjustment pliers, universal, set for 6- to 7-pcs.750 mmPipe expanderØ 60 mmPipe expanderØ 76 mmPipe expanderØ 80 mmPipe expanderØ 87 mmPipe expanderØ 100 mm	Gutter adjustment pliers, universal, set for 6-to 8-pcs.750 mm3.9 kgGutter adjustment pliers, universal, set for 6- to 7-pcs.750 mm2.3 kgPipe expanderØ 60 mm965 gPipe expanderØ 76 mm1.4 kgPipe expanderØ 80 mm1.5 kgPipe expanderØ 87 mm1.8 kgPipe expanderØ 100 mm2.2 kg

Pipe Expander in a Set 87/100 mm

Application & Benefits

Shaping specialist: Widens all commercially welded downpipes!

- Fixed: Metal case for max. 3 expanders, which are thanks to the movement-free inside locked
- Lifetime: Hardened and burnished special steel
- Low maintenance: Simple operating principle without gears
 Proven: Hexagonal mount
- for chuck of the cordless screwdriver

Pipe Expander in a Set 80/100 mm

Application & Benefits

Shaping specialist: Widens all commercially welded downpipes!

- Fixed: Metal case for max. 3 expanders, which are thanks to the movement-free inside locked
- Lifetime: Hardened and burnished special steel
- Low maintenance: Simple operating principle without gears
 Proven: Hexagonal mount
- for chuck of the cordless screwdriver

Pipe Expander in a Set 100/120 mm

Application & Benefits

Shaping specialist: Widens all commercially welded downpipes!

- Fixed: Metal case for max. 3
 expanders, which are thanks
 to the movement-free inside
 locked
- Lifetime: Hardened and burnished special steel
- Low maintenance: Simple operating principle without gears
- Proven: Hexagonal mount for chuck of the cordless screwdriver









ltem n	o. 01329	006	

Item no. 01329008

ltem no.	Version	Dimensions	Weight	PU	
01329006	Pipe expander in a set 87/100 mm	360 x 135 x 95 mm	7.5 kg	1	
01329008	Pipe expander in a set 80/100 mm	360 x 135 x 95 mm	7.3 kg	1	
01329010	Pipe expander in a set 100/120 mm	360 x 135 x 95 mm	8.8 kg	1	

Pipe Expander in a Set 87/100/120 mm

Application & Benefits

Shaping specialist: Widens all commercially welded downpipes!

- Fixed: Metal case for max. 3 expanders, which are thanks to the movement-free inside locked
- · Lifetime: Hardened and burnished special steel
- Low maintenance: Simple operating principle without dears
- · Proven: Hexagonal mount for chuck of the cordless screwdriver



Application & Benefits

Shaping specialist: Widens all commercially welded downpipes!

- Fixed: Metal case for max. 3 expanders, which are thanks to the movement-free inside locked
- · Lifetime: Hardened and burnished special steel
- · Low maintenance: Simple operating principle without dears
- Proven: Hexagonal mount for chuck of the cordless screwdriver



Item no. 01329001

Item no. 01329003

Item no.	Version	Dimensions	Weight	PU
01329001	Pipe expander in a set 87/100/120 mm	360 x 135 x 95 mm	10 kg	1
01329003	Pipe expander in a set 76/87/100 mm	360 x 135 x 95 mm	9 kg	1

Automatic Soldering Iron with **Piezo Ignition**

Application & Benefits

Wind protected burner: Soldering Iron with wind protection and ignition!

- · Wind protected: Through patented combustion chamber system
- Circular burning: Flame surrounds the copper piece from all sides
- Sustainable: Reduced gas consumption
- Rotatable: Copper piece 360° rotatable and 10° in inclination adjustable and rotatable hose connection
- Ignitable: Integrated piezo ignition

Soldering Iron with Combustion Chamber

Application & Benefits

Circular burner: Soldering iron with windscreen!

· Wind protected: Through paten-

- ted combustion chamber system • Circular burning: Flame surrounds
- the copper tip from all sides Sustainable: Reduced gas consumption
- Rotatable: Copper piece 360° rotatable and 10° in inclination adjustable and rotatable hose connection

Soldering Set in a Metal Case

Application & Benefits

Perfect soldering case for repairs: With cartridge soldering iron and accessories!

- Hose-less: Soldering iron is powered by gas cartridge
- · Wind protected: Due to patented combustion chamber system
- Circular burning: Flame surrounds the copper piece from all sides
- Sustainable: Reduced gas consumption for burning time of 1-2 h
- Rotatable: Copper piece 360° rotatable and 10° in inclination adjustable and rotatable hose connection
- Ignitable: Integrated piezo ignition









Item no. 66434000

Item no. 66432001

Item no. 66440000

ltem no.	Version	Dimensions	Weight	PU
66434000	Automatic soldering iron with piezo ignition	340 mm	1 kg	1
66432001	Soldering iron with combustion chamber	340 mm	900 g	1
66440000	Soldering set in a metal case	360 mm	3.1 kg	1

Set includes:

1 x 66444000 Automatic soldering iron, 2 x 64440086 High performance spare gas cartridge cartridgen, 1 x 03331000 Bottle for soldering fluid, 1 x 03390002 Soldering brush, 1 x Protection tube for used brushes, 1 x Ammoniastone in metal box

Soldering Iron with Piezo Ignition incl. Gas Cartridge

Application & Benefits

Self contained burner: Soldering iron without hose - ideal for repairs!

- Hose-less: Soldering iron is powered by a gas cartridge
- Wind protected: Through patented combustion chamber system
- Circular burning: Flame surrounds the copper piece from all sides
- Sustainable: Reduced gas consumption for burning time of 1-2 h
- Rotatable: Copper piece 360° rotatable and 10° in inclination adjustable and rotatable hose connection
- Ignitable: Integrated piezo ignition





Hot Air Gun with

Gas Cartridge

Application & Benefits

metal work in the winter!

EPDM etc.)

Hot air blower: Ideal for sheet

• Adjustable: From 420° C - 1650° C

Hose-free and cordless: For flat

roof repairs (Bitumen, PVC,

• Winter: Ideal for preheating of

zinc at cold temperatures

· Packed: Delivered in practical

Endurina: 1.5 h working time

plastic case with foam insert

· Overhead: Works in all positions

Item no. 66444000

Item no. 66510000

Item no.	Version	Dimensions	Weight	PU
66444000	Soldering iron with piezo ignition incl. gas cartridge	360 mm	1 kg	1
66510000	Hot air gun with gas cartridge and 2 attachments: reflector and flat nozzle	260 mm	560 g	1

Gas Cartridge Powergas

Application & Benefits

Winter-hard energy supplier: Supplies the soldering iron 1 to 2 h burning time!

- Winter resistant: Due to high propene admixture (26 %) improved for winter use
- Enduring: 1-2 h burning time with self contained soldering iron
- Energetic: Butane, Propanee and propene
- Upside down: Thanks to special foam suitable for overhead operation

Soldering Iron Tip Pointed Shape

Application & Benefits

Rotatable heat dispenser: Gets circular in every corner!

- Qualitative: 100% pure
- electrolytic copper • Pointed: Gets into any corner
 - Rotatable: 360° rotatable and 10° adjustable in the angle of inclination
 - inclination

Soldering Iron Tip Bent Shape

Application & Benefits

Rotatable heat dispenser: Soldering in all directions!

- Qualitative: 100% pure electrolytic copper
- Rotatable: Rotatable 360° and 10° adjustable in the angle of inclination
- Selectable: In 3 sizes available: Light, medium, heavy







ltem no. 64440086

.

Item no. 66480002

Item no.	Version	Dimensions	Weight	PU
64440086	Gas cartridge powergas, 60 g, 12 piece	170 mm	1.5 kg	12
66480002	Soldering iron tip, pointed shape	95 mm	239 g	1
66480003	Soldering iron tip, bent shape, light	100 mm	185 g	1
66450001	Soldering iron tip, bent shape, medium	110 mm	235 g	1
66480001	Soldering iron tip, bent shape, heavy	145 mm	315 g	1

Soldering Iron Tip Bent Shape Turbo

Application & Benefits

Fast colleague: Heats up furiously fast!

- Fast: 20 % faster hot due to special boring
- · Qualitative: 100 % pure electrolytic copper
- Rotatable: 360° rotatable and 10° adjustable in the angle of inclination
- · Selection: Available in 2 sizes: Medium, heavy

Soldering Iron **Tip Pointed Shape** Lonalife

Application & Benefits

Coated heat dispenser: No more cleaning again!

- · Coated: Clean working without ammonia stone - cleaning by moistened cloth in hot condition Comfortable: No re-filing • Rotatable: Can be rotated 360°
- and 10° adjustable in the angle of inclination · Pointed: Great for corners

Soldering Iron **Tip Bent Shape** Lonalife

Application & Benefits

Coated heat dispenser: No more cleaning again!

- · Coated: Clean working without ammonia stone - cleaning by moistened cloth in hot condition
- Comfortable: No re-filing • Rotatable: Can be rotated 360° and 10° adjustable in the angle
- of inclination · Selection: Available in 3 sizes: Light, medium, heavy

Soldering Iron Tip Copper Tip Hammer Shape

Application & Benefits

High quality classic: Copper piece for classic soldering irons!

- Electrolytic copper
- Solid: Perfect fixation of the pin in the copper
- · Selection: Available in 250 g and 350 g

Soldering Iron Tip Copper Tip Zinnlux

Application & Benefits

Coated classic: No more timeconsuming cleaning!

- Qualitative: 100 % pure Electrolytic copper
- · Pointed: Gets into any corner
- Rotatable: 360° rotatable and 10° adjustable in the angle of inclination



ltem no.	Version	Dimensions	Weight	PU
66490001	Soldering iron tip, copper tip, hammer shape	90 mm	250 g	1
66490002	Soldering iron tip, copper tip, hammer shape	100 mm	350 g	1
66491002	Soldering iron tip, copper tip, zinnlux, hammer shape	80 mm	350 g	1









	ltem no. 66460001	Item no. 66481002	ltem no. 66	5451001
Item no.	Version	Dimensions	Weight	PU
66460001	Soldering iron tip , bent shape, turbo, mediu	n 110 mm	235 g	1
66470001	Soldering iron tip, bent shape, turbo, heavy	145 mm	315 g	1
66481002	Soldering iron tip, pointed shape, longlife	95 mm	240 g	1
66481003	Soldering iron tip, bent shape, longlife, light	100 mm	186 g	1
66451001	Soldering iron tip, bent shape, longlife, medi	um 110 mm	236 g	1
66481001	Soldering iron tip, bent shape, longlife, heav	y 145 mm	316 g	1

Small Bottle for Propane

Application & Benefits

Handy gas supplier: Lightweight gas bottle for flexible use!

- Light: Weighs only 1.3 kg for 425 g gas · Enduring: 7 hours with an
- automatic soldering iron • Usable: With pressure
- regulator and hose breaking safety device

Hose Breaking Safety Device

Application & Benefits

Safe partner: Interrupts the gas supply in an emergency!

- Variable: Adjustable from 1,5 bar - 6 kg Tested: According to German standard
- DIN DVGW/91.01 e 694 FN 16

Filling Nozzle for Propane-**Small Bottle**

Application & Benefits

Practical connector: For decanting from large bottles into small bottles!

- Practical: For transferring large bottles (11 kg or 5 kg) with a combi connection into a small bottle with a 3/8 left connection
- · Qualitative: Made of brass

High Pressure Hose from Rubber

Application & Benefits

High quality friend: Because there is no alternative to rubber!

- Quality: HD rubber solder hose 4 x 4 mm
- · Connecting: With double-sided 3/8" left-hand thread

Pressure Regulator for 5 and 11 kg **Gas Bottles**

Application & Benefits

Practical pressure regulator: Reduces the pressure to the desired level!

- Connecting: Combi connection for large gas bottle
 - (Combi x 3/8 left)
 - Powerful: 8 kg gas flow
 - Variable: Adjustable from 0 - 4 bar

Pressure Regulator for 425 g **Gas Bottle**

Application & Benefits

Practical pressure regulator: Reduces the pressure to the desired level!

- Connecting: 3/8 left on both sides for gas bottle 425 g
- Powerful: 6 kg gas flow • Variable: Adjustable from
 - 0 4 bar







	Item no. 64440425	ltem no. 66640000	Item no. 64441425	
ltem no.	Version	Dimensions	Weight	PU
64440425	Small bottle for propane, 425 g	120 mm	1.3 kg	1
66640000	Hose breaking safety device	65 mm	95 g	1
64441425	Filling nozzle for propane-small bottle	75 mm	200 g	1









Item	no.	66630003
------	-----	----------

Item no. 66620000

ltem no.	Version	Dimensions	Weight	PU
66630003	High pressure hose from rubber	3 m	520 g	1
66630005	High pressure hose from rubber	5 m	830 g	1
66630010	High pressure hose from rubber	10 m	1.5 kg	1
66620000	Pressure regulator for 5 und 11 kg gas bottles	100 mm	280 g	1
66620001	Pressure regulator for 425 g gas bottle	95 mm	230 g	1


Soldering Set Solder Max

Application

Super Cleaner: For the cleaning and tinning of the soldering iron copper piece!

Benefits & Comfort

- · Universal: Compactly built, with base body in one piece
- · Stable: With anti-slip mat on the back ideal for inclined surfaces
- · Safe: Clamping insert in the holder prevents the ammoniac stone from slipping out
- · Long-lasting: Acid and heat resistant Brush with Chinese bristle



Item no. 03310000

Item no.	Version	Dimensions	Weight	PU
03310000	Soldering set Solder Max	200 x 100 mm	215 g	1



Because a cleaner belongs in the team

Especially when it brings everything with it: the ammonia stone for cleaning and tinning the soldering iron copper piece, the container for the flux/soldering fluid and the soldering fluid brush with holder. The perfect three-inone solution for soldering even on inclined surfaces - thanks to the anti-slip mat. Really clean!

Soldering Set Solder Max Combi

Application & Benefits

Double cleaner: With 2 soldering fluid containers and 2 brushes!

- Universal: With 2 soldering fluid containers for different applications
- Stable: With anti-slip mat on the backside, ideal for, ideal for inclined surfaces • Safe: Clamp in the holder
- prevents the sal ammoniac stone from slipping out Durable: 2 acid and heat resistant brushes with china

bristles

Soldering Brush Heat Resistant and Acid Resistant

Application & Benefits

Practical distributor: Distributes soldering fluid!

- · Heat and acid resistant: Original china bristles
- · Durable: High quality brush handle glued and pressed
- Suitable: For soldering fluids, acids, oil etc.
- Wide: 10-15 mm



Application & Benefits

Stable friend: Available with and without leakage protection!

- · Variations: 4 variants in blue and yellow, with and without outlet stop
- · Yellow: For soldering fluid
- Blue: For hydrochloric acid Innovative: Optional spill stop
- prevents the bottle from leaking when it falls over





Item no. 03311000

Item no. 03390002

Item no. 03330000 / 03331000

ltem no.	Version	Dimensions	Weight	PU
03311000	Soldering set Solder Max Combi	250 x 95 mm	270 g	1
03390002	Soldering brush, heat resistant and acid resistant	10 mm	6 g	2
03390025	Soldering brush, heat resistant and acid resistant	10 mm	75 g	25
03390100	Soldering brush, heat resistant and acid resistant	10 mm	300 g	100
03330000	Bottle for hydrochloric acid, blue	150 ml	90 g	1
03330001	Bottle for hydrochloric acid with spill stop, blue	150 ml	100 g	1
03331000	Bottle for soldering fluid, yellow	150 ml	90 g	1
03331001	Bottle for soldering fluid with spill stop, yellow	150 ml	100 g	1

Gel-Flux in a Brush Bottle

Application & Benefits

Perfect solder: Universal flux with brush bottle in gel shape!

- Universal: For all new metals
 except stainless steel
- Stable: Bottle with wide surface
 Clean: Brush in the lid always with you and safely stored
- Stable: Due to its gel form it stays where it is applied, it does not run away

Flux in a Brush Bottle

Application & Benefits

Aggressive solder: Especially for oxidized metals!

- Universal: For all oxidized metals except stainless steel
 Stable: Bottle with wide surface
- Clean: Brush in the lid always with you and safely stored

Flux for Copper


Application & Benefits

Special solder: Designed for copper!

- Suitable: For soldering roofs, gutters and downpipes made of copper
- Special: For brass and copper alloys
- Large: Content 1 kg







Item no. 66401320

Item no. 66402000

ltem no.	Version	Dimensions	Weight	PU
66400320	Gel-flux in a brush bottle	320 ml	500 g	1
66401320	Flux in a brush bottle	320 ml	500 g	1
66402000	Flux for copper	1000 ml	1 kg	1

Flux For Zinc and Galvanized Steel Sheet

Application & Benefits

Necessary assistant: For perfect soldering results!

- Suitable: Flux for soft soldering of new and oxidized titanium zinc, fine zinc and galvanized steel sheet
- Contents: Made of zinc chloride and ammonium chloride, in waterbased solution with addition of free hydrochloric acid
- Large: Content 1 kg

Flux for Oxidized Zinc Sheet

Application & Benefits

Strong supporter: When the oxide layer is already thicker!

 Suitable: Flux for soft soldering of oxidized titanium zinc, fine

• Large: Content 1 kg

zinc and galvanized steel sheet
Content: Made of zinc chloride and ammonium chloride, in water-based solution with addition of free hydrochloric acid Flux for Patinated Zinc Sheet

Application & Benefits

Innovative assistant: Recommended by zinc manufacturers!

- Suitable: Flux for soldering of titanium zinc and galvanized sheet steel
- Special: Particularly adapted and recommended for: RHEIN-ZINK[®]-walzblank, - "preweathered pro", blue-grey and slate-grey as well as NedZink "Nova".
- Contents: Soldering fluid based on zinc chloride, ammonium chloride, hydrochloric acid and solvents
- Large: Content 1 kg









ltem no. 66402010

Item no. 66402020

Item no.	Version	Dimensions	Weight	PU
66402010	Flux for zinc and galvanized steel sheet	1000 ml	1 kg	1
66402020	Flux for oxidized zinc sheet	1000 ml	1 kg	1
66402030	Flux for patinated zinc sheet	1000 ml	1 kg	1

Ammonia Stone for Solder Max 12 Pack

Application & Benefits

- Suitable: Soldering stone suitable for Solder Max and Solder Max Combi
- Clean: Very good cleaning characteristics
- Durable: High quality composition
- · Safe: Individually shrink-wrapped

in Metal Box

Ammonia Stone

Application & Benefits

Protective cleaner: The box protects tools from rust!

- Protective: The metal box protects your tools from the corrosive characteristics of an ammonia stone Clean: Very good cleaning characteristics
- Long lasting: High quality composition



Ammonia Stone Tin Clean in Metal Box

Application & Benefits

Clean soldering assistant: Cleans and tins at the same time in one operation!

- Clean and tinned: For cleaning and simultaneous and tinning at the same time
- Practical: Corrosion-protected metal box with hinged lid
- Economical: Long service life
- Economical: Stone weight of 150 g
- · Pleasant: Low odor development during use







PU

12

1

1

1

Item no. 03322000 Item no. 03323000 Item no. 03324000 Version Dimensions Weight Item no. 03322000 Ammonia stone for Solder Max 81 x 51 x 20 mm 120 g 03322003 Ammonia stone for Solder Max, individually shrink-wrapped 81 x 51 x 20 mm 120 g 03323000 Ammonia stone in metal box 91 x 60 x 21 mm 140 g 03324000 Cleaning and tinning stone Tin Clean in metal box 91 x 60 x 21 mm 185 g

Ammonia Stone Six Pack

Application & Benefits

- Clean: Very good cleaning characteristics
- Durable: High-quality
- composition • Handy: Handy shape of the stone
- · Safe: Shrink-wrapped in a
- pack of 6

Gesipa Hand Riveter NTX

Application & Benefits

Classic fixer: Robust and reliable hand riveter!

• Working range: Up to 5 mm

- diameter for aluminum and 4 mm diameter for stainless steel
- Imax chuck jaws 2-piece with fine toothing suitable for all riveting pliers
- · For blind rivets with nominal diameter up to 3,2 mm

Gesipa Hand Riveter Flipper

Application & Benefits

Ergonomic fixer: Power-saving due to innovative design!


- Ergonomic design
- 40 % less effort
- With rivet mandrel collecting container
- Incl. nose pieces 10/18, 10/24 and 10/29 for blind rivets up to 5 mm diameter for aluminum and 4 mm diameter for stainless steel





ltem no. 03320006		ltem no. 01310000	ltem no. 01301000	
ltem no.	Version	Dimensions	Weight	PU
03320006	Ammonia stone six pack	65 x 45 x 40 mm	900 g	6
01310000	Gesipa hand riveter NTX	260 mm	575 g	1
01301000	Gesipa hand riveter Flipper	260 mm	750 g	1

Angle Riveting Pliers Rotatable Head	Blind Rivets Aluminium/Steel	Blind Rivets Aluminium/Nirosta
Application & Benefits	Application & Benefits	Application & Benefits
Rotatable fixer: The rivet head is completely rotatable!		
 Head 360° rotatable Ideal for corners Equipped with four mouthpiece sizes 	 Standard/Flat round head Aluminum/Steel 500 pieces per package 	 Standard/Flat round head Aluminum/stainless steel 500 pieces per package









	ltem no. 01302000	ltem no. 01311	326	Item no. 01	311136
Item no.	Version		Dimensions	Weight	PU
01302000	Angle riveting pliers, rotatable head		280 mm	750 g	1
01311326	Blind rivets aluminium/steel, ø 3.2 mm, leng	gth 6 mm	3.2 x 6 mm	590 g	500
01311328	Blind rivets aluminium/steel, ø 3.2 mm, leng	gth 8 mm	3.2 x 8 mm	650 g	500
01311048	Blind rivets aluminium/steel, ø 4 mm, lengtl	1 8 mm	4 x 8 mm	805 g	500
01311136	Blind rivets alu/nirosta, ø 3 mm, length 6 mi	n	3 x 6 mm	495 g	500



Item no.	Version	Dimensions	Weight	PU
01313280	Blind rivets alu/stainless steel, ø 3.2 mm, length 8 mm	3.2 x 8 mm	500 g	500
01312036	Blind rivets copper/stahl, ø 3 mm, length 6 mm	3 x 6 mm	635 g	500

Leather Belt	Nail Bag Single Nail Pocket Leather	Nail Bag Two Nail Pockets Leather	Nail Bag Two Nail Compartments, Bright Leather	Hammer Holder Genuine Leather	Hammer Loop Genuine Leather
Application & Benefits	Application & Benefits	Application & Benefits	Application & Benefits	Application & Benefits	Application & Benefits
 Durable: Durable leather Quality: Top line quality Embossed: With Freund logo Selection: Various waist- band widths available Suitable: For the Freund - belt buckles (not included) 	 Flat: Only 1 nail compartment Durable: Durable leather Quality: Top line quality Embossed: With Freund logo Durable: Riveted and sewn 	 Practical: With 2 nail compartments Durable: Durable leather Quality: Topline quality Embossed: With Freund logo Durable: Riveted and sewn 	 Practical: With 2 nail compartments Durable: Durable bright leather Quality: Topline quality Embossed: With Freund logo Durable: Riveted and sewn 	 Durable: Durable genuine leather Safe: With metal clip and safety tab 	 Practical: Belt pouch for transport of a hammer Durable: Durable genuine leather High quality: Riveted from 3 parts





Item no. 06020000

ltem no. 06021000

Item no.	Version	Dimensions	Weight	PU
06000800	Leather belt, waist size 80 cm	900 mm	125 g	1
06000900	Leather belt, waist size 90 cm	1000 mm	135 g	1
06001000	Leather belt, waist size 100 cm	1100 mm	150 g	1
06001100	Leather belt, waist size 110 cm	1200 mm	170 g	1
06001200	Leather belt, waist size 120 cm	1300 mm	175 g	1
06001300	Leather belt, waist size 130 cm	1400 mm	180 g	1
06020000	Nail bag, single nail pocket, leather	170 x 160 mm	145 g	1
06021000	Nail bag, two nail pockets, leather	180 x 170 mm	170 g	1

freund **-**

Item no. 06060000

Dimensions

180 x 150 mm

150 mm

180 mm

Item no. 06023000

Hammer holder, genuie leather

Hammer loop, genuie leather

Nail bag, two nail compartments, bright leather

Version

ltem no.

06060000

06080000



Item no. 06080000

PU

1

1

1

Weight

190 g

95 g

45 g

Leather Pouch for Hammer Tacker	Knife Pouch Small Version	Knife Pouch Big Version	Buckle for Various Trades	Hammer Chain Three Steel Chains	Hammer Chain Two Lion Head Embroides
Application & Benefits	Application & Benefits	Application & Benefits	Application & Benefits	Application & Benefits	Application & Benefits
 Durable: Durable leather Durable: Riveted and stitched Practical: Integrated staple pocket Selection: Small and large version available for Hammer tacker 19 and 11 	 Durable: Durable leather Durable: 5-fold riveted and sewn Quality: Topline quality Embossed: With Freund logo 	 Durable: Durable leather Durable: Riveted and sewn Quality: Topline quality Embossed: With Freund logo 	 Appealing: Belt buckle made of nickel silver and brass Durable: High-quality workmanship Selection: Emblem for roofers and carpenters 	 Durable: Loops made of durable leather Durable: Connections riveted Strong: The 3 chains are made of high quality steel and finished to resist corrosion 	 Decorative: Equipped with 2 lion head emblems Tough: The 3 chains are made of high quality steel and refined to resist corrosion









	I
em no. Version	

Item no	. 06090000	I	t

Item no	.06093000
---------	-----------

Item no.	Version	Dimensions	Weight	PU
06012000	Leather pouch for Hammer Tacker 19	160 mm	95 g	1
06013000	Leather pouch for Hammer Tacker 11	165 mm	175 g	1
06090000	Knife pouch, small version	225 mm	60 g	1
06093000	Knife pouch, big version	250 mm	70 g	1

-	





Item no. 06050003

Item no.	Version	Dimensions	Weight	PU
06030000	Buckle roofer brass emblem	65 mm	45 g	1
06031000	Buckle carpenter brass emblem	65 mm	45 g	1
06050003	Hammer chain, three steel chains	380 mm	76 g	1
06070000	Hammer chain, two lion head embroides	340 mm	250 g	1

Tool Box, **Small Strong Box**

Application & Benefits

Ingenious companion: Transports tools and accessories!

- Robust: Made from durable PP. Equips you for use on your next construction site
- Handy and resilient: 14 liters of storage space and 20 kg load capacity including tool
- Dry and clean: contents are protected from water and dust thanks to the seal in the lid (IP 55) Clearly arranged: removable
- organizer
- Practical: the V-groove with ruler on the top of the lid holds materials such as wood and pipes in position for cutting



Item no. 45174000

Item no.	Version	Dimensions	Weight	PU
45174000	Tool box, small strong box	242 x 256 x 462 mm	2.1 kg	1

Knife Pouch for Insulation- Knifes	Work Apron With Belt And Buckle
Application & Benefits	Application & Benefits
 Protective: Optimal protection of the blade of the Freund insulation knife 02055000 Durable: Hard-wearing leather Durable: 15 x riveted and neatly sewn 	 Not disturbing: Tool apron made of extremely soft genuine leather Equipped: With 2 nail pockets, Hammer loop, 2 single holders Adjustable: Durable belt adjustable up to 119 cm







Leather Belt

Application & Benefits

• Durable: Durable leather

• Rugged: Riveted and sewn

• Substantial: 5 pockets of

different sizes + 1 loop

Bag

Item no . 06094000		Item no. 06104000	ltem no. 06110000	
Item no.	Version	Dimensions	Weight	PU
06094000	Knife pouch for insulation knifes	280 mm	65 g	1
06104000	Work apron with belt and buckle	900 mm	560 g	1
06110000	Leather belt bag	230 x 240 mm	440 g	1

246

Application

Ingenious companion: Transports tools and accessories!

Benefits & Comfort

- Robust: Made from durable PP. Equips you for use
 on your next construction site
- Large and resilient: 29 liters of storage space and 30 kilogram load capacity including tools
- Dry: Contents are waterproof and weather resistant according to IP 55
- Clearly arranged: Removable organizer
- Practical: The V-nut with ruler on the top of the lid holds materials such as wood and pipes in position for cutting



Item no. 04569000

ltem no.	Version	Dimensions	Weight	PU
04569000	Tool box Freund	660 x 275 x 26 mm	2.7 kg	1



Beacause you need a best friend

You have found it with this toolbox. Huge capacity, always clearly arranged, stable and with high carrying capacity. And with enough space for your tools. Protected from water and dust - It can really take a hit.

Bucket Bag Tool Buddy

Application

Strong bag: Stows and transports your tools -Combined with a standard 12 liter construction bucket!

Benefits & Comfort

- Organized: 6 pockets each on the inside and outside for various tools
- Practical: 3 holding loops on one outside of the insert for longer tools
- Closing: Integrated inside rubberized cover incl. cord
- Dry and clean: Cover protects bucket contents from dust and is water-repellent
- Convenient: Easy to attach to a standard 12 liter bucket
- Durable and practical: Robust and tear-resistant fabric



Item no. 45181000

Item no.	Version	Dimensions	Weight	PU
45181000	Bucket bag Tool Buddy	Ø 300 x 350 mm	470 g	1
45183000	Bucket bag Tool Buddy in a set with construction bucket 12 liters	Ø 300 x 350 mm	930 g	1



Beacause everything has its place

With the versatile Tool Buddy bucket bag, you can store and transport everything you need on your construction site. So you always have everything at hand.Simply pull the strong bag over your construction bucket, put the tools in it and off you go!

TOOL BOXES

Jewellery Hammer with Surface Refinement

Application

Shining jewel: Spreads joy and pride!

Benefits & Comfort

- Exclusive: Triple surface finish in chrome, old copper or 24 carat gold
- · Impressive: The jewellery hammer is 100 % handmade for you
- · Optional: Individual engraving on your jewellery hammer and noble gift box made of wood incl. foam inlay as an addition to your to your Jewellery hammer (extra charge)
- · Caution: Pure jewelry tool surface finish is heavily attacked during work



Item no. 07001000 Item no. 07000000

ltem no.	Version	Dimensions	Weight	PU
07002000	Jewellery hammer gold plated finish	340 mm	650 g	1
07001000	Jewellery hammer chrome finish	340 mm	650 g	1
07000000	Jewellery hammer old copper version	340 mm	650 g	1



Becaus you deserve something special

For top performance and hard work, no matter what the weather is like. Our Jewellery hammer is just the right thing. As gift for yourself or to give pleasure to others. For example, for the farewell of a colleague or a colleague into retirement. Orfor the just passed master examination. With an engraving on top of it even becomes an original.



Present Box Made of Wood for **Jewellery Hammer**

Individual Engraving

Application & Benefits

Application & Benefits

Noble case: Transports and protects your jewellery hammer!

- Exclusive: High-quality made of wood
- · Protective: Incl. foam inlay, which protects your refined jewellery hammer from scratches

You want to make a true unique piece out of your slate hammer? Then our optional engravings are

just the thing for you. Whether company logo, text message or both combined. Almost anything is possible here. Curious?

Then simply send us your inquiry with your engraving request to sales@freund-cie.com and we will send you a suitable offer. We are looking forward to your request!



Item no. 07004000

ltem no.	Version	Dimensions	Weight	PU
07004000	Present box made of wood for jewellery hammer	360 x 252 x 35 mm	750 g	1
17010000	Gravur			1

WHAT YOU NEED ELSE

Bottle Opener Powder Coated

Application & Benefits

The opening friend: We also think of your physical well-being!

- Exclusive: Freund slate hammer for opening a bottle
- Corrosion protected: Highquality powder coating in green

Shopping Cart Token Freund-Coin

Application & Benefits

The shopping friend: The trolley token, that you always have with you!

- Fixable: The Freund token is attached to your key ring and always with you
- Practical: The Freund-Token does not remain in the in the shopping cart, but on your key ring
 Decorative: With laser-etched
- logo






Item no. 06387000

Item no. 06370000


Item no.	Version	Dimensions	Weight	PU
06387000	Bottle opener, powder coated	125 mm	60 g	1
06370000	Shopping cart token Freund-Coin	86 mm	18 g	1





Item no. 02842000

Item no.	Version	Dimensions	Weight	PU
02840000	Plate lift, GS-tested	300 - 500 mm	1.1 kg	1
02842000	Plate lift, reinforced version, adjustable	400 - 600 mm	1.6 kg	1
01581000	Metal drills, 1 piece	3.2 x 65 mm	10 g	1
01581400	Metal drills, 1 piece	4.2 x 75 mm	10 g	1



	Application & Benefits
steel	 Safe: Rotatable load hook
nt	with hook safety device Loadable: Lifts depending

- g on
- version 220 kg or 250 kg • High-quaity: With crossbars









ltem no. 00642003		ltem no. 00570000	ltem no. 00560220	
ltem no.	Version	Dimensions	Weight	PU
00642003	Scaffolding rope, breaking load ca. 100 kg	3 m	60 g	1
00642025	Scaffolding rope, breaking load ca. 100 kg	2.5 m	50 g	1
00570000	Rope hook	260 mm	650 g	1
00560220	Ginney-wheel up to 220 kg		4.6 kg	1
00560250	Ginney-wheel up to 250 kg		5 kg	1



Item no. 01830000

Item no.	Version	Dimensions	Weight	PU
01830000	Steel wire brush	280 mm	145 g	1
01831000	Brass wire brush	280 mm	150 g	1

WHAT YOU NEED ELSE

Holstein Sand Shovel


Application & Benefits

- Steel hard: Made from hardened steel
- High quality: Long service life and wear-resistant, corrosionresistant red paint
- Applicable: For sandy and
- fine excavation
 Suitable: For commercially available shovel handles. Painted in red • Large: Size 2



Item no. 92100002

Item no.	Version	Dimensions	Weight	PU
92100002	Holstein sand shovel	340 x 250 mm	1.2 kg	1
92111300	Shovel handle	1.300 mm	500 g	1



freund

Quick finder

AAluminum safety handle83Anmonia stome238, 239Ammonia stome in metal box238Ammonia stome for Solder Max238Angle flat scraper1713Angle riveting pliers rotatable head240Assembly hammer with steel tube213Atomatic soldering inon213Batten gauge aluminium version1016Berlin pattern snips1010Bilonen roller910Bilonen roller911Bitumen roller913Bitumen roller913Bilonen roller914Bilonen roller914Bilon roller914Bilon rivets aluminium/stainless steel2141Bilon rivets aluminium/steil2141Bilon rivets aluminium/nirosta2141Bilon rivets aluminium/nirosta2152Bilon rivets aluminium/nirosta2161Bilon rivets aluminium/nirosta2161Bilon rivets aluminium/nirosta2161Bilon rivets aluminium/nirosta2161Bilon rivets aluminium/nirosta2161Bilon rivets aluminium/nirosta2161 <th>6D Pipe expander</th> <th>223</th>	6D Pipe expander	223
Anmonia stone in metal box238,239Anmonia stone in metal box238Anmonia stone for Solder Max238Angle flat scraper173Angle riveting pliers rotatable head240Assembly hammer with steel tube213Automatic soldering iron227B100Batten gauge aluminium version106Berlin pattern snips170Bitonen of trowel with wooden handle98Biko-knife with fixed blade81Bitumen roller61Bitumen roller51Bidades 10 pieces86Bind rivets aluminium/stainless steel240Bind rivets aluminium/nirosta240Bituf or hydro-chloric acid/soldering fluid252Bottle opener powder coated652Bottle with brush for solvent welding materia612Bottle with brush for solvent welding materia612Bo	Α	
Ammonia stone in metal box238Ammonia stone for Solder Max238Angle flat scraper173Angle riveting pliers rotatable head240Assembly hammer with steel tube213Automatic soldering iron227B106Batten gauge aluminium version106Berlin pattern snips179Berlin roof trowel with wooden handle98Biko-knife with fixed blade81Bitumen Pro bitumencutter51Bitumen coller69Bitumen coller81Blades 10 pieces86Blind rivets aluminium/stainless steel241Blind rivets aluminium/stainless steel241Bitur en problemer stainless steel241Bitur hydro-chloric acid/soldering fluid252Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Aluminium safety handle	83
Ammonia stone for Solder Max213Angle flat scraper173Angle riveting pliers rotatable head240Assembly hammer with steel tube213Automatic soldering iron227B106Batten gauge aluminium version106Berlin pattern snips179Berlin roof trowel with wooden handle98Biko-knife with fixed blade81Bitumen roller69Bitumen roller51Bidades 10 pieces86Bind rivets aluminium/stainless steel240Bind rivets copper/steel240Bind rivets aluminium/nirosta240Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Ammonia stone	238, 239
Angle flat scraper173Angle flat scraper173Angle riveting pliers rotatable head240Assembly hammer with steel tube213Automatic soldering iron227B106Batten gauge aluminium version106Berlin pattern snips179Berlin pot trowel with wooden handle98Biko-knife with fixed blade81Bitumen Pro bitumencuttter51Bitumen coller69Bitumen coller51Blades 10 pieces86Blind rivets aluminium/steel240Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Ammonia stone in metal box	238
Angle riveting pliers rotatable head240Assembly hammer with steel tube213Automatic soldering iron227B106Batten gauge aluminium version106Batten gauge u-profile rod106Berlin pattern snips179Berlin roof trowel with wooden handle98Biko-knife with fixed blade81Bitumen Pro bitumencuttter51Bitumen culter Bitumen Pro51Blades 10 pieces86Blind rivets aluminium/stainless steel240Blind rivets copper/steel241Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid252Bottle with brush for solvent welding material69Bow compass111	Ammonia stone for Solder Max	238
Assembly hammer with steel tube213Automatic soldering iron227B106Batten gauge aluminium version106Batten gauge u-profile rod106Berlin pattern snips179Berlin roof trowel with wooden handle98Biko-knife with fixed blade81Bitumen Pro bitumencuttter51Bitumen coller69Bitumen coller69Bitumen coller51Blades 10 pieces86Blind rivets aluminium/stainless steel240Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid252Bottle opener powder coated69Bow compass111	Angle flat scraper	173
Automatic soldering iron227B227B106Batten gauge aluminium version106Batten gauge u-profile rod106Berlin pattern snips179Berlin roof trowel with wooden handle98Biko-knife with fixed blade81Bitumen Pro bitumencuttter51Bitumen culter Bitumen Pro51Blades 10 pieces86Blind rivets aluminium/stainless steel241Blind rivets copper/steel240Bitur for hydro-chloric acid/soldering fluid252Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Angle riveting pliers rotatable head	240
B Batten gauge aluminium version 106 Batten gauge u-profile rod 106 Berlin pattern snips 179 Berlin roof trowel with wooden handle 98 Biko-knife with fixed blade 81 Bitumen Pro bitumencuttter 51 Bitumen roller 69 Bitumen cutter Bitumen Pro 51 Blades 10 pieces 86 Blind rivets aluminium/stainless steel 240 Blind rivets copper/steel 240 Bottle for hydro-chloric acid/soldering fluid 235 Bottle opener powder coated 252 Bottle with brush for solvent welding material 69 Bow compass 111	Assembly hammer with steel tube	213
Batten gauge aluminium version106Batten gauge u-profile rod106Berlin pattern snips179Berlin roof trowel with wooden handle98Biko-knife with fixed blade81Bitumen Pro bitumencuttter51Bitumen roller69Bitumencutter Bitumen Pro51Blades 10 pieces86Blind rivets aluminium/stainless steel241Blind rivets copper/steel241Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid252Bottle with brush for solvent welding material69Bow compass111	Automatic soldering iron	227
Batten gauge u-profile rod106Berlin pattern snips179Berlin roof trowel with wooden handle98Biko-knife with fixed blade81Bitumen Pro bitumencuttter51Bitumen roller69Bitumen cutter Bitumen Pro51Blades 10 pieces86Blind rivets aluminium/stainless steel240Blind rivets aluminium/nirosta240Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid252Bottle with brush for solvent welding material69Bow compass111	В	
Berlin pattern snips179Berlin roof trowel with wooden handle98Biko-knife with fixed blade81Bitumen Pro bitumencuttter51Bitumen roller69Bitumencutter Bitumen Pro51Blades 10 pieces86Blind rivets aluminium/stainless steel241Blind rivets aluminium/steel240Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid252Bottle opener powder coated69Bow compass111	Batten gauge aluminium version	106
Berlin roof trowel with wooden handle98Biko-knife with fixed blade81Bitumen Pro bitumencuttter51Bitumen roller69Bitumen cutter Bitumen Pro51Blades 10 pieces86Blind rivets aluminium/stainless steel241Blind rivets aluminium/steel240Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Batten gauge u-profile rod	106
Biko-knife with fixed blade81Bitumen Pro bitumencuttter51Bitumen roller69Bitumencutter Bitumen Pro51Blades 10 pieces86Blind rivets aluminium/stainless steel241Blind rivets aluminium/steel240Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Berlin pattern snips	179
Bitumen Pro bitumencuttter51Bitumen roller69Bitumen cutter Bitumen Pro51Blades 10 pieces86Blind rivets aluminium/stainless steel241Blind rivets aluminium/steel240Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Berlin roof trowel with wooden handle	98
Bitumen roller69Bitumencutter Bitumen Pro51Blades 10 pieces86Blind rivets aluminium/stainless steel241Blind rivets aluminium/steel240Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Biko-knife with fixed blade	81
Bitumencutter Bitumen Pro51Blades 10 pieces86Blind rivets aluminium/stainless steel241Blind rivets aluminium/steel240Blind rivets copper/steel241Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Bitumen Pro bitumencuttter	51
Blades 10 pieces86Blind rivets aluminium/stainless steel241Blind rivets aluminium/steel240Blind rivets copper/steel241Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Bitumen roller	69
Blind rivets aluminium/stainless steel241Blind rivets aluminium/steel240Blind rivets copper/steel241Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Bitumencutter Bitumen Pro	51
Blind rivets aluminium/steel240Blind rivets copper/steel241Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Blades 10 pieces	86
Blind rivets copper/steel241Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Blind rivets aluminium/stainless steel	241
Blind rivets aluminium/nirosta240Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Blind rivets aluminium/steel	240
Bottle for hydro-chloric acid/soldering fluid235Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Blind rivets copper/steel	241
Bottle opener powder coated252Bottle with brush for solvent welding material69Bow compass111	Blind rivets aluminium/nirosta	240
Bottle with brush for solvent welding material69Bow compass111	Bottle for hydro-chloric acid/soldering fluid	235
Bow compass 111	Bottle opener powder coated	252
	Bottle with brush for solvent welding material	69
Brass wire brush 255	Bow compass	111
	Brass wire brush	255

Break-off blades	86
Broad seaming pliers	144
Bucket bag Tool Buddy	249
Buckle for various trades	245
С	
Cardboard tracing knifes	87
Carpenter's square	107
Carpenters pen	121
Chains	245
Chalk line double version	115
Chalk line ergo	118
Chalk line maxistronger line	118
Chalk line straitline, 3,5-times	118
Chalk line turbospeed plus 5-times	117
Chalk lines turbospeed	117
Chalk line freund	114
Chalk powders for chalk line	120
Chase wedge hardwood	199
Chase wedge HDPE plastic	197
Chaulking gun closed model	105
Chaulking gun extremely robust	105
Chaulking gun skeleton shape	105
Chisel	41
Claw hammer with leather handle	41
Clipping shears system 133 AKW	171
Coil clamp	195
Combi-roller solvent resistant	70
Combination cutting snips	183, 184, 186
Combination snips	177, 180

Comfort knife foldable	82
Cord spirit level	112
Corner seaming pliers	150
Cutting snips compound leverage	187
D	
Danish roof trowel	97
Deadblow hammer	208
Demolition tool BOZZ	31
Demolition tool BOZZ set	33
Demolition tool little BOZZ	32
Disc-bender	136
Double disc-bender	136
Double max-bender 350	137
Double premium bender	137
Double square-seam	168
Double square-seam folder	167
Double standing seam closer with PVC jaws	165
Double utility bar, 380 mm	36
Double welt iron	174
E	
Eave closer with PVC jaws	166
Eaves closer	168
Eaves edger	168
Ergowheel® pressure roller	54
Fibre cement guillotine 96	23
Fibre-cement scribe	24
Files for soft metals	200
Fillet weld slide PTFE non-stick	59
Filling nozzle for propane-small bottle	232

Flanging tool	172
Flat nose pliers	151
Flat roof starter kit	62
Flat roof starter kit with Ergowheel®	64
Fliz-folder	172
Flooring crow bar	36
Flux for copper	236
Flux for oxidized zinc sheet	237
Flux for patinated zinc sheet	237
Flux for zinc and galvanized steel sheet	237
Flux in a brush bottle	236
Foam Master XXL metal foam gun	103
Foam rubber	71
Foil scissors with soft handle	68
Foil scissors with soft handle	68
Foil scissors sturdy metal design	67
Folder second stage upright	168
Folding saw japanese pull saw blade	94
Frame saw japanese pull saw blade	94
Freund wooden folding rule	112
Freund-knife handy handle and quiver	83
G	
Gas cartridge powergas	229
Gel-flux in a brush bottle	236
Genuine aviation snips	188 - 189
Genuine shape cutting snips	178, 181
Gesipa hand riveter NTX	239
Gesipa hand riveter Flipper	239
Ginney-wheel	254

Grooving hammer	210	Han
Grooving hammer two-headed	212	Han
Guide for fibre cement guillotine	24	Han
Gutter adjustment pliers	216	Han
Gutter adjustment pliers universal	224	Hat
Gutter cleaning kit	219	Hig
Gutter cord	113	Hol
Gutter hanger bender	215	Нос
Gutter hanger bender Transfor.Maxx	214	Hoc
н		Hoo
Hacksaw for pipes and gutters	89	Hos
Hacksaw with metal saw blade	89	Hot
Hacksaw with wood saw blade	89	1
Hammer chain three steel	245	Insu
Hammer chain two lion head embroides	245	Insu
Hammer drill SDS-Plus	46	Insu
Hammer for angle flat scraper	211	J
Hammer holdergenuine leather	243	Jap
Hammer loop	243	Jap
Hammer tacker	75	Jew
Hammer tacker Freund 11	74	Jig
Hammer tacker Freund 19	73	Knit
Hammer tacker Freund Fast & Fix F11	72	Knit
Hammer tacker Rapid 11	74	Knit
Hammer tacker Rapid 19	74	L
Hammer tacker Freund 53	75	Lath
Hammer tacker Rapid 54	75	Lath
Hand notcher 35	156	Lea
Hand notcher with 2K softhandle	157	Lea

Handle for slate ripper	29
Handle for slate ripper straight form	29
Handle from ash wood	42
Hannover roof trowel	97
Hatched with handle	42
High pressure hose from rubber	233
Holstein sand shovel	256
Hooked blades "Made in Solingen"	85
Hooked blades	85
Hooked break-off blades	86
Hose breaking safety device	232
Hot air gun with gas cartridge	228
I	
Insulation knife with long blade	88
Insulation knife with wooden handle	88
Insulation material saw	93
J	
Japanese pull saw with plastic	95
Japanese pull saw with rattan	95
Jewellery hammer	251
Jig saws	92
Knife pouch for insulation-knifes	246
Knife pouch big version	244
Knife pouch small version	244
L	
Lath axe with soft handle	42
Lath lifter	34
Lead dressers	196 - 199
Leather belt	242, 246

Leather pouch for hammer	244	Nail
Locking pliers, curved jaws	160	Nail
Locksmith square	108	Nail
Locksmith's hammer	213	Nibb
Long nose locking	159	Notc
Loop Pro coil clamp	195	ο
Μ		Offse
Masonry cord polyethylen red	113	Offse
Masonry cord polypropylene red	113	Р
Masonry trowel with wooden handle	98	Pain
Max-bender 350	137	Pain
Max-bender 350 with handle	135	Pelic
Metal drills	253	Pipe
Metal foam gun Foam Master XXL	103	Pipe
Metal saw bow with 2K-grip	90	Pipe
Metal saw bow with pistol grip	90	Pipe
Metall foam gun Plus	104	Pipe
Metall foam gun Plus XL	104	Pipe
Mini water pump pliers	161	Pipe
Mini-seaming pliers curved 45°	145	Pipe
Mini-seaming pliers, straight	146	Pipe
Modeling slater´s hammer Universo®	13	Plan
Mortise axe	41	Plast
Multigraph pen	121	Plast
Multi purpose saw	91	Plate
Multi purpose saw 3D-teeth	91	Plate
Multitool	83	Poin
N		Poin
Nail bag two nail	243	Polis

Nail bag single nail pocket	242
Nail bag two nail pockets	242
Nail claw hook	37
Nibbler shears	191
Notching and punching pliers	157
0	
Offset cutting snips	185, 187
Offset cutting snips mini	188
Р	
Paint brush bent long	70
Paint brush straight short	71
Pelican snips 177, 180, 182,	184, 185
Pipe crimper compound leverage	217
Pipe crimper curved	217
Pipe crimper straight	217
Pipe expander	224
Pipe expander in a set 100 / 120 mm	225
Pipe expander in a set 67/87/100 mm	226
Pipe expander in a set 80 / 100 mm	225
Pipe expander in a set 87 / 100 mm	225
Pipe expander in a set 87/100/120 mm	226
Planishing and grooving hammer	212
Plaster-board saw	93
Plastic bottle with drip cap	68
Plate lift reinforced version	253
Plate liftgs-tested	253
Pointing hammer with fiberglass handle	14
Pointing hammer with wooden handle	14
Polishing hammer two-headed	212

freund **r**

INDEX

260

Premium multi purpose saw	91
Premium-bender	137
Premium-bender	134
Present box	251
Pressure regulators for gas bottles	233
Pressure rollers	56 - 57
Pressure roller PTFE non-stick	58
Professional cutter plus	79
Professional cutter premium	82
Professional cutter with break-off blades	81
Professional marking set	121
Protractor powder coated	107
Punch snips	178, 181 -184
Punching plierscompound leverage	157
Ρ	
Rabitz pliers	162
Radii-edger	136
Rapid 23	75
Ridge trowel	96
Roll bag with seaming pliers	143
Roll bag with stainless steel snips	182
Roll bag-up with offset cutting snips	190
Roll-up bag with snips	179
Roll-up bag with genuine aviation snips	190
Rolling hand shears HSG	191
Roof tile cutter Bibermax	43
Roof tile file	45
Roofer's hammer Freund by Picard	39
Roofer's hammer with head protection	38

Roofer's hammer with reinforced head protect	tion 38
Roofer's hammer one piece forged steel	38
Roofer's hammer with leather handle	39
Roofing membrane roller	66
Roofing saw 2K grip	93
Rope hook	254
Round dormer closer	169
Round nose pliers	151
Round profil closer	169
Round seaming pliers	150
Rubber hammer with wooden handle	213
S	
Saws	89 - 95
Scaffolding rope	254
Scriber with carbide tip	111
Scribing plates	109 - 110
Scribing tool Alpha	107
Seam locking pliers with PVC protection	158
Seam opening pliers	150
Seam tester 90° angled	60
Seaming iron long blade	173
Seaming iron short blade	172
Seaming iron without prisma	173
Seaming machine Seaming Pro® NG	122 - 127
Seaming pliers, curved 90°, lap joint	143
Seaming pliers, curved 45°, lap joint	154
Seaming pliers, curved 45°, stack joint	155
Seaming pliers, curved 90°, stack joint	147
Seaming pliers, curved 45°, stack joint	146

Seaming pliers, curved 45°, lap joint	142
Seaming pliers, skewed	154
Seaming pliers, straight, stack joint	155
Seaming pliers, straight, lap joint	153
Seaming pliers, bent, compound leverage	152
Seaming pliers, straight, compound leverage	152
Seaming pliers, straight, stack joint	146
Seaming pliers, straight, lap joint	143
Seaming Pro® NG seaming machine	126
Shark knife with retractable blade	78
Sheet bending jaws 1000 mm	170
Sheet bending jaws 300 mm	169
Sheet bending jaws 500 mm	170
Sheet metal contractor box	201
Shopping cart token Freund-coin	252
Shrinking hammer with different faces	211
Shrinking hammer with flat surfaces	211
Silicon pressure roller	53
Silikon-pressure roller angled	55
Silikon-pressure roller bush bearings	55
Silikon-pressure roller wide, bush bearings	55
Silver-knife with retractable blade and quiver	81
Single handed edger 108 HK	152
Slate cutter Schiefermax	22
Slate lifting bar	37
Slate ripper exchange blade	29
Slate ripper stainless steel	28
Slate ripper handforged	25
Slate ripper spring steel	30

Slate ripper straight handle	30
Slate- & fibre cement cutter MasterCut®	16
Slate- & fibre cement cutter with punch	17
Slate- & fibre cement cutter ErgoCut	17
Slate- & fibre cement cutter without punch	17
Slater´s anvil Hau.Maxx, curved	18
Slater´s anvil Hau.Maxx, straight	19
Slater´s anvil curved	20
Slater´s anvil french pattern	21
Slater´s anvil french pattern	21
Slater´s anvil straight	20
Slater´s hammer rhenish pattern	10
Slater´s hammer american pattern	10
Slater's hammer Piccolo with nail puller	13
Slater´s hammer Piccolo with three holes	13
Slater´s hammer saxon pattern	10
Slater´s hammer Universo®	13
Slater´s hammer Universo®	9
Slater´s hammer Universo® french pattern	11
Slater´s hammer Universo® ornament	12
Slater´s hammer french pattern	11
Slater´s hammer traditional french pattern	11
Small bottle for propane	232
Small strong box	247
Smooth-running ball bearings	54
Smooth-running ball bearings	58
Snips	188
Soft face hammer	208
Soldering brush heat resistant and acid resistant	235

Soldering iron tip	229
Soldering iron tip bent shape turbo	230
Soldering iron tip bent shape longlife	230
Soldering iron tip pointed shape longlife	230
Soldering iron tip copper tip hammer shape	231
Soldering iron tipcopper tip Zinnlux	231
Soldering iron tippointed shape	229
Soldering iron with combustion chamber	227
Soldering iron with piezo ignition	228
Soldering set in a metal case	227
Soldering set Solder Max Combi	235
Soldering set Solder Max	234
Special gutter cord	113
Spindel roller for combination	70
Spirit level aluminium	108
Square-seam folder	167
Square-seam folder first stage upright	167
Squeezing folding pliers	175
Squeezing folding pliers, straight, lap joint	149
Squeezing folding pliers, straight, stack joint	148
Stainless steel seaming pliers, straight, lap joint	147
Stainless steelseaming pliers 45°, lap joint	147
Standard-bender	135
Staples flat wire 11/10	77
Staples flat wire 11/14	77
Staples round wire 37/6	76
Staples round wire 37/8	76
Steel snips	182
Steel wire brush	255

т	
Tile drill	46
Tile edger large version	170
Tile edger small version	171
Tile nibbler forged	44
Tin clean in metal box	238
Tinman's hammer, PVC angular	207
Tinman's hammer, PVC round	207
Tinman's hammer, PVC angular with pointed head	206
Token Freund-coin	252
Tongue shaped trowels	96, 97
Tool box, small strong box	247
Tool box Freund	248
Tool buddy bucket bag	249
Trapezoid blades "Made in Solingen"	84
Trapezoid blades	84
Triangle bearing scraper	199
Triangle tip and belt pouch	92
Trowels	96 - 98
Turbo cutter cordless screw-driver	191
U	
UltraVision seaming pliers 45°, stack joint, window & scale	140
UltraVision seaming pliers 90°, stack joint, window & scale	141
UltraVision seaming pliers, straight, stack joint, window & scale	141
Universal drill Goldcraft	46
Universal knife curved	80
Universal knife fixed blade	80

Universal knife with retractable blade	80
Universal replacement line on card	119
Universal replacement line on reel	119
Universal sheet metal pliers	159
Universal snips	178 - 179
Universal double bracket heat resistant	69
Upright snips compound leverage	190
W	
Water dozer	71
Water dozer hard rubber	71
Water pump pliers	162
Water pump pliers	162
Wide jaw locking pliers with PVC protection	159
Winding core	66
Wooden axe with handle from ash wood	42
Wooden bevel with brass fitting	108
Wooden hammer with metal ring	209
Wooden-tinman's hammer angular	209
Wooden-tinman's hammer round	209
Work apron with belt and buckle	246
Wrecking bar angular	36
Wrecking bar heavy duty	35
Z	
Zinc scriber hardened tip	200
Zinc scriber carbide tip	200

264



P. F. Freund & Cie. GmbH

Hahnerberger Str. 94-96 42349 Wuppertal Germany

T +49 202 40929-0 info@freund-cie.com

www.freund-cie.com